

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

109259907

CHEMISTRY 5070/22

Paper 2 Theory May/June 2014

1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions.

Write your answers in the spaces provided in the Question Paper.

Section B

Answer any three questions.

Write your answers in the spaces provided in the Question Paper.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 18 printed pages and 2 blank pages.



Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

Α1	Choose from	n the following	gases to	answer the	questions	below.
----	-------------	-----------------	----------	------------	-----------	--------

CC1F3
CH ₄
СО
CO2
H ₂
N ₂
NH ₃
O_2
SO ₂

Each gas can be used once, more than once or not at all.

Which gas is

(a)	used in making steel,
	[1]
(b)	made by the bacterial decay of vegetable matter,
	[1]
(c)	responsible for ozone depletion in the upper atmosphere,
	[1]
(d)	used to manufacture margarine?
	[1]

[Total: 4]

Δ2	Farmers use	chemicals	to	improve	cron v	/ield
~~	i aiiiicis usc	CHEIIIICAIS	ιU	IIIIDIOVE	UUU 1	viciu.

Ammonium phosphate, $(NH_4)_3PO_4$, is used as a fertiliser and calcium hydroxide, $Ca(OH)_2$, is used to reduce the acidity of soils.

The relative formula mass of ammonium phosphate is 149.


(a) Calculate the percentage by mass of nitrogen in ammonium phosphate.

		percentage = % [1]
(b)	A fa	rmer adds ammonium phosphate to a field.
	He	then adds calcium hydroxide to the field because the soil is very acidic.
	(i)	Calcium hydroxide neutralises the acid in the soil.
		Give the ionic equation for this reaction.
		[1]
	(ii)	The calcium hydroxide reduces the effectiveness of the ammonium phosphate fertiliser because it reduces the nitrogen content.
		Explain why adding calcium hydroxide reduces the nitrogen content.
		LO.

(c)		ample of ammonium phosphate can be produced by the reaction of aqueous ammonia phosphoric acid.
		$3NH_3(aq) + H_3PO_4(aq) \rightarrow (NH_4)_3PO_4(aq)$
	25.0	0 cm ³ of 1.25 mol/dm ³ phosphoric acid is neutralised by 45.3 cm ³ of aqueous ammonia.
	(i)	Calculate the concentration, in mol/dm³, of the ammonia used.
		concentration of ammonia = mol/dm ³ [3]
	(ii)	Show, by calculation, that 4.66g of ammonium phosphate would be produced. Assume that the yield is 100%. $[M_r: (NH_4)_3PO_4, 149]$
		$[W_r, (W_4/3, W_4, W_5)]$
		· · · ·
		[1]
	(iii)	In practice, the actual mass of ammonium phosphate produced is 2.93 g.
		Calculate the percentage yield of ammonium phosphate.
		percentage yield = % [1]
		[Total: 9]

A3 Proteins, carbohydrates and fats are natural macromolecules.

The partial structure of a protein is shown below.



(b) Name a synthetic polymer that has the same linkage as a protein.	(a)	Name the linkage that joins the monomer units in a protein.	
	(b)	Name a synthetic polymer that has the same linkage as a protein.	

(c) Proteins are hydrolysed to give a mixture of colourless amino acids.

Describe, with the aid of a labelled diagram, how paper chromatography can be used to identify the amino acids present in a mixture of amino acids.

 	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
			F 41
 			[4]

1	(A)	Carbohy	dratas	can h	hydro	hoovi
	(a)	Carbon	/urales	can be	e rivarc	nvsea.

Name the class of compound formed when carbohydrates are hydrolysed.

.....[1]

(e) The diagram shows the structure of a simple fat.

(i) This fat is polyunsaturated.

What is the meaning of the term polyunsaturated?

			[2]

(ii) Describe a chemical test to show that the fat is unsaturated.

name of reagent

result of test[2]

(iii) Name a synthetic macromolecule that contains the same linkage as fats.

|--|

[Total: 12]

- A4 Only liquids that contain moving ions can be electrolysed. These liquids are called electrolytes.
 - (a) Complete the following table which shows the products formed when some liquids are electrolysed using inert graphite electrodes.

electrolyte	ions present in electrolyte	product formed at the positive electrode	product formed at the negative electrode
aqueous copper(II) sulfate	Cu ²⁺ , H ⁺ , OH ⁻ and SO ₄ ²⁻		
concentrated aqueous sodium chloride	H ⁺ , Na ⁺ , C <i>l</i> ⁻ and OH ⁻	chlorine	hydrogen
molten lead(II) bromide	Pb ²⁺ and Br		


Γ	3	1
L	_	J

[Total: 6]

(b)		en concentrated aqueous sodium chloride is electrolysed, chlorine is formed at the positive ctrode (anode) and hydrogen at the negative electrode (cathode).
	(i)	Construct the ionic equation to show the formation of chlorine at the positive electrode.
		[1]
	(ii)	Explain why hydrogen is formed at the negative electrode rather than sodium.
		[1]
(c)	Nan	ne a metal manufactured by the electrolysis of a molten ionic compound.

A5	Hae	matite, limestone and coke are heated together in a blast furnace in the manufacture of iron.					
	(a)	State why each of the following compounds are needed in a blast furnace.					
		haematite					
		limestone					
		coke					
	4.	[3]					
	(b)	Iron has a high melting point because it has strong metallic bonding.					
		Describe, using a labelled diagram, metallic bonding.					
		[2]					
	(c)	When iron is made into the alloy steel, the properties of iron are changed.					
		High carbon steels are stronger than iron but are brittle.					
		State a property of low carbon steels.					
	<i>(</i> 1)	[1]					
	(d)	When magnesium powder is added to aqueous iron(II) sulfate, the following reaction occurs. Ma(a) : Fa(2+(ax) > Ma(2+(ax)) : Fa(a)					
		$Mg(s) + Fe^{2+}(aq) \rightarrow Mg^{2+}(aq) + Fe(s)$ (i) Explain using electron transfer why iran(II) inno are reduced in this reaction					
		(i) Explain, using electron transfer, why iron(II) ions are reduced in this reaction.					
		[1]					
		(ii) What would you observe in this reaction?					
		(ii) Thiat heard year ebeerte in the readile					
		[1]					
		[Total: 8]					

A6 The flow chart shows the reactions of metal **A** and some of its compounds.



Identify, by name, each of the substances.

Α	
В	
С	
D	
Е	
_	

[Total: 6]

Section B

Answer three questions from this section in the spaces provided.

The total mark for this section is 30.

B7	Alkanes are a	homologous	series of	hydrocarbons.
	/ III alloo alo a	Homologoad	001100 01	i i y ai o oai o oi ic

(a)	There are two alkanes with the molecular formula C ₄ H ₁₀ .
	Draw the structures, showing all the atoms and all the bonds, of these two alkanes.

(b)	One	of the alkanes with the molecular formula C_4H_{10} is butane.	
	Buta	ane is used as a fuel.	
	(i)	Construct the equation for the complete combustion of butane.	
			[1]
	(ii)	Describe one problem associated with the incomplete combustion of butane.	
			[1]
(c)	Buta	ane reacts with chlorine in the presence of ultraviolet radiation.	
	Writ	e an equation for this reaction.	
			[1]

[2]

(d)		hane, ${\bf C_9H_{20}}$, is heated strongly in the presence of a catalyst. Two products are made: an ane, ${\bf G}$, and an alkene, ${\bf H}$.
	(i)	Name this type of reaction.
		[1]
	(ii)	Alkane G contains 84% carbon by mass.
		Calculate the molecular formula for G .
		molecular formula[3]
	(iii)	Suggest a molecular formula for H .
		[1]
		[Total: 10]

В8	Buta	an-1-ol, CH ₃ CH ₂ CH ₂ CH ₂ OH, and ethanol, CH ₃ CH ₂ OH, are both alcohols.
	Alco	phols, such as ethanol, react with sodium to form hydrogen.
		$\rm 2CH_3CH_2OH + 2Na \rightarrow 2CH_3CH_2ONa + H_2$
	(a)	Construct the equation to show the reaction of butan-1-ol with potassium.
		[1]
	(b)	Describe the chemical test for hydrogen.
		[1]
	(c)	A sample containing 0.233 g of an unknown Group I element is added to excess ethanol. The volume of hydrogen gas formed at room temperature and pressure is 400 cm ³ .
		Calculate the relative atomic mass, $A_{\rm r}$, of the Group I element and suggest the identity of the element.
		relative atomic mass =
		identity of the element =[4]
	(d)	Ethanol reacts with ethanoic acid to make an organic compound.
		Draw the structure, showing all the atoms and all the bonds, of this organic compound.

[1]

(e)	Describe the conditions need	of	ethanol	starting	from	glucose.	Include	an	equation	and	the
		 									[3]
										Total:	10]

D O	Mhan iran ia	hootod with ata	am in a aaalaa	l container on a	auilibrium mi	vtura ia abtainad
פס	when from is	nealed with ste	am m a sealed	a container, an e	aumbrium mi	xture is obtained.

$$3\text{Fe(s)} + 4\text{H}_2\text{O(g)} \rightleftharpoons 4\text{H}_2\text{(g)} + \text{Fe}_3\text{O}_4\text{(s)}$$
 $\Delta H = +35\,\text{kJ/mol}$

(a)	The forward reaction is endothermic. What is the meaning of the term <i>endothermic</i> ?
(b)	Describe and explain what happens to the rate of the forward reaction when the temperature is increased. The pressure remains constant.
	[2]
(c)	Describe and explain what happens, if anything, to the position of equilibrium when the pressure is increased. The temperature remains constant.
(d)	Calculate the mass of $\mathrm{Fe_3O_4}$ formed when 2.80 g of iron completely reacts with excess steam

mass of
$$Fe_3O_4 = \dots g [3]$$

(e)	At room temperature iron will rust in moist air.
	Describe and explain how galvanising iron prevents rusting.
	[2]
	[Total: 10]

B10 Astatine, At, is an element in Group VII of the Periodic Table.

The table shows some information about two isotopes of astatine.

symbol	number of protons	number of electrons	number of neutrons
²¹⁰ At			
²¹¹ ₈₅ At			

(a)	(i)	Complete the table.	[2]
	(ii)	What is meant by the term isotopes?	
			.[1]
(b)	Asta	atine forms a diatomic molecule with the same type of bonding as in a chlorine molecu	le.
	Dra	w the 'dot-and-cross' diagram for an astatine molecule.	
	Onl	y draw the outer shell electrons.	

[1]

(c)		atine reacts with magnesium to form magnesium astatide, ${\rm MgAt_2}$, which contains ${\rm Mg^{2+}}$ ${\rm At^-}$ ions.
	(i)	Describe how a magnesium ion and an astatide ion are formed from a magnesium atom and an astatine atom.
		[2]
	(ii)	Predict two physical properties of magnesium astatide.
		1
		2[2]
(d)	(i)	Bromine reacts with aqueous magnesium astatide. Construct the ionic equation for this reaction.
		[1]
	(ii)	Explain why astatine does not react with aqueous magnesium iodide.
		[1]
		[Total: 10]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Derindic Table of the Fle **DATA SHEET**

						F	he Perio	dic Tabl	he Periodic Table of the Elements	Element	ts						
								Grc	Group								
_	=											Ш	ΛΙ	Λ	IN	IIΛ	0
							1 Hydrogen										4 He Helium
Lithium	9 Beryllium 4											11 B Boron 5	12 C Carbon	14 N Nitrogen 7	16 Oxygen	19 Fluorine	20 Ne on 10
23 Na Sodium	24 Mg Magnesium											27 A 1 Aluminium 13	28 Si Silicon	31 Phosphorus	32 Sulfur 16	35.5 C1 Chlorine	40 Ar Argon
® ×	04 Q	% SC	⁴⁸	15 >	ن 52	S5 Mn	.56 T	₈ 8	²	64 Cu	es Zn	გ გ	_{င်} ဓိ	75 As	S o	8 g	84 7
Potassium 19	Calcium 20	21.8	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobatt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
85 D	® &	88 >	91	88 P	96 M) D	101 Bu		106 Pd		112 Cd	115 In	119 Sn	122 Sb	128 Te	127	131 Xe
Rubidium 37	Strontium 38	39	Zirconium 40	Niobium 41	Ε	E	F	_	Palladium 46	Silver 47	Cadmium 48	Indium 49		Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137	139	178 ‡	181 T	184	186 D	190 Oc		- 195 - Q		201	204	207 Dh	209 	209	210	222
Caesium 55	Barium 56	Le 57	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	E	Astatine 85	Radon 86
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium †															
* 58–71 † 90–10(Lanthar 3 Actino	* 58–71 Lanthanoid series † 90–103 Actinoid series		140 Ce	141 Pr Praseodymium	Neodymium	Pm Promethium	Samarium	152 Eu Europium	157 Gd Gadolinium	159 Tb Terbium	162 Dy Dysprosium	165 Ho Holmium	167 Er Erbium	169 Tm	Yb Ytterbium	175 Lu Lutetium
		المرس منتسميم مينامامي – م		000	S.C.	00	10	20		\$	60	99	/9	99	SO	0/	

28 a = relative atomic mass X = atomic symbol

8 b = atomic (proton) number Key

The volume of one mole of any gas is 24dm3 at room temperature and pressure (r.t.p.).

260 Lr Lawrencium 103

258 **Md**

257 **Fm** Fermium 100

252 **Es** Einsteinium 99

521

247 **BK**Berkelium
97

Curium

Am Americium Americium

Pu Pu Plutonium 94

Neptunium

 \supset

231 **Pa**

232 **Th** Thorium