

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

8 4 9 1 1 5 1 6 8

COMPUTER SCIENCE

Paper 2 Problem-solving and Programming

2210/21 May/June 2018 1 hour 45 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

No calculators allowed.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

DO NOT ATTEMPT TASKS 1, 2 AND 3 in the pre-release material; these are for information only.

You are advised to spend no more than 40 minutes on Section A (Question 1).

No marks will be awarded for using brand names of software packages or hardware.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The maximum number of marks is 50.



International Examinations

Section A

You are advised to spend no longer than 40 minutes answering this section.

Here is a copy of the pre-release material.

DO NOT attempt Tasks 1, 2 and 3 now.

Use the pre-release material and your experience from attempting the tasks before the examination to answer Question 1.

Pre-release material

A computer shop will build a computer from components to meet a customer's requirements. For each request for a computer to be built, an estimate of the cost is produced. The component stock level is checked; if all the components are in stock, a firm order to build the computer can be placed. A program is required to work out the cost of the computer, update the stock levels and provide a daily summary of orders for the shop owner.

Write and test a program or programs for the computer shop owner.

- Your program or programs must include appropriate prompts for the entry of data.
- Error messages and other output need to be set out clearly and understandably.
- All variables, constants and other identifiers must have meaningful names.

You will need to complete these three tasks. Each task must be fully tested.

TASK 1 - Produce an estimate.

Write a program for TASK 1 to calculate the cost of building a computer using these components.

Component	Choices	Prices in \$
Processor	p3/p5/p7	100 / 120 / 200
RAM	16GB/32GB	75 / 150
Storage	1TB/2TB	50 / 100
Screen	19" / 23"	65 / 120
Case	Mini Tower / Midi Tower	40 / 70
USB ports	2 ports / 4 ports	10 / 20

The customer makes a choice for each component and an estimate is produced. The estimate must show a unique estimate number, the components chosen and the price of each component. The estimate must also show the total cost of the computer, which is calculated as the sum of the cost of the components chosen plus 20%.

TASK 2 - Place an order.

Using your estimate from TASK 1, check if the components required are in stock. If all the components are in stock then update the stock levels. Add the unique estimate number to the list of order numbers. Add the customer's details and today's date to the estimate details to finalise the order. Print two copies of the order, one for the customer and one for the shop.

TASK 3 - Summarise the day's orders.

Extend TASK 2 to provide an end of day summary showing the number of orders made, the total number of each component sold and the value of the orders.

(a) All variables, constants and other identifiers should have meaningful names.

	<i>(</i> 1)	
	(i)	You recorded information for the estimate of the cost of building a computer in Task 1 . Give a data structure that you created for Task 1 , its name, data type and use.
		Data structure Array
		Name Processors
		Data type String
		Use To store hold the manes of the
		types of processors ancilable. [4]
	(ii)	Describe the data structures that you have used in Task 2 to record the customer details. Include sample data in the description.
		Processor Array - to store the type of processors
		type string
		RAM Array - to sa the type of RAMs availab
		type string
		E \ 0 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		Example Processor [Index] < "P" RAW Findex] < "16 GB"
		11 . 11
(b)	Evr	To hole the humber of components salected
(D)		Halain how your program for Task 1 produces a unique estimate number.
		war decks in the already existing numbers
	-	I that number has been taken. It it has it
		then It is used as the new number. [2]

(c)	Write an algorithm for part of Task 2 to check that the chosen processor and chosen RAM are in stock, using either pseudocode, programming statements or a flowchart. Assume that Task 1 has been completed. Do not check the other components or produce the order.
	Famil Proc L False
	Count < 1
	WHILE Not Found from AMB Count L=3 DD
	IF Processor [estNo] = proc (count] AND StProclou
	Then
	Found Proc & True
	ENOIF
	Count < Count +1
	EMOWHILE
	1F Found Proc = True That
	Fame RAM & False
	IF RAM [Esther] PAMI AND STRAMISO The
	FoundRAM & True
	BIRANIK STRAMI -1
	Exicie
	IF RAM [Estro] = RAM2 AND STRAM2>OTher Found RAM < True
	Found Ram & Rue
	STRAM 2 - STRAM 2 1
	ENDIE
	EMAIR
	IF Mot FoundProc Then
	Output "Processor out of stock"
	Else Stproc (Count) Stproc (Count) - 1 [5]
	EMAIR


(d)	Explain how your program completes Task 3 . Any programming statements used in your answer must be fully explained.
	Add a variable Mumor-Orders that is increamented
	each time an order is made.
	Add variables that increament by I have each
	component that is selected
	Each time an order is completed you increament
	a value of the Total Cost of orders in ade.

	[5]

Section B

)	Write an algorithm to input 1000 numbers. Count how many numbers are positive and how many numbers are zero. Then output the results. Use either pseudocode or a flowchart.
	Mumber < 0, Poscount < 0, ZeroCount < 0
	For Count < 1 To 1000
	OUTPUT "Erder A number"
	IMPUT Munber
	IF Mumber > 0 THEM
	Pos Count - Pos Count +1
	ENOIF
	IF Number = 0 THEN
	ZeroCount < 2000 Count +1
	EMBIE
	60
	END FOR
	OUTPUT "Humber of Positive Humber are"
	PosCourt
	Outrot "Mumber of NZeroRumbers are",
	Zeroi Count
	······································

(b) Give one change you could make to your algorithm to ensure initial testing is more manageable.





Question 3 starts on page 8.

3 The global trade item number (GTIN-8) barcode has seven digits and a check digit. This pseudocode algorithm inputs seven digits and calculates the eighth digit, then outputs the GTIN-8.

DIV (X,Y), finds the number of divides in division for example DIV (23,10) is 2. MOD(X,Y), finds the remainder in division for example MOD(23,10) is 3.

```
FOR Count ← 1 TO 7
      INPUT Number
      Digit(Count) ← Number
  NEXT
  Sum \leftarrow (Digit(1)+Digit(3)+Digit(5)+Digit(7))*3+Digit(2)+Digit(4)+Digit(6)
  IF MOD(Sum, 10) <> 0
      THEN Digit(8) \leftarrow DIV(Sum, 10) *10 + 10 - Sum
      ELSE Digit(8) \leftarrow 0
  ENDIF
  OUTPUT "GTIN-8"
  FOR Count ← 1 TO 8
(a) Complete the trace table for the input data: 5, 7, 0, 1, 2, 3, 4

Digit(1) Digit(2) Digit(3) Digit(4)
```


Digit(1)	Digit(2)	Digit(3)	Digit(4)	Digit(5)	Digit(6)	Digit(7)	Digit(8)	Sum	OUTPUT
5	7	0	1	2	3	4	6	1949	GTIN-8
					02				57012346

Complete the trace table for the input data: 4, 3, 1, 0, 2, 3, 1

Digit(1)	Digit(2)	Digit(3)	Digit(4)	Digit(5)	Digit(6)	Digit(7)	Digit(8)	Sum	OUTPUT
46	3	1	0	2	3	(0	3-0	GTIM -8
									43102310

[5]

(b) Explain how you would change the algorithm to input eight digits (seven digits and the check digit) and output if the check digit entered is correct or not.



Question 4 starts on page 10.

A programmer has written a routine to check that prices are below \$10.00. These values are used

	as test data.
	10.00 9.99 ten
	Explain why each value was chosen.
	10.00 Boundary dutes to test if this is
	the edge of the acceptable data to test
	it this data will be rejected
	9.99 Mormal data. To test of this
	date will be accepted
	\
	ten Abnormal data
	To test of this data will be rejected.
	[3]
E	Explain the difference between the average of accepting and totalling
5	Explain the difference between the programming concepts of counting and totalling . Include an example of a programming statement for each concept in your explanation.
	Counting allows one to keep a runing
	counting allows one to keep a runing
	count of data as they are being entered. or as a process is executed. It adds by
	count of data as they are being entered or as a process is executed. It adds by 1 (increaments by 1)
	count of date as they are being endoved or as a process is executed. It adds by 1 (increaments by 1) Court = Count + 1
	count of data as they are being entered or as a process is executed. It adds by 1 (increase ents by 1) Court & Count + 1 Totaling allows one to keep a running
	count of date as they are being endoved or as a process is executed. It adds by 1 (increaments by 1) Court = Count + 1
	count of dute as they are being entered or as a process is executed. It adds by I (increaments by I) (out = count + 1 Totaling allows one to keep a running total of values as they are being entered
	court of late as they are boing entered or as a stocess is executed. It adds by I (increaments by I) (out I Court + 1) Totaling allows one to keep a running that of values as they are being entered it adds the value to a commulative total

6 A database table, PERFORMANCE, is used to keep a record of the performances at a local theatre.

Show Number	Туре	Title	Date	Sold Out
SN091 ·	Comedy	An Evening at Home	01 Sept	Yes
SN102 ·	Drama	Old Places	02 Oct	No
SN113 - Jazz		Acoustic Evening	03 Nov	No
SN124 Classical		Mozart Evening	04 Dec	Yes
SN021 .	Classical	Bach Favourites	01 Feb	Yes
SN032 .	Jazz	30 Years of Jazz	02 Mar	Yes
SN043 Comedy		Street Night	03 Apr	No
SN054	Comedy	Hoot	04 May	No

(a)	State the number of fields and records in the table.								
	Fields	5		401					
	Records	8							
					[2]				
(b)	Give two validatio	n checks that could	be performed on	the Show Number	field.				
	Validation check 1	Leng	the check						
		0	\ \ \						
	Validation check 2	hasan	ce onev	<u>,</u>					
					[2]				
(c)	Using the query-by	y-example grid, writ	te a query to identif	fy jazz performance	es that are not sold				
	out. Only display the	he date and the title	е.						
Field:	Show Number	Tune	T=+1e	Date	Sold Out				
Table:	Performance	Perforace	Performence	Performence	Performance				
Sort:									
Show:			V	<u>~</u>					
Criteria:		= 1 022			= 100				
or:									