

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



GEOGRAPHY 2217/23

Paper 2 October/November 2018

2 hours 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Ruler

> Calculator Protractor Plain paper

1:50 000 Survey Map Extract is enclosed with this Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces provided.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions.

Section B

Answer one question.

The Insert contains Fig. 2.1 for Question 2, Figs. 7.1, 7.2, 7.3, 7.4 and Tables 7.2, 7.3 and 7.4 for Question 7 and Table 8.1 for Question 8.

The Survey Map Extract and the Insert are **not** required by the Examiner.

Sketch maps and diagrams should be drawn whenever they serve to illustrate an answer.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 31 printed pages, 1 blank page and 1 Insert.



Section A

Answer all questions in this section.

- 1 Study the map extract of Hahausen, Germany. The scale is 1:50 000.
 - (a) Fig. 1.1 shows some of the features in the south part of the map extract.




Fig. 1.1

Using the map extract, identify the following features shown on Fig. 1.1:

(i)	feature A ;	
	[1]
` '	feature B;	
	[1]
iii)	feature C;	
	[1]
-	name of river D ;	
	[1]
(v)	height of the spot height at E .	
	_	

(b)	On	Fig. 1.1, draw a line to show the route of main road 248.	[2]
(c)	(i)	Give the direction and distance to the nearest kilometre of the R1 cycle route for the junction with main road 243 in Bornhausen to the junction with main road 248 Hahausen.	
		Direction	
		Distance km (to the nearest km)	[2]
	(ii)	Describe other features of the R1 cycle route between Bornhausen and Hahausen.	
			.[4]
(d)	Giv	e the six-figure grid reference of the spot height at Hillenkopf, to the west of Hahausen	۱.
			[1]

(e) Study the area of the map shown in Fig. 1.2.




Fig. 1.2

Describe the relief and drainage of the area shown in Fig. 1.2.
[6]

[Total: 20]

Stu	dy Fig. 2.1 (Insert) which is a photograph of a rural area in Scotland, UK.
(a)	Describe the patterns of settlement shown on Fig. 2.1.
	[3]
(b)	Suggest reasons why settlements have developed in the area shown in Fig. 2.1.
	[3]
(c)	Wind turbines are to be sited on the hillside in the photograph. Give two reasons why the people in the settlement might be against this plan.
	[2]
	[Total: 8]
	-

2

3 Study Fig. 3.1, which shows a climate graph for Fonte Boa, Brazil.




Fig. 3.1

(a)	(1)	Complete Fig. 3.1 to show familian of 130 min and temperature of 33. C in October.	[4]
	(ii)	Which month has the most rain?	
			[1]
	(iii)	Which month has 270 mm of rain?	
			[1]
	(iv)	The temperature range at Fonte Boa is 8 °C. Show how this is calculated.	
			F4 1

(b) Study Fig. 3.2, which shows the climate of Antofagasta, Chile.




Fig. 3.2

Describe the climate of	of Antofagasta.	
		 [3]
		[Total: 8]

4 Study Fig. 4.1, which shows the distribution of active volcanoes.




Fig. 4.1

(a)	Describe the distribution of volcanoes shown on Fig. 4.1.
	[4]
(b)	Explain how volcanoes have been formed at location X .
	[2]

e to volcanoes. Suggest two ways that they can	In some parts of the world people live close reduce the risk of death if the volcano erupts.	c)
[2]		
[Total: 8]		

5 Study Fig. 5.1, which shows methods used to reduce soil erosion in an area of pastoral farming.




Fig. 5.1

(a)	(1)	Identify one method which reduces soil erosion in a water channel.	[1]
	(ii)	How does this method reduce soil erosion in the water channel?	
/ b\	Sug	goet how tree planting reduces soil eregion	
(D)		gest how tree planting reduces soil erosion.	
			[2]

(c)	(i)	Suggest how a pastoral farmer should manage livestock to conserve the soil.
		[2]
	(ii)	Name one different soil conservation method that could be used by an arable farmer.
		[1]
		[Total: 8]

6 Study Fig. 6.1, which shows sources of energy.




Fig. 6.1

(a)	(1)	How many non-renewable energy sources are shown on Fig. 6.1?
		[1]
	(ii)	Name:
		a renewable energy source that emits carbon dioxide (during use)
		a fossil fuel.
		[2]
(b)	(i)	Define a biofuel.
		[1]
	(ii)	Define geothermal energy.
		[1]
	(iii)	State one disadvantage of solar power.
		[1]

(c)	Suggest why the following groups of people would be against a new hydro-electric scheme:			
	•	wildlife conservationists		
	•	tourists visiting the area.		
		[2		
		[Total: 8		

Section B

Answer **one** question from this section.

- 7 Students in England did fieldwork at twelve sites on a stream called Ashes Hollow. It flows for about 5 km from where the stream begins, until it joins the stream called Quinny Brook. They selected six sites upstream of a waterfall, and six sites downstream of it. Fig. 7.1 (Insert) shows Ashes Hollow and Fig. 7.2 (Insert) shows the waterfall.
 - (a) Choose from the table below the correct geographical word for

confluence
meander
mouth
source
watershed

(i) 'where the stream begins' [1]

(ii) 'it joins the stream called Quinny Brook.' [1]

The two hypotheses which the students tested were:

Hypothesis 1: The cross sectional area of the channel increases downstream.

Hypothesis 2: Sinuosity is greater downstream of the waterfall.

Sinuosity is a measurement of how much a river meanders. A higher sinuosity score shows that the river meanders more.

Fig. 7.3 (Insert) shows a method to calculate sinuosity.

(b) Before they began their fieldwork the students assessed the possible hazards they may come across. Their decisions are shown in Table 7.1 below.

Table 7.1
Risk assessment

Hazard	Likelihood	Severity	Risk	Management
Walking along the side of the road to the valley	1	5	5	Shout warnings, keep to one side of the road
Weather conditions in the valley	3	2	6	Wear suitable clothing
Rocks falling from the valley side	2	3	6	Do not go underneath rocks on the valley side
Slippery surfaces in and around the river	4	3	12	
Fast currents in the river	3	3	9	
Catch disease from the river water	2	3	6	

Likelihood of encountering hazard: 1 (little chance) to 5 (greatest chance) Severity of hazard: 1 (not likely to be dangerous) to 5 (very dangerous) Risk = likelihood of encountering hazard × severity of hazard

(i)	Which one of the possible hazards did the students consider to have the greatest risk?
	[1]
(ii)	Suggest different ways to manage each of the following hazards during fieldwork:
	Slippery surfaces in and around the river
	Fast currents in the river
	Catch disease from the river water
	[3]

(c) To test their hypotheses the students made three measurements at each of the twelve sites. They measured the width of the channel, the depth of the channel, and the sinuosity of the channel. Their methods are shown in three photographs in a student's notebook, Fig. 7.4 (Insert).

In the table below **match each photograph** to the method it shows.

Measurement method	Photograph (A, B, C)
width of channel	
depth of channel	
channel sinuosity	
Charmer sindosity	

[2]

- (d) The results of the students' measurements for **Hypothesis 1:** The cross sectional area of the channel increases downstream, are shown in Table 7.2 (Insert).
 - (i) Which **one** of the following is the correct method to calculate cross sectional area? Tick (✓) your choice.

Method	Tick (✓)
average depth plus width	
average depth minus width	
average depth multiplied by width	

[1]

(ii) Use the results in Table 7.2 to **plot the cross sectional area** at site 3 on Fig. 7.5 below.




Fig. 7.5

(iii) To what extent do the results shown in Fig. 7.5 support **Hypothesis 1:** The cross sectional area of the channel increases downstream? Circle your decision below and support it with evidence from Fig. 7.5 and Table 7.2.

	not at all	partially	completely
[4]			


(e) To investigate **Hypothesis 2:** Sinuosity is greater downstream of the waterfall, the students measured the sinuosity at the twelve sites upstream and downstream of the waterfall. (Sinuosity is a measurement of how much a river meanders. A higher sinuosity score shows that the river meanders more.)

Their results are shown in Table 7.3 (Insert).

(i) Use the results to plot the sinuosity score at site 10 on Fig. 7.6 below.

[1]

Sinuosity scores along the stream



Key		sites upstream of waterfall
	 	sites downstream

Fig. 7.6

(ii)	What conclusion did the students make about Hypothesis 2 : Sinuosity is greater downstream of the waterfall? Use evidence from Fig. 7.6 and Table 7.3 to support the conclusion.				
	[3]				

(f)	As an extension activity to their fieldwork the students measured the width of the valley floor
	The students expected that the width of the valley floor would increase downstream.

(i)	Why do valley floors generally become wider downstream?
	[1

(ii) Their results are shown in Table 7.4 (Insert). Plot the width of the valley floor at site 8 on Fig. 7.7 below. [1]




Fig. 7.7

(iii)	Give two pieces of evidence from Fig. 7.7 and Table 7.4 that the width of the valley floor
	was not wider downstream of the waterfall than upstream of the waterfall.

1		 	 		 		 	 			 		 		 			 	 					 			 	
٠		 ••••	 • • • • •	••••	 • • • •	••••	 	 •••	•••	• • •	 	• • • •	 • • • •	• • •	 		• • •	 	 		•••	• • •	•••	 •••	• • • •		 • • • •	• • • •
2)																											
_		 ••••	 		 	••••	 • • • •	 •••	•••	•••	 		 	•••	 • • •	•••	• • •	 • • •	 	•••	•••	•••		 •••		• • • •	 ••••	••••
		 	 		 		 	 			 		 		 			 	 					 			 	[2]

(g)	Describe a method the students could use to measure another characteristic of the river at the 12 sites. Do not refer to width, depth or sinuosity.
	[4]
(h)	Fig. 7.2 (Insert) shows the waterfall on Ashes Hollow stream. Explain how a waterfall is formed.
	[4]
	[Total: 30]

8 A class of students in the UK wanted to investigate how the quality of the urban environment varied between different areas of their town. They decided to do an environmental quality survey.

The students decided to focus their investigation on four types of land use:

- industry
- open space
- residential (housing)
- shops.

They concentrated their investigation on the following hypotheses:


Hypothesis 1: The quality of the urban environment varies between different types of land use.

Hypothesis 2: The quality of the urban environment improves as distance from the town centre increases.

(a) The students selected 20 sites (including 5 of each land use) to do their environmental quality survey. At each chosen site there was one main land use. The sites varied in distance from the town centre.

The location of the survey sites are shown on Fig. 8.1 below.

Location of survey sites in the town



town centre

environmental survey sites O3

Fig. 8.1

Complete Fig. 8.1 by marking on the location of **two** sites, O5 and R3, using the information below.

Reference number	Main land use	Distance from town centre (km)	Direction from town centre
O5	Open space	4.5	south west
R3	Residential	3.8	east north east

[2]

(b) The students produced a reference sheet to use at the environmental quality survey sites. This is shown in Fig. 8.2 on page 24.

Environmental quality reference sheet

Category	Description	Score							
	None visible	3							
l itter and sueffiti	Small amount								
Litter and graffiti	A lot which is obvious	1							
	All kinds which spoil the appearance								
	Well maintained	3							
Poods and payaments	Slightly uneven								
Roads and pavements	Uneven	1							
	Very poor condition	0							
	Well kept	3							
Troop obrubo and grace	Badly kept or poor quality	2							
Trees, shrubs and grass	Damaged trees and shrubs, grass not cut	1							
	Derelict and unplanted areas								
	Well designed and in good condition								
Street furniture	Adequate provision, satisfactory condition	2							
(seats, telephone boxes, street lights, litter bins)	Missing or inadequate	1							
	Badly cared for or vandalised								
	Well placed and visible								
Pood signs	Badly placed	2							
Road signs	Confusing and cluttered	1							
	Inadequate information	0							
	Little traffic with few parked vehicles	3							
Traffic		2							
Hame		1							
		0							
	Low level, no disturbance	3							
Noise	Occasional and little disturbance								
INUISE	Frequent, disturbing and distracting	1							
	High level, very disturbing and distracting	0							

(i)	Complete the Traffic category by writing the following descriptions in the correct order on Fig. 8.2.
	Traffic not moving with many parked vehicles
	Traffic moving slowly with many parked vehicles
	Traffic moving freely with few parked vehicles [1]
(ii)	Suggest advantages of using the reference sheet during the environmental quality survey.
	[2]
(iii)	The students agreed to work in four groups with each group doing the environmental quality surveys in one type of land use. Each group did their surveys at different times of the day. Why might this make the results less reliable?
	[1]
(iv)	Give two pieces of advice about safety which the students would be given by their teacher.
	1
	2
	[2]

(c) (i) The students needed to record the results of their environmental quality survey. In

Fig. 8.3 below, draw a results sheet which they could use to record results at each site

[3]

Environmental Quality S	ourvey Results Sheet
Site reference number	

Fig. 8.3

(ii) The results of the environmental quality survey are shown in Table 8.1 (Insert). Use these results to complete the dispersion graph in Fig. 8.4 below. **Plot the environmental quality score** of:

the residential site R1

the average (mean) value for industry.

[2]

Results of environmental quality survey




Fig. 8.4

(iii)	The students' conclusion was that Hypothesis 1 : The quality of the urban environment varies between different types of land use is true.
	Do you agree with this conclusion? Support your decision with evidence from Fig. 8.4 and Table 8.1.
	[14]
	1/11

(iv)	reasons al sites in			in	the	quality	of	the	environment	between
	 	 	 		•••••					

- (d) The students used the results of the environmental quality survey (Table 2.1) to consider **Hypothesis 2:** The quality of the urban environment improves as distance from the town centre increases.
 - (i) Use the results in Table 8.1 to plot the environmental quality score of the shops site S5 on the scatter graph, Fig. 8.5, below. [1]

How environmental quality varies with distance from town centre




Fig. 8.5

	(ii)	The students made a conclusion that Hypothesis 2: The quality of the urban environment improves as distance from the town centre increases was false. Support this conclusion with evidence from Fig. 8.5 and Table 8.1.
		[3]
(e)		ing completed their environmental quality survey the students learned that the scores ed between areas of the town.
	Sug area	gest two ways that the local government could improve the environment of low-scoring as.
	1	
	2	
		[2]
(f)	peo	e group of students wanted to do some extension work to find out the opinions of local ple about the environment at the sites they had visited. cribe a fieldwork method the students could use to find out people's opinions.
		[4]
		[Total: 30]

Additional Pages

If you use the number(s) mu	e following st be clearly	lined pag shown.	es to	complete	the	answer(s)	to	any	questic	on(s),	the	question
				•••••								
	•••••											
				•••••								
				•••••								

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.