

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	

8 3 4 8 8 5 5 3 5 6

MATHEMATICS (SYLLABUS D)

4024/21

Paper 2 October/November 2015

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Geometrical instruments

Electronic calculator

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions.

Section B

Answer any four questions.

If working is needed for any question it must be shown in the space below that question.

Omission of essential working will result in loss of marks.

You are expected to use an electronic calculator to evaluate explicit numerical expressions.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 100.

This document consists of 19 printed pages and 1 blank page.



Section A [52 marks]

Answer all questions in this section.

1	(a)	Tim invests \$2500 in a bank paying simple interest at 2.3% per year.
		What is the total amount of money in the bank at the end of 4 years?

		Answer \$	[2]
(b)	TABLET	FINANCE OFFER	
	\$750	Pay 15% of \$750 as deposit and 36 monthly payments of \$25.	

Chris buys the tablet using the finance offer. How much more does he pay than if he had paid \$750 for it?

Answer	\$ [2]

(c) Lavin buys some sweets, pens and paper at her local shop. The shop is offering 20% discount on all items. This is her receipt.


Items and prices	Cost (\$)
0.3 kg of sweets at \$15.50 per kg 6 pens at \$x per pen Paper	w 4.50 z
Total before discount	у
Total after discount	32.40

Find the missing values w, x, y and z.

Answer	<i>w</i> =
	<i>x</i> =
	<i>y</i> =
	z =[5]

© UCLES 2015 4024/21/O/N/15

2 (a) ABCDE is a pentagon with one line of symmetry. BC = DE = 10 cm, DC = 30 cm and $B\hat{C}D = C\hat{D}E = 90^{\circ}$. The shortest distance between A and DC is 22 cm.




(i) Calculate AB.

Answer	C	m [2]
--------	---	-----	---	---

(ii) Calculate $A\hat{B}C$.

Answer	 [3]
Answer	 [3

(b) In triangle PQR, PQ = 7 cm, PR = 9 cm and $P\hat{Q}R = 65^{\circ}$. Calculate $P\hat{R}Q$.



3 (a)
$$\mathbf{A} = \begin{pmatrix} 1 & 3 \\ -2 & 2 \end{pmatrix}$$
 $\mathbf{B} = \begin{pmatrix} -1 & 2 \\ -3 & 2 \end{pmatrix}$

Find

(i)
$$2A - B$$
,

(ii)
$$\mathbf{B}^{-1}$$
.

(b) The matrix C satisfies the following equation.

$$3\mathbf{C} + 4 \begin{pmatrix} -2 & 1 \\ 0 & 3 \end{pmatrix} = \mathbf{C}$$

Find **C**.

(c) Theresa sells raspberries and blackcurrants.

The first matrix shows the number of kilograms of each fruit she sells during three different weeks. The second matrix shows the price per kilogram, in cents, of the fruit Theresa sells.

	raspberries	blackcurrar	nts price/kg	
Week 1	3	2	(650)	raspberries
Week 2	1.5	3	(580)	blackcurrants
Week 3	2	2.5		


(i)
$$\mathbf{D} = \begin{pmatrix} 3 & 2 \\ 1.5 & 3 \\ 2 & 2.5 \end{pmatrix} \begin{pmatrix} 650 \\ 580 \end{pmatrix}$$

Find **D**.

	Answer	[2]
(ii)	Explain the meaning of the information given by matrix D .	
(iii)	Answer Find the total amount, in dollars, that Theresa gets for the fruit she sells.	. [1]
	Answer \$. [1]


4 (a) Shade the subset $(A \cap B) \cup C$.

Answer



[1]

(b) Use set notation to describe the subset shaded in the diagram.




Answer[1]

(c) $\mathscr{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$ $P = \{x : x \text{ is an odd number }\}$ $Q = \{x : x \text{ is a square number }\}$

(i) Write the members of $\mathscr E$ in the correct regions on the Venn diagram.

Answer



[2]

(ii) State n(Q').

1	F.1
Answer	- 11

(iii) A number, m, is chosen at random from \mathscr{E} .

Find the probability that *m* is a member of $P \cap Q'$.

Answer [2]

5 (a) Factorise completely $6x^2y^3 - 15x^3y$.

Answer	 [2]

(b) Solve $\frac{4}{x} + \frac{2}{x+2} = 3$.

(c) (i) Shade and label the region R defined by these four inequalities.


$$x \ge 1$$

$$y \leq 4$$

$$x + y \leq 6$$

$$y \geqslant x$$

Answer



[3]


(ii) The point M is the intersection of x = 1 and y = 4. The point N is the intersection of x + y = 6 and y = x.

Find the gradient of MN.

Answer[2]

6 (a) The diagram shows the vectors \overrightarrow{PQ} and \overrightarrow{QR} .

$$\overrightarrow{PQ} = \begin{pmatrix} 5 \\ 2 \end{pmatrix}$$
 and $\overrightarrow{QR} = \begin{pmatrix} a \\ b \end{pmatrix}$.




(i) Find *a* and *b*.

(ii) Calculate $|\overrightarrow{PQ}|$.

<i>Answer</i> [2]

(b) \overrightarrow{OACB} is a parallelogram. $\overrightarrow{OA} = \mathbf{a}, \overrightarrow{OB} = \mathbf{b}$ and D is the point such that $2\overrightarrow{OB} = \overrightarrow{BD}$. E is the midpoint of CD.



(i) Express \overrightarrow{CE} , as simply as possible, in terms of **a** and **b**.

Answer	 [1]
Answer	 ĮΙ	

(ii) Express \overrightarrow{OE} , as simply as possible, in terms of **a** and **b**.

Answer [1	1		
-----------	---	--	--

(iii) F is a point on BC such that $\overrightarrow{OF} = k\overrightarrow{OE}$. Find BF : FC.


Answer	 :	[2
11.10 // 0.	 ٠		

Section B [48 marks]

Answer four questions in this section.

Each question in this section carries 12 marks.

7 (a)




The shaded triangle, drawn on the grid, is part of a quadrilateral with one line of symmetry. The area of the quadrilateral is twice the area of the triangle.

Given that the line of symmetry is **not** vertical, complete the quadrilateral.

[1]


(b)



The shaded triangle, drawn on the grid, is part of a shape whose area is 4 times the shaded area and has rotational symmetry of order 4 about M.

Complete the shape. [2]

(c)



The diagram shows triangle A and triangle B.

- (i) Triangle A is mapped onto triangle C by the translation P with vector $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$.


 Draw and label triangle C. [2]
- (ii) Triangle A is mapped onto triangle B by a reflection Q.Write down the equation of the line of this reflection.

Answer		[1]
--------	--	-----

(iii) Triangle C is mapped onto triangle D by reflection Q.Describe fully the single transformation that maps triangle B onto triangle D.

(iv)	Tra	nsformation R is a reflection in the line $y = 0$.
	RQ	(A) = E.
	(a)	Find the coordinates of the vertices of triangle E .
		Answer[1
	(b)	Describe fully the single transformation that maps triangle A onto triangle E .
		Answer
		[2
	(c)	Find the matrix which represents the transformation that maps triangle A onto triangle A
		Answer [1

8 [Curved surface area of a cone = πrl]



The diagram shows a solid cone with radius r cm, height h cm and slant height l cm.

Suleman makes some solid cones.

The slant height of each of his cones is 4 cm more than its radius.

Use $\pi = 3$ throughout this question.

(a) Show that the **total** surface area, $A \text{ cm}^2$, of each of Suleman's cones is given by A = 6r(r+2).

[2]

(b) Complete the table for A = 6r(r+2).

r	0	1	2	3	4	5	6
A	0	18			144	210	288


[1]

(c) On the grid opposite, draw the graph of A = 6r(r+2).

[2]

(d) Find an expression for h in terms of r.

Answer $h = \dots [2]$




(e) The height of one of Suleman's cones is 12 cm. Calculate its radius.

Answer cm [2]


- (f) Another of Suleman's cones has a surface area of 200 cm².
 - (i) Use your graph to find the radius of this cone.

(ii) This cone is placed in a box of height p cm, where p is an integer. Find the smallest possible value of p.



Answer $p = \dots [2]$

9 The cumulative frequency graph for the lengths of the 50 tracks on Abi's MP3 player is shown below.



- (a) Use the graph to find
 - (i) the median,

Answer minutes seconds [1]

(ii) the interquartile range.


Answer minutes seconds [2]

(b) Use the information on the graph to complete the frequency table for the length of the tracks.

Length (minutes : seconds)	Frequency
$2:30 < length \leq 3:00$	3
$3:00 < \text{length} \leq 3:30$	5
3:30 < length ≤ 4:00	
4:00 < length ≤ 4:30	
4:30 < length ≤ 5:00	
5:00 < length ≤ 5:30	
5:30 < length ≤ 6:00	

(c)	Abi plays thr	ee tracks from	m her MP3 p	player with 1	no break betw	veen them.		
	Given that no tracks?	o track is rep	eated, what	is the maxir	num possible	e length of ti	me taken to	play these
					Answer	minu	tess	seconds [2]
(d)	Abi travels on The exact time				ions A to F a	re shown be	low.	
	Station	A	В	С	D	E	F	
	Arrive	_	1003	1006	1011	1015	1021	
	Depart	0958	1004	1007	1012	1016	_	
					Answe MP3 player a still playing v	as she leaves		
(e)	Abi plays two						ds?	[2]
					Answe	r		[2]

10 (a)



ABCD is a trapezium with AB parallel to DC.

DC = 15 cm and AB = x cm.

The perpendicular distance between AB and DC is 3 cm less than the length of AB.

The area of ABCD is 75 cm^2 .

(i) Show that $x^2 + 12x - 195 = 0$.

[2]

(ii) Find AB, giving your answer correct to 1 decimal place.


(iii) AD is 0.8 cm longer than BC.

Given that the perimeter of the trapezium is 38.0 cm, calculate AD.

Answer cm [2]

(b)	Another trapezium, LMNO, has LM parallel to ON.
	The reflex angle $LMN = 252^{\circ}$.

(i) Calculate MNO.




Answer		[2]
--------	--	-----

(ii) The ratios of the angles inside the trapezium are $L\hat{O}N$: $L\hat{M}N = 1:2$ and $\hat{OL}M: \hat{MNO} = 1:k$. Find k, giving your answer as a fraction in its simplest form.

Answer[3]

11 (a)



The diagram shows a solid triangular prism. All lengths are given in centimetres.

(i) Calculate the area of the cross-section of the prism.

Answer	cm ²	[2]

(ii) Calculate the volume of the prism.

(iii) Calculate the total surface area of the prism.

Answercm	$^{2}[5]$	
----------	-----------	--

(b)	A cylinder has a height of 70 cm and a volume of 0.1 m ³ .	
(0)	Calculate the radius of the cylinder, giving your answer in centimetres.	

.....cm [4]

Answer

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2015 4024/21/O/N/15