Cambridge O Level

PHYSICS **5054/32**

Paper 3 Practical Test **October/November 2016**

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

1 (a) t in the range 0 (mm) to 4 (mm)   **B1**

    (b) (i) sensible value of D. Repeats shown and correctly averaged, measured to the nearest mm or better   **B1**

        (ii) clear description **or** clear diagram of how values of D obtained accurately.   **B1**

             eye vertically above edge of lens on scale /
set square used against edge of lens, resting on scale /
measurements in two different orientations shown.

    (c) (i) diagram showing set square on each side of the lens
(like the jaws of vernier callipers)

        (ii) and sensible T in the range $t < T \leqslant 10\,\text{mm}$ **B1**

    (d) correct calculation of f giving an answer in the range 7.5 cm to 30.0 cm with consistent unit with elsewhere in **(a)**, **(b)(i)** or **(c)(ii)**. (Ignore s.f.)   **B1**   **[5]**

2 (a) decreases *owtte*   **B1**

    (b)(i)(ii) T_1 = their $t_1/10$ **B1**

             T_1 given to 2/3 s.f. Correct unit seen in **(b)** or **(c)**   **B1**

    (c) $t_2 > t_1$ **B1**

    (d) T_2/T_1 in the range 1.0 to 1.2 when rounded (ignore unit)   **B1**   **[5]**

3 (a) V_1 in the range 1.8 V to 2.8 V to 0.1 V or better with unit seen here or in **(b)**.
and I_1 in the range 0.18 A to 0.28 A to 0.01 A or better with unit seen here or in **(b)**   **B1**

    (b) $V_2 > V_1$ and in the range 2.4 V to 4.0 V to 0.1 V or better with unit seen here or in **(a)**
and $I_2 < I_1$ and in the range 0.10 A to 0.20 A to 0.01 A or better with unit seen here or in **(a)**.   **B1**

    (c) (increasing the resistance) reduces the current which increases the voltmeter reading or vice versa   **B1**

    (d) correct calculation of R from their **(a)** and **(b)**   **B1**
note – B0 if sign error in calculation

             R in the range $6.0\,\Omega$ to $20.0\,\Omega$ to 2/3 s.f. and unit   **B1**   **[5]**

4   Preliminary results

(a) y measured to the nearest mm or better and in the range 1.5 cm to 3.0 cm with consistent unit seen here or in **(b)**   B1

(b) (i) x in the range 39.6 cm to 40.4 cm to nearest mm or better and with consistent unit seen here or in **(a)** or **(b)(ii)**   B1

   (ii) correct determination of e in the range 9 cm to 14 cm with unit seen here or in **(a)** or **(b)(i)**   B1

   (iii) diagram **or** explanation
   measured the height of the metre rule above the bench in at least 2 places (and found to be equal) / Horizontal alignment with window sill / top of door etc.   B1   [4]

Table

(c) column headings with units for x, L and e and results from **(b)** included   B1

   correct calculation of e B1

   Δx values $\geqslant$ 50 cm   B1

   at least 5 results showing correct trend, e increases as x increases   B1   [4]

Graph

(d) axes labelled with units and correct orientation
(allow e.c.f. from wrong unit in table but not no units)   B1

   suitable scale, not based on 3, 6, 7 etc. with plotted data occupying $\geqslant$ half the page in both directions   B1

   two points plotted correctly – check the two points furthest from the line. This mark can only be scored if the scale is easy to follow
(points must be within ½ small square of the correct position)   B1

   best-fit fine straight line and fine points or crosses
(line thickness to be no greater than the thickest lines on the grid)   B1   [4]

Calculations

(e) correct readings used for a pair of points on the line used for the gradient determination
(triangle seen or implied)   B1

more than half the drawn line used for points   B1

correct calculation of gradient in the range 0.2 to 0.3 when rounded
(ignore unit)   B1   [3]