

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

	Materials are required.		
Candidates an	swer on the Question Paper.	;	2 hours 15 minutes
Paper 2			May/June 2007
COMBINED S	CIENCE		5129/02
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			
CANDIDATE			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 18 printed pages and 2 blank pages.



[4]

1	A nucleus of $\frac{24}{11}$ Na emits a beta-particle to form a nucleus of magnesium, Mg.	
	(a) For the ²⁴ Na nucleus,	
	(i) state the number of protons,	
	(ii) calculate the number of neutrons. [[2]
	(b) The decay of ²⁴ ₁₁ Na is described by the equation	
	$^{24}_{11}$ Na \longrightarrow $^{0}_{-1}$ β + $^{A}_{Z}$ Mg.	
	Calculate the values of A and Z.	
	A =	
	Z =	 [2]
2	Sound and light are both waves. Sound is a longitudinal wave.	
	Complete the following sentences.	
	Light waves are not longitudinal but are	
	In a vacuum, light travels at a speed of	
	The distance between one crest of a wave and the next crest is called the	
	of the wave.	
	The number of complete waves produced in one second is called the	

..... of the wave.

3 Fig. 3.1 shows an experiment about the rusting of iron filings. As the iron rusts, the level of the water rises in the inverted test-tube.

For Examiner's Use





Fig. 3.1

(a)	Use	Fig. 3.1 to calculate how far up the test-tube the water rises.	
			[1]
(b)	Whi	ch gas in the air is used up during rusting?	
			[1]
(c)	In a	ddition to this gas, what other substance is required for iron to rust?	
			[1]
(d)	(i)	Iron may be prevented from rusting by galvanising. Explain the meaning of the term <i>galvanising</i> .	
			[2]
	(ii)	State one other way by which iron may be prevented from rusting.	
			F41

4 Hydrogen carbonate indicator solution is used to show the amount of carbon dioxide, CO₂, passed through it. The solution changes colour as shown below.

For Examiner's Use



(a) Fig. 4.1 shows a bottle containing hydrogen carbonate indicator solution.




Fig. 4.1

A person breathes out through tube **P** five or six times.

What colour does the indicator solution become?[1]

(b) Fig. 4.2 shows apparatus used in an experiment.




Fig. 4.2

Bottle A contains hydrogen carbonate indicator solution.

Bottle B contains a green plant.

Bottle C contains a candle.

The candle is lit and a black cloth is placed over bottle **B**.

The air pump moves air through all three bottles in the direction shown by the arrows. The hydrogen carbonate indicator solution is orange at the start of the experiment.

For Examiner's Use

(i)		State the colour change that will occur in the indicator solution in bottle ${\bf A}$ during the experiment.		
		[1]		
(ii)		candle in bottle C is extinguished and the black cloth is removed from bottle B . air continues to circulate.		
	1.	Name the process that starts when the plant is in the light.		
		[1]		
	2.	Write a word or symbol equation for this process.		
		[2]		
	3.	What colour change now occurs slowly in the indicator solution?		
		[1]		
(iii)	The	process named in (b)(ii) has a waste product that may be excreted.		
	1.	State what is meant by excretion.		
		[2]		
	2.	Name the waste product and explain why it may not be excreted.		
		name		
		explanation		
		[2]		

5 Fig. 5.1 shows a lighting circuit.

For Examiner's Use




Fig. 5.1

(a) Switches A and B are closed. Switch C remains open.

State which lamp or lamps, if any, are lit.

..... [1]

(b) When all the switches are closed, the voltage across lamp ${\bf Q}$ is 230 V and the current through it is 0.5 A.

(i) Calculate the resistance of lamp Q.

[3]

[2]

(ii) State the voltage across lamp P.

..... [1]

(iii) Lamps **P** and **Q** are identical and are at normal brightness. Calculate the current through the fuse.

..... A [1]

(c) State the energy changes taking place inside a lamp at normal brightness.

..... energy is being changed into

..... and

	When carbon dioxide and carbon are heated together, carbon monoxide is produced. The equation for the reaction is				
			$C + CO_2 \longrightarrow 2CO$		
(a) Cal	culate the relative mole	ecular mass of		
	(i)	carbon dioxide,			
	(ii)	carbon monoxide.		[2]	
(b) Cal	culate the mass of carl	oon monoxide produced from 2.2 g of carbon dioxide.		
				[2]	
(c) Car	bon monoxide is a pol	utant of the air.		
	(i)	Explain how carbon r	nonoxide gets into the air.		
				[1]	
	(ii)	Why is pollution of the	e air by carbon monoxide harmful?		

6

7 Fig. 7.1 is a diagram of a plant cell.




Fig. 7.1

Ε

(a)	(i)	State the letters of two parts of the cell in Fig. 7.1 that show it is a plant cell.	
		and	[2]
	(ii)	State the names of these two parts.	
		and	[2]
(b)	Stat	te the names of three parts that are found in both plant cells and animal cells.	
	1		
	2		

© UCLES 2007 5129/02/M/J/07

8 Fig. 8.1 shows a pin in front of a plane mirror. The position of the image of the pin is also shown.

For Examiner's Use




Fig. 8.1 also shows a ray of light incident on the mirror.

(a) On Fig. 8.1, draw the reflected ray.

[2]

(b) Fig. 8.2 shows a ray of light entering a block of plastic.




Fig. 8.2

The angle of incidence is **X** and the angle of refraction is 35°.

(i) State the equation used to calculate refractive index.

[1]

(ii) The plastic has a refractive index of 1.45. Calculate angle **X**.

angle = [2]

				10		
9	(a)	fractional The boxe	distillation of petroleuss on the right show the	ım (crude oil). e uses of these	mes of some fractions fractions.	
			fractions		uses	
			paraffin		making roads	
			bitumen		jet aircraft fuel	
			heavy oils]	fuel for cars	
			petrol		waxes and polishes	
				Fig. 9.1		[4]
	(b)	The fract called alk		ıde oil contain h	nydrocarbons from the	homologous series
		(i) State	e one characteristic of	f a homologous	series.	
						[1]

State the molecular formula of octane.[1]

© UCLES 2007 5129/02/M/J/07

(ii) Octane is an alkane with eight carbon atoms.

10 Fig. 10.1 shows a bar magnet pushed slowly into a coil of wire. The ammeter measures a very small current in the positive direction.

For Examiner's Use




Fig. 10.1

Use the following phrases when answering the questions below.

ıarg	jer cu	irrent	Smaller current	no current	current in opposite direction	
(a)	Stat	e what ha	appens when			
	(i)	the North	n pole of the magnet is	s pushed more c	quickly into the coil,	
	(ii)	the South	n pole of the magnet is	s pushed into the	e coil,	
	(iii)	the magn	net is inside the coil bu	ıt is not moving.		
					[3]	
(b)			of turns of wire on the			
	The North pole of the magnet is pushed slowly into the coil. How is the ammeter reading different from that shown in Fig. 10.1?					
					[1]	

11 Equal volumes of the same hydrochloric acid solution are placed into three separate test-tubes. Equal sized pieces of the metals, copper, iron and magnesium, are dropped into the test-tubes.

For Examiner's Use

The results are shown in Fig. 11.1.




Fig. 11.1

(a)	Nar	Name the gas produced in tubes A and B [1]					
(b)	Des	Describe a test which shows that hydrochloric acid is acidic.					
	test						
	result			[2]			
(c)	(i)	Which tube contains copper?					
	(ii)	Which tube contains magnesium?		[2]			

12 (a) Fig. 12.1 represents blood flowing from the heart to the lungs and back to the heart.

For Examiner's Use




Fig. 12.1

	(i)	State the type of blood vessel that carries blood from the heart to the lungs.
		[1]
	(ii)	Describe two changes that take place in the blood as it passes through the lungs.
		1
		2
		[4]
(b)		narp stone cuts a person's foot, which then bleeds. Iain the role of each of the following components of blood, as a result of the cut.
	plat	elets
	whit	e blood cells
		[4]

13	_	is marked.)
		N S	
		unmarked bar bar magnet piece of iron magnet	
		Fig. 13.1	
	(a)	(i) The two bar magnets are repelling each other.On Fig. 13.1, mark the two poles of the unmarked bar magnet.	
		ii) The iron becomes magnetised and is attracted to the bar magnet next to it. On Fig. 13.1, mark the two poles of the piece of iron.]
	(b)	Iron is a magnetic material.	
		Name another magnetic material[1]	l
	(c)	Electromagnets are sometimes used instead of bar magnets. State two ways in which the strength of an electromagnet may be changed.	
		1	
		2 [2]]
14		ssium is a metal in Group I of the Periodic Table. It reacts violently with chlorine to uce potassium chloride.)
	(a)	How many electrons are in the outer shell of a potassium atom?	
		[1]]
	(b)	Write a balanced equation for the reaction between potassium and chlorine.	
		[2]]
	(c)	State the type of bonding present in potassium chloride.	
		[1]]
	(d)	Potassium reacts with carbon dioxide producing a white solid and a black solid. Suggest the products of the reaction.	
		white solid	
		black solid[2]]

15 A student carries out an experiment using a spring to produce the load-extension graph of Fig. 15.1.

For Examiner's Use






Fig. 15.1

(a) Use Fig. 15.1 to find the extension of the spring for a load of 5.0 N.

	cm	[1]
--	----	-----

(b) Before the spring is stretched, its length is 10.2 cm. Calculate the length of the spring when the load is 5.0 N.

[1]

(c) State the apparatus that may be used in the experiment to measure

(i) the length of the spring,

(ii) the load on the spring. [2]

© UCLES 2007 5129/02/M/J/07 **[Turn over**

[1]

16	Atoms of ¹⁰ B and ¹¹ B have different nucleon numbers.						
	(a)	What name is given to atoms of the same element with different nucleon numbers?					
			[1]				
	(b)	Fig. 16.1 represents the nucleus of a ¹¹ B atom.					
		Fig. 16.1					
		(i) Name the particles represented by •					
		O	[2]				
		(ii) Complete the diagram below to represent the electronic structure of boron.					
		B					

© UCLES 2007 5129/02/M/J/07

17 Fig. 17.1 shows changes in the thickness of the wall of the uterus during the human menstrual cycle.

For Examiner's Use

[4]




				Fig. 1	7.1			
(a)	How lo	ong is the me	enstrual cy	cle in huma	ns?			
								[1]
(b)	On Fig	ı. 17.1, write						
	(i) O	at the time v	when ovula	ation is likely	to occur,			
	(ii) M	at the time v	when men	struation is	ikely to occur.			[2]
(c)	Use words from the following list to complete the sentences below. Each word may be used once, or not at all.							
		abstinen	ce co	ondoms	hormones	infertility		
			sperm	vagina	vasectom	ny		
	A natu	ral method o	f contrace	ption is				
	A mecl	hanical meth	od of cont	raception is	using		which	
	preven	t		fro	m entering the			

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		0	4 He Helium	20 Ne Neon 10	18	84 Kr Krypton 36	54	Radon 86	
		II/		19 T Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 I Iodine 53	At Astatine 85	
		IN		16 Oxygen 8	32 S Sulphur 16	79 Selenium	128 Te Tellurium 52	Po Polonium 84	
		^		14 N Nitrogen 7	31 Phosphorus 5	75 AS Arsenic A3	122 Sb Antimony 51	209 Bi Bismuth	
		ΛΙ		(0	28 Si Silicon	73 Ge Germanium	119 Sn Tin	207 Pb Lead	
		III		11 Boron 5	27 A1 Aluminium 13	70 Ga Gallium 31	115 In Indium 49	204 T1 Thallium	
S	dn					65 Zn Zinc 30	112 Cd Cadmium 48	201 Hg Mercury 80	
Element						64 Copper 29		197 Au Gold	
The Periodic Table of the Elements						59 Ni Nickel	106 Pd Palladium 46	195 Pt Platinum 78	
dic Tabl	Group					59 Co Cobalt	103 Rh Rhodium 45	192 Ir Iridium	
ne Perio			1 Hydrogen			56 Fe Iron	101 Ru Ruthenium 44	190 Os Osmium 76	
Ė				ı		55 Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75	
						52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74	
	,					51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum	
						48 Ti Titanium	91 Zr Zirconium 40	178 Hf Hafnium 72	
						45 Scandium 21	89 Y Yttrium 39	139 La Lanthanum *	227
		Ш		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium	Sr Strontium 38	137 Ba Barium 56	226 Ra Radium 88
		-		7 Li Lithium	23 Na Sodium	39 K Potassium 19	Rb Rubidium 37	133 CS Caesium 55	Fr Francium 87
JCL	ES 2	007				5129/02	2/M/J/07		

175 **Lu** Lutetium בֿ Nobelium Mendelevium Thulium 169 **T** β **Fn** Fermium 167 **Er** Erbium **E**insteinium 165 **Holmium** 162 **Q** ರ **Berkelium** 159 **Tb** Terbium 157 **Gd** Gadolinium Curium 152 **Eu** Europium **Am** Americium Samarium 62 **Pu** 150 **Sm** Neodymium 4 4 **D** Praseodymium 59 Ра ₽ **₽** 140 **Cerium** Thorium 232 **Th** 28 06 b = proton (atomic) number

a = relative atomic mass X = atomic symbol

а **×**

Key

q

*58-71 Lanthanoid series †90-103 Actinoid series

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).