

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

Original Com

*	
N	
W	
μ	
Ø	
N	
ω	
Н	
0	
ω	
μ	

CANDIDATE NAME						
CENTRE NUMBER				CANDIDATE NUMBER		

COMBINED SCIENCE

5129/02

Paper 2

May/June 2008

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.


For Examiner's Use


This document consists of 19 printed pages and 1 blank page.



1 Fig. 1.1 shows some organisms in an ecosystem. They are not drawn to the same scale.













flower

wild dog

hawk



snail



rabbit



tree

Fig. 1.1

- (a) From Fig. 1.1 name
 - (i) a producer,

	 	 	[1]

(ii) a herbivore.

www.PapaCambridge.com

(b) Choose organisms from Fig. 1.1 to complete this food chain.

1		2	3	4
grass	>		 small bird	

(c)	State the energy source for the food chain.	
(d)	State the essential type of organism not shown in the ecosystem.	[1]
` ,		[1]
(e)	Suggest why a food chain rarely has more than five stages.	
		[2]

The following is a list of metals. 2

aluminium	copper	iron
magnesium	potassium	zinc

Complete the sentences by choosing metals from the list. Each metal may be used once, more than once or not at all.

(a)	is used for electrical wiring in houses.	[1]
(b)	reacts vigorously with water producing hydrogen.	[1]
(c)	is extracted from haematite.	[1]
(d)	does not react with dilute sulphuric acid.	[1]
(e)	is used to galvanise iron to prevent it from rusting.	[1]

www.PapaCambridge.com

3 Fig. 3.1 shows two resistors, **A** and **B**, connected in series. The resistance of **A** is 7.0 The ammeter reads 0.20 A.




Fig. 3.1

- (a) Calculate
 - (i) the charge that passes through resistor A in 3.0 minutes,

(ii) the potential difference across resistor A.

(b) The voltmeter reads 2.0 V.

Calculate the potential difference across resistor **B**.

4 Methane is the main constituent of natural gas.
Methane burns in excess oxygen to form carbon dioxide and water.

The equation for the reaction is

$$\mathrm{CH_4} \,+\, \mathrm{2O_2} \,\rightarrow\, \mathrm{2H_2O} \,+\, \mathrm{CO_2}$$

(a) Describe a test to show that carbon dioxide is produced.

result	test	 	
result [2]			
	result		[2]

(b) (i) Calculate the relative molecular mass of

(A_r: C, 12; H, 1; O, 16.)

(ii) Calculate the mass of carbon dioxide produced by burning 4g of methane.

urfaces of a pla

5 Pieces of blue cobalt chloride paper are placed on the upper and lower surfaces of a pla. They are held in place by glass slides as shown in Fig. 5.1.

The plant is watered normally.




Fig. 5.1

Cobalt chloride paper is blue when dry and pink when it absorbs water.

(a) Complete the table to show the colour of each piece of cobalt chloride paper after one hour.

	upper surface	lower surface
start	blue	blue
after one hour		

[1]

(b)	(i)	Name the process by which water is lost from the leaf.
		[1]
	(ii)	State two ways in which the upper surface of a leaf differs from the lower surface, causing a difference in the rate of water loss.
		1
		2[2]
(c)	Nar	ne the cells through which most water enters a plant and also the process involved.
	nan	ne of cells
	prod	cess[2]

6 Fig. 6.1 shows apparatus used to investigate the reaction between copper(II) oxid hydrogen.




Fig. 6.1

The equation for the reaction is

$${\rm CuO} \, + \, {\rm H_2} \, \rightarrow \, {\rm Cu} \, + \, {\rm H_2O}$$

(a)	What type of reaction does the copper(II) oxide undergo?	
		.[1]
(b)	State two properties that show that copper is a metal.	
	property 1	
	property 2	.[2]
(c)	Suggest a test to prove that the colourless liquid is pure water.	
		[4]

A free-fall parachutist jumps out of an aircraft. Fig. 7.1 shows how his downward 7 changes with time.




Fig. 7.1

(a) Name

(i)	the downward force acting on the parachutist,	[1]
(ii)	the form of energy lost by the parachutist as he falls.	[1]
The	e parachutist accelerates during the first 10 seconds.	
Exp	plain how Fig. 7.1 shows that the acceleration is not constant.	
	(ii) The	

(c) The parachutist has a mass of 80 kg. At one point during his descent, the net downward force on him is 300 N.

.....[1]

Calculate his acceleration.

Fig. 8.1 shows two similar metal cans. 8




Fig. 8.1

Can A has a shiny white surface and can B has a matt black surface. Both cans contain equal masses of cold water at the same initial temperature. The cans are placed equal distances from a heater that emits infra-red radiation.

(a)	Explain why the temperature of the water begins to rise more quickly in can B than in can A .
	[1]
(b)	As the water in the cans is heated, the volume of the water increases.
	State the change, if any, that occurs in
	(i) its mass,[1]
	(ii) its density[1]
(c)	Infra-red radiation is one component of the electromagnetic spectrum.
	Name two other components of the electromagnetic spectrum that have longer wavelengths than infra-red radiation.
	and[2]

		the state of the s	
		10 M. Par	
9	(a)	Explain two ways in which chewing aids the process of digestion. 1	Camp
		1	Oride
	/b\	Describe the function of the collinger, alende in the presence of dispertion	[2]
	(a)	Describe the function of the salivary glands in the process of digestion.	
			[2]
	(c)	Complete the following sentences about dental hygiene.	
		When grow between teeth, they produce ac	id.
		This acid attacks the teeth causing	[2]
10		Prochloric acid, HC l , and sulphuric acid, H $_2$ SO $_4$, are strong acids. anoic acid, CH $_3$ CO $_2$ H, is a weak acid.	
	(a)	State the name of the ion that causes acidity.	[1]
	(b)	State the colour of the solution obtained when Universal Indicator is added to a solution	of
		(i) hydrochloric acid,	[1]
		(ii) ethanoic acid	[1]
	(c)	Acids react with alkalis to form salts. Magnesium sulphate is prepared by reacting magnesium metal with sulphuric acid. Hydrogen is also produced in the reaction.	
		(i) Write the equation for the reaction between magnesium and sulphuric acid.	
			[1]
		(ii) Suggest the names of two other substances that produce magnesium sulpha when they are added to sulphuric acid.	ate
		and	[2]

11 Fig. 11.1 shows paint droplets sprayed from a paint gun.




Fig. 11.1

Each droplet has a negative charge.

(a)	Explain why the paint droplets move away from each other.
	[1]
(b)	The paint droplets are attracted to a metal surface.
	State whether the surface is uncharged, positively charged or negatively charged.
	[1]

12 Fig. 12.1 lists some quantities that may be measured in physics experiments.


quantity measured	unit
frequency of a wave	
period of a pendulum	

Fig. 12.1

Complete the table by writing down the units in which each quantity could be measured. [2]

MANN. P. A. BARCAMBRIDGE. COM

www.PapaCambridge.com 13 (a) The electronic structures of nitrogen and hydrogen are shown in Fig. 13.1.





[2]

Fig. 13.1

Construct a dot and cross diagram to show the electronic arrangement in a molecule of ammonia.

(b)	Ammonia is manufactured from nitrogen and hydrogen using the Haber process. State the essential conditions for the Haber process.	
	temperature °C	
	pressure atm	
	catalyst	[3]
(c)	Ammonia is used to make the fertiliser ammonium sulphate. This contains nitrogen which is essential for the growth of plants. State the names of two other elements essential for the growth of plants.	
	and	[2]

[3]

14	(a)	Describe wha	at is meant by the term <i>famine</i> .
			[1]
	(b)	State and exp	plain two ways by which famine may be caused.
		1	
		2	
			[4]
			1. 15.1 to show how the voltage output of a simple a.c. generator changes ow the voltage change for two complete rotations of the coil.
		voltage output	
			0
			time

Fig. 15.1

(b) State one way by which the maximum voltage output of an a.c. generator could be

increased.

www.PataCambridge.com **16** A uniform metre rule is placed on a knife edge so that it balances horizontally. A soft-iron rod of weight 0.10N is hung at the 20 cm mark. The rule is balanced by place lead disc at the 70 cm mark, as shown in Fig. 16.1.





Fig. 16.1

(a) Calculate the weight of the lead disc.

	weight = N [2]
(b)	A magnet is held under the soft-iron rod.
	Explain what will happen to the balanced metre rule.

17 The electronic structure of aluminium is shown in Fig. 17.1.








Fig. 17.2

(a)	(i)	Complete Fig. 17.2 to show the electronic structure of an aluminium ion .	[1]
	(ii)	State the charge on the aluminium ion.	[1]
(b)	Usir	ng the electronic structure and the Periodic Table, explain why aluminium is a met	al.
			[2]
(c)	Alur	minium is used to make food containers because it is resistant to corrosion.	
	Ехр	lain why aluminium is resistant to corrosion.	




Fig. 18.1

	A	
	В	
	C	
	D	[4]
<i>-</i>		

(b) State three conditions that affect the germination of seeds.

(a) Name the parts labelled in Fig. 18.1.


1.	
2.	
3.	[3]

50

MMM. Papa Cambridge. Com

19 Fig. 19.1 shows a measuring cylinder that contains some water.

Fig. 19.2 shows the same measuring cylinder with 50 metal spheres added.



- 40
- 30
- water
- 10
- metal spheres

Fig. 19.1

Fig. 19.2

Calculate

(a) the volume of the 50 metal spheres,

volume = cm³ [2]

(b) the volume of a single metal sphere.

volume = cm^3 [1]

20 Fig. 20.1 shows an extension-load graph for a spring.




Fig. 20.1

(a) What is the extension for a load of 2.0 N?

cm [1 _]	cm
--------------------	----

(b) The length of the spring with no load is 20 cm.

What load gives the spring a total length of 30 cm?

load = N [2]

ANANA PRINCIPALITY OF STATE OF

19

BLANK PAGE

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

								Gre	Group									
_	=											=	2	>	 	₩	0	
							T Hydrogen										4 He Helium	
7 Li Lithium	9 Be Beryllium							1				11 Boron 5	12 C Carbon 6	14 N itrogen 7	16 Oxygen	19 F luorine	20 Ne Neon 10	
Na Sodium	24 Mg Magnesium											27 A1 Aluminium 13	28 Silicon	31 Phosphorus	32 S Sulphur 16	35.5 C1 Chlorine	40 Ar Argon	
39	40	45	48	51	52	55	56	59	59	64	65	70	73	75	62	80	84	
Potassium	Calcium 20	Scandium 21	Titanium	Vanadium 23	Chromium 24	Mn Manganese 25	Fe Iron	Cobalt 27	Nickel 28	Copper 29	Zn Zinc 30	Gal lium 31	Ge Germanium 32	As Arsenic 33	Selenium 34	Bromine 35	Krypton 36	2
85	88	68	91	93	96		101	103	106	108	112	115	119	122	128	127	131	20
Rb	S	>	Zr	QN	Mo	ည	Ru	Rh	Pd	Ag	р	In	Sn	Sb	Те	П	Xe	
Rubidium	Strontium 38	Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	Tin 50	Antimony 51	Tellurium 52	lodine 53	Xenon 54	
133	137	139	178	181	184	186	190	192	195	197	201	204	207	209				
Cs	Ba	La	Hafuium	Ta Tantalum	Tungsten	Renium	Osmium	Ir	Platinum	Au	Hg	T1	Po	B ismuth	Polonium	At Astatine	Rn Radon	
	56	* 25	72	73	74	75	92	77	78	79	80	81	82	83	84	85	98	
Fr Francium	226 Rad ium Radium 88	227																
8-71 Le	8-71 Lanthanoid serie 0-103 Actinoid series	8-71 Lanthanoid series 0-103 Actinoid series	1	140 Ce Cerium	Pr Praseodymium	Neodymium	Pm Promethium	Sm Samarium	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium	162 Dy Dysprosium Be	165 Ho Holmium 67	167 Er Erbium	169 Tm Thulium	Yb Ytterbium	175 Lu Lutetium	
<u> </u>	a ×	a = relative atomic mass X = atomic symbol	nic mass bol	232 F	Ğ		2	Ī	8	٤	ä	ځ	Ш	E	2	2	-	m.
<i>چ</i>		b = proton (atomic) number	nic) number	Thorium 90	Protactinium 91	Uranium 92	Neptunium 93	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencius 103	Dan
				The \	volume of	The volume of one mole of any gas is 24	of any ge		dm ³ at room temperature and pressure (r.t.p.).	ı tempera	ature and	pressure	(r.t.p.).			Se. COM	andride	a Cambridge com

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).