


UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

| CANDIDATE NAME | | | | |
|-------------------|--|-------------------|--|--|
| CENTRE NUMBER | | ANDIDATE UMBER | | |



COMBINED SCIENCE

5129/02

Paper 2

October/November 2010

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | | | | |
|--------------------|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

This document consists of 23 printed pages and 1 blank page.


DC (SM/DJ) 16291/3 © UCLES 2010



[Turn over

1 Two resistors of resistance $10\,\Omega$ and $50\,\Omega$ are connected in parallel. A cell is connected across the resistors as shown in Fig. 1.1.

For Examiner's Use



The current in the 10Ω resistor is 0.15 A. The current in the 50Ω resistor is 0.03 A.

Calculate

(a) the current through the cell,

(b) the potential difference across the 50Ω resistor,

(c) the charge passing through the 10Ω resistor in 5 minutes.

| When ammonia is dissolved in water, an alkaline solution is produced. | | | | | |
|---|------|--|---------------|--|--|
| (a) | (i) | State the colour of Universal Indicator paper after it has been dipped into t solution. | he Examiner's | | |
| | | | [1] | | |
| | (ii) | Which ion in the solution causes it to be alkaline? | | | |
| | | | [1] | | |
| (b) | | en sulfuric acid is added to ammonia solution in a titration experiment, ammonicate is produced. | ım | | |
| | Cor | nplete the following sentences. | | | |
| | Exa | ctly 25.0 cm ³ of ammonia solution is added to a conical flask using a | | | |
| | | | | | |
| | A fe | w drops of indicator solution are added to the conical flask and sulfuric acid is added | ed | | |
| | slov | vly from a until the indicator shows that t | he | | |
| | solu | ution is | [3] | | |
| (c) | Am | monium sulfate contains the ammonium ion NH_4^+ and the sulfate ion SO_4^{2-} . | | | |
| | (i) | Deduce the formula of ammonium sulfate. | [1] | | |
| | (ii) | State a large-scale use of ammonium sulfate. | | | |
| | | | [1] | | |

2

3 A satellite orbits the Earth as shown in Fig. 3.1.

For Examiner's Use




Fig. 3.1


(a) In every 24 hours the satellite travels a distance of 2.7×10^8 m at constant speed. Calculate the speed in m/s of the satellite.

(b) The satellite has a mass of 200 kg and the force on it is 45 N.
Calculate the acceleration of the satellite.

acceleration =
$$m/s^2$$
 [2]

4 A flower that has been cut in half is shown in Fig. 4.1.





(a) Name the structures labelled X, Y and Z.

| X | |
|---|--|
| Υ | |

(b) State and explain the main function of the petals of the flower.

| | |
|------|------|
| | |

.....[2]

(c) In which part of the flower is pollen produced?

.....[1]

5 The three states of matter are solid, liquid and gas. Fig. 5.1 shows the arrangement of the particles in a solid.

For Examiner's Use




Fig. 5.1

- (a) Complete Fig. 5.1 to show the arrangement of the particles in a liquid and in a gas. [2]
- (b) State the names of each of the processes A and B.

| process A | |
|------------------|-----|
| process B | [2] |

For Examiner's Use

| 6 | (a) | A physical property that changes with temperature can be used to measure temperature. | | | | |
|---|-----|--|--------------------------------|-----------------------------|-----|--|
| | | Name two suitable physical | properties. | | | |
| | | | and | | [2] | |
| | (b) | State two differences between | en laboratory and clinical lid | quid-in-glass thermometers. | | |
| | | 1 | | | | |
| | | | | | | |
| | | 2 | | | | |
| | (c) | [2] | | | | |
| | (0) | Some liquid-in-glass thermometers contain either mercury or alcohol. Some information about these liquids is shown in Fig. 6.1. | | | | |
| | | liquid | melting point/°C | boiling point/°C | | |
| | | alcohol | -120 | 78 | | |
| | | mercury | -39 | 370 | | |
| | | | Fig. 6.1 | | | |
| | | A liquid-in-glass thermometer | er is used to measure a tem | perature of -56°C. | | |
| | | Explain why the thermometer | er should contain alcohol, no | ot mercury. | | |
| | | | | | | |
| | | | | | | |

7 Fig. 7.1 shows a model of digestion and absorption in the alimentary canal.

For Examiner's Use




Fig. 7.1

| (a) | In this model, what represents, | |
|-----|---------------------------------|--|
|-----|---------------------------------|--|

| | (i) | the small intestine, |
|-----|-------|---|
| | | [1] |
| | (ii) | the blood, |
| | | [1] |
| (| (iii) | the food? |
| | | [1] |
| (b) | Afte | er 20 minutes, the sugar maltose is present in the water in the beaker. |
| | Exp | lain why. |
| | | |
| | | |
| | | |

| 8 | An electric iron has a power rating of 1800W. | | | | |
|---|---|--|-------------------|--|--|
| | (a) | Calculate the energy converted into heat by the iron in 2 minutes. | Examiner's Use | | |
| | | | | | |
| | | energy = unit [3] | | | |
| | (b) | The electric iron has a plug containing three wires. One of the wires is the live wire. | | | |
| | | Name the other two wires. | | | |
| | | and[2] | | | |

9 The following is a list of gases.

For Examiner's Use

| | argon | carbon diox | ide ca | rbon monoxide | |
|--|---------------------------|-------------------|-----------------|------------------------|-----|
| | hydrogen | nitrogen | oxygen | sulfur dioxide | |
| Complete the following sentences using gases from the list. Each gas may be used once, more than once or not at all. | | | | | |
| (a) The gas t | hat relights a glo | wing splint is | | | [1] |
| (b) The gas t | hat produces on | ly water when | it is burned is | S | [1] |
| (c) A gas tha | t is not present i | n polluted air is | S | | [1] |
| (d) The gas t | hat is produced | during the inco | mplete comb | ustion, but not during | |
| complete | combustion, of h | nydrocarbons is | S | | [1] |
| (e) The gas t | hat is used in lig | ht bulbs is | | | [1] |

10 Two permanent magnets and a piece of iron are placed end-to-end on a bench as shown in Fig. 10.1.

For Examiner's Use

The poles of one magnet are shown.




Fig. 10.1

- (a) (i) The iron becomes magnetised and is attracted to the nearest permanent magnet.

 On Fig. 10.1, mark the north pole and the south pole on the iron. [1]
 - (ii) The two permanent magnets are repelling each other.On Fig. 10.1, mark the north pole and the south pole on the second permanent magnet.[1]
- **(b)** Fig. 10.2 shows an iron-cored transformer.




Fig. 10.2

The input is changed from alternating current to direct current.

Explain why the transformer has no output.

For Examiner's Use

| (a) | State two ways in which sexual reproduction is different from asexual reproduction. | | | |
|-----|--|---|---|--|
| | 1 | | | |
| | 2 | | [2] | |
| (b) | | lines to match the stru t functions. One has bee | actures in the human male reproductive en done for you. | |
| | structure | | function | |
| | penis | | carries sperm and also urine | |
| | prostate gland | | carries sperm but not urine | |
| | sperm duct | | allows sperm to be released in the vagina | |
| | testis | | produces sperm cells | |
| | urethra | | secretes seminal fluid | |
| | | | [4] | |


© UCLES 2010 5129/02/O/N/10

11

12 A mixture of aluminium and iron(III) oxide is placed in a crucible as shown in Fig. 12.1.

The reaction is started using a magnesium fuse.





The equation for the reaction is

$$Fe_2O_3 + 2Al \longrightarrow 2Fe + Al_2O_3$$

The relative molecular mass of iron(III) oxide is 160.

[A_r: Al, 27; Fe, 56].

| (a) | Com | plete | the | following | sentences |
|-----|-----|-------|-----|-----------|-----------|
|-----|-----|-------|-----|-----------|-----------|

| | 160 g of iron(III) oxide reacts with g of aluminium and produces | |
|-----|--|-----|
| | g of iron. | |
| | 16 g of iron(III) oxide reacts with g of aluminium and produces | |
| | g of iron. | |
| | 8g of iron(III) oxide producesg of iron. | [4] |
| (b) | State the type of reaction that the aluminium undergoes. | |
| | | [1] |

13 Light passes through a glass block as shown in Fig. 13.1. Some of the light is reflected from the surface of the glass block.

For Examiner's Use




Fig. 13.1

| (a) | The angle of incidence is 44° |
|-----|-------------------------------|
| | Calculate angle X |

| X | = | 0 | [1] | 1 |
|---|---|---|-----|---|
| ^ | _ | | LI. | ı |

(b) (i) State an equation for calculating refractive index.

[1]

(ii) The refractive index of the glass is 1.48.Calculate the angle of refraction *r*.

For Examiner's Use

14 Study the following reaction scheme.

ethene gas A + catalyst ethane

burns in oxygen gas D + a catalyst

gas B + liquid C ethanol

| | Fig. 14.1 | |
|-----|--|-----|
| (a) | Identify substances A, B, C and D. | |
| | gas A | |
| | gas B | |
| | liquid C | |
| | gas D | [4] |
| (b) | In what way does the structure of ethene differ from that of ethane? | |
| | | |
| | | [1] |
| (c) | Two of the reactions in the scheme use a catalyst. | |
| | Suggest why a catalyst is used in these reactions. | |
| | | |
| | | [1] |

For Examiner's Use

| 15 | (a) | (i) | Define trans | piration. | | | |
|----|-----|------------|-----------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| | | | | | | | [41] |
| | | (ii) | Where does | most transpiratio | n occur in a plant? | | [1] |
| | | | | | | | [2] |
| | (b) | plar | nt. | s carried out to i | nvestigate water up | take and water | loss in a potted |
| | | volu wa | of | water loss by the plant | water uptake by the plant | | A A A A A A A A A A A A A A A A A A A |
| | | | 0.00 | 6.00 | 12.00 time / hours | 18.00 | 24.00 |
| | | | | | Fig. 15.1 | | |
| | | (i) | | | e equal to water loss | | |
| | | (ii) | A similar pa days. | | take and water loss | | |
| | | | | | | | |

16 A metal rod and a metal ring are shown in Fig. 16.1.
At room temperature, the hole in the ring is only just large enough for the rod to be pushed through it.

For Examiner's Use




Fig. 16.1

One end of the metal rod is heated strongly. The entire rod becomes hot.

(a) the method by which thermal energy is transferred through the rod,
[1]

(b) why the heated rod will no longer pass through the metal ring.

State

17 $^{18}_{8}$ O and $^{16}_{8}$ O are two isotopes of oxygen.

For Examiner's Use

(a) (i) Complete Fig. 17.1 to show the number of protons and the number of neutrons in the nucleus of an atom of ¹⁸₈O.




Fig. 17.1 [2]

(ii) Complete Fig. 17.1 to show the electronic structure of an atom of ¹⁸₈O. [1]

| Define the term isotope. | |
|----------------------------------|-----|
| | |
| | [2] |
| State two uses of oxygen. | |
| 1 | |

2.[2]

© UCLES 2010 5129/02/O/N/10

(b)

(c)

18 Use words from the list to complete the sentences below.

| For |
|------------|
| Examiner's |
| llse |


| | blood | gland | kidneys | liver | nerves | target organ | |
|------------|---------------|------------|---------------|--------------|--------------|---------------|-----|
| Each word | d may be us | ed once, n | nore than onc | ce, or not a | at all. | | |
| Hormones | s are carried | d in the | | | . from the | | |
| that produ | ices them to | the | | whei | re they have | their effect. | |
| Most horn | nones are re | emoved by | being destro | yed by the | ÷ | | [4] |

| 19 | A stone has a | mass of 5.4 c | and a v | olume of | 1.8 cm ³ |
|----|---------------|-----------------|-----------|----------|---------------------|
| 19 | A stone has a | . mass of 5.4 (| g and a v | olume of | ı.8cr |

| (a) Calculate its densit | (a) |
|--|-----|
|--|-----|

| For |
|------------|
| Examiner's |
| llse |

(b) Some water is placed in a measuring cylinder. The stone is then added to the water. Fig. 19.1 shows the measuring cylinder containing the stone and the water.



Calculate the volume of the water in the measuring cylinder.


volume = cm³ [1]

BLANK PAGE

TURN OVER FOR QUESTION 20

20 The effect of mercury pollution from a chemical factory is described in Fig. 20.1.

For Examiner's Use



| (a) | Which of the organisms described in Fig. 20.1 contains the highest concentration of mercury? | For Examiner's Use |
|-----|--|--------------------------|
| | [1] | |
| (b) | Use Fig. 20.1 to describe how mercury gets from the factory into the small fish. | |
| | | |
| | | |
| | | |
| | [3] | |
| (c) | The fishermen are in danger of mercury poisoning. | |
| | Explain why. | |
| | | |
| | [1] | |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET

| | | _ | 20 Neon 10 | 40 Ar Argon | 84 Kr Krypton 36 | 131 Xe Xenon 54 | 222 Rn Radon 86 | | 175 Lu |
|-----|-------|---------------------------|-----------------------|--|------------------------------------|---|-------------------------------------|---------------------------------------|---|
| | II/ | α | 19 Fluorine | | 80 Dr Sromine | 127 I Iodine | 210 At | | 173 Yb |
| | > | | 16 Oxygen | 32 S ulfur | | | | | T 169 |
| | > | | 14 N itrogen 7 | | | | | | 167 Er |
| | ≥ | | 12 Carbon 6 | 28 Si Silicon | 73 Ge Germanium | 119 Sn Tin 50 | 207 Pb Lead | | 165 Ho |
| | ≡ | | 11 B Boron | 27 A 1 Aluminium 13 | 70 Ga Gallium 31 | 115 In Indium 49 | 204 T 1 Thallium | | 162 Dy |
| | | | | | 65 Zn Zinc 30 | 112 Cd Cadmium 48 | 201 Hg Mercury | | 159 Tb |
| | | | | | 64 Cu Copper 29 | 108 Ag Silver 47 | 197 Au Gold | | 157 Gd |
| dnc | | | | | S9 Nickel | 106 Pd Palladium 46 | 195 Pt Patinum 78 | | 152 Eu |
| g | | | 2 | | 59 Co Cobalt 27 | 103 Rh Rhodium 45 | 192 Ir | | 150 Sm |
| | | 1 Hydrogen | | | 56 Fe Iron 26 | 101 Ru Ruthenium 44 | 190 Os Osmium 76 | | 147 Pm |
| | | | | | 55 Mn Manganese 25 | Tc Technetium 43 | 186 Re Rhenium 75 | | 4 N |
| | | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | 141 Pr |
| | | | | | 51 V Vanadium 23 | 93 Niobium 41 | 181 Ta Tantalum 73 | | 140 Ce |
| | | | | | 48 T Titanium | 2r Zrconium 40 | 178 # # Hathium | | 1 |
| | | | | | 45 Sc Scandium 21 | 89 × | 139 La Lanthanum 57 * | 227 Ac Actinium 89 | id series series |
| | = | | 9 Be Beryllium | 24 Ng Magnesium | 40 Ca Calcium | 88 St Strontium | 137 Ba Barium 56 | 226 Ra Radium 88 | * 58-71 Lanthanoid serie † 90-103 Actinoid series |
| | _ | | 7 Li Lithium | 23 Na Sodium | 39 K Potassium 19 | 85 Rb Rubidium 37 | 133 Cs Caesium 55 | 223 Fr Francium 87 | * 58–71 Lanthanoid series † 90–103 Actinoid series |
| | Group | Group III IV V VI | | Group 1 II IV V VI Hydrogen 1 Hydrogen 1 12 14 16 Z 9 Begyllum C N O N O Lithium 4 5 Boron 5 Nitrogen 7 Nitrogen 9 | III IV V VI | This column This column | | 1 1 1 1 1 1 1 1 1 1 | |

Promethium Pm Neodymium 일 09 Praseodymium 59 ቯ **S**erium † 90–103 Actinoid series

232 **7** Thorium 28 a = relative atomic mass X = atomic symbol **м** 🗶 Key

b = atomic (proton) number

The volume of one mole of any gas is 24dm3 at room temperature and pressure (r.t.p.).

260 **L**

258 **Md**

252 **ES**

52

247 **B**

247 **Cm** Curium

Am Americium 95

Neptunium

244 **Pu**

231 **Pa**

8

257 **Fm** Fermium 100

69

89

Dysprosium 66

92

63

Samarium 62