

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

	deficial Certificate of Education Ordinary	y Level	
CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMBINED SO	CIENCE		5129/21
Paper 2		Octo	ober/November 2012
			2 hours 15 minutes
Candidates and	swer on the Question Paper.		
No Additional N	Materials are required.		
READ THESE	INSTRUCTIONS FIRST		
-	itre number, candidate number and name on a lue or black pen.	ıll the work you hand in.	

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

This document consists of 23 printed pages and 1 blank page.

DC (NF/SW) 51627/2 © UCLES 2012



[Turn over

fibrin

fibrinogen

hormones

1 Use words from the list to complete the sentences below.

antibodies

enzymes

For
Examiner's
Use

	platelets	plasma	red	white	water	
Each word may	be used once	, more than or	nce, or not	at all.		
The liquid part	of the blood is	called				
This liquid cont	ains several dif	ferent types o	f blood cel	I.		
The function of	the		blc	ood cells is to	o carry oxygen.	
The		blood c	ells carry	out phagocy	tosis and produce	
The platelets he	elp the blood to	clot by turnin	g			
into						[6]

2 Fig. 2.1 shows a paper chromatogram obtained from three coloured dyes and three unknown dyes **W**, **X** and **Y**.

For Examiner's Use




Fig. 2.1

(a)	Explain why the origin line on the chromatography paper is drawn using a pencil rathe than a pen.	r
	[1	
(b)	Which coloured dyes are present in dye W ?	
		<u>'</u>]
(c)	Which of the unknown dyes W, X or Y is a pure substance?	
	Explain your answer.	
	[2	2]

For Examiner's Use

[1]

3 A student measures the time for 20 complete oscillations of a pendulum.

She repeats the experiment for different lengths of the pendulum.

The results are shown in Fig. 3.1.

length/m	time for 20 oscillations/s	period/s
0.30	22.0	1.10
0.80	35.8	
1.20	44.0	2.20

Fig. 3.1

(a) (i) Complete Fig. 3.1 by calculating the period of the pendulum for a length of 0.80 m.

(ii)	Using the results from Fig. 3.1, state how the period of a pendulum varies with its length.	S
	r4	1

(b) Three different positions of a swinging pendulum are shown in Fig. 3.2.






Fig. 3.2

(i) State the letter of the position or positions where the pendulum has most kinetic energy.

.....[1]

(ii) State the energy changes that take place as the pendulum swings from position ${\bf A}$ to position ${\bf B}$.

4 Information about the height and mass of humans is given in Fig. 4.1.






Fig. 4.1

The heights and masses of four students are:

student A 1.75 m and 88 kg student B 1.65 m and 65 kg student C 1.82 m and 58 kg student D 1.45 m and 70 kg

(a) State which student is obese and which student has the correct weight.

(b) Table 4.1 gives information about the energy and nutrients provided by 1.0 kg of six types of food.

For Examiner's Use

Table 4.1

food	energy /kJ	protein /g	fat /g	carbohydrate /g
oily fish	9700	170	190	0
eggs	6700	120	120	0
cheese	16000	250	310	0
milk	2900	31	39	50
beef	13000	150	280	0
leafy vegetables	1100	27	0	38

L		
	(i)	An obese student wishes to reach a correct body mass.
		Name two foods in Table 4.1 that he should avoid.
		1
		2[2]
	(ii)	Suggest another way, other than eating different foods, by which this student could reduce his body mass.
		[1]
c)	Lea	fy vegetables provide fibre in the diet.
	Ехр	lain
	(i)	what is meant by fibre,
		[1]
	(ii)	why it is important to include fibre in the diet.
		[2]

5 Fig. 5.1 shows the structure of an atom of carbon.






Fig. 5.1

[3]

6 Two lamps are connected in parallel, as shown in Fig. 6.1.

For Examiner's Use




Fig. 6.1

(a)	There	are	three	switch	nes A	, B	and	C i	in the	e cir	cuit
-----	-------	-----	-------	--------	-------	------------	-----	-----	--------	-------	------

State which switch, or switches, are closed to light lamp Y only.

[1	1	I								١	1																																																																															,				,																																			,																
---	---	---	---	--	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

- (b) With all the switches closed, the current in lamp **X** is 0.2 A.
 - (i) The current from the cell is $0.5\,\mathrm{A}.$

Calculate the current in lamp Y.

(ii) The potential difference across lamp ${\bf X}$ is 1.5 V.

Calculate the resistance of lamp ${\bf X}.$

7 The boxes on the left state processes carried out in the body.

The boxes on the right represent organs in the body.

Draw **one** line from each process to the organ where the process takes place.

breaks down alcohol

destroys hormones

excretes carbon dioxide

liver

lung

[5]

For Examiner's Use

For Examiner's Use

8	The	form	ula of sulfuric acid is H ₂ SO ₄ .	
	The	form	ula of sodium hydroxide is NaOH.	
	(a)	(i)	Name the ion that causes acidity.	
			[1]
		(ii)	Name the ion that causes alkalinity.	
			[1]
	(b)	Whe	en sulfuric acid is added to sodium hydroxide the solution becomes neutral.	
		(i)	What is the pH of the solution when it is exactly neutral?[1]
		(ii)	What is the colour of Universal Indicator in the neutral solution?	
			[1]
	((iii)	Balance the equation for the reaction between sulfuric acid and sodium hydroxide.	
			$H_2SO_4 + \dots NaOH \longrightarrow Na_2SO_4 + \dots H_2O$ [1]
	((iv)	Construct the ionic equation for the reaction between an acid and an alkali.	

BLANK PAGE

9 Fig. 9.1 shows a ray of light incident on the surface of a glass block. The glass block is in air.

For Examiner's Use




Fig. 9.1

(a) (i) Some of the incident light is reflected.

On Fig. 9.1, draw the reflected ray.

[1]

(ii) Calculate the angle of reflection.

angle of reflection =° [1]

(b) Some of the incident light is refracted.

On Fig. 9.1, draw the refracted ray.

[1]

10 Fig. 10.1 shows the male reproductive system.






Fig. 10.1

(a)	(i)	Use the letters on Fig. 10.1 to identify the	
		prostate gland	
		testis	
		urethra	[3]
	(ii)	State a reproductive function of each of the following structures.	
		prostate gland	
		testis	
		urethra	

	(111)	Explain the importance of the scrotum for the production of healthy sperm.	For Examiner's
			Use
		[2]	
(b)	One	e method of male birth control involves a surgical procedure.	
		Fig. 10.1, mark with an X one of the tubes a surgeon would cut when carrying out procedure. [1]	

For Examiner's Use

11 Study the reaction scheme in Fig. 11.1.

alkane process A ethene reagent B steam polymerisation

ethane colourless liquid C solid D

Fig. 11.1

(a)	(i)	Identify the process	A	[1]
	(ii)	Identify substances	B, C and D.	
		reagent B		
		colourless liquid C		
		solid D		[3]
(b)	Bro	mine water is used to	show that ethene is an unsaturated hydrocarbon.	
	(i)	What is meant by the	e term <i>unsaturated</i> ?	
				[1]

(ii) How does the colour of the bromine water change when it is added to ethene?

12 A simple a.c. generator consists of a coil rotating in a uniform magnetic field.

For Examiner's Use

(a) Complete Fig. 12.1 to show how the voltage output of the generator varies with time during one rotation of the coil. [2]




Fig. 12.1

(b)	State two fac	ctors affecting	the size of the	maximum	voltage οι	utput of the	generator.
-----	---------------	-----------------	-----------------	---------	------------	--------------	------------

1.		
2.		
	[/	2]

(c) The generator has an average power output of 200W.

Calculate the electrical energy produced in 5 minutes.

3 (a)) D	escribe the intake of water by plants.
		[2]
(b)) Fi	g. 13.1 shows the appearance of a healthy plant at 07.00 hours.
	Fi	g. 13.2 shows the appearance of the same plant 14 hours later.
		Fig. 13.1 Fig. 13.2
	(i)	
		[1]
	(ii)	Explain what has caused this change.
		[2]

For Examiner's Use

14	(a)	Define relative molecular mass.
		[2]
	(b)	When it is heated, sodium hydrogen carbonate decomposes to form sodium carbonate, carbon dioxide and water.
		The equation for the reaction is
		$2NaHCO_3 \longrightarrow Na_2CO_3 + CO_2 + H_2O$
		The relative molecular mass, $M_{\rm r}$, of sodium hydrogen carbonate is 84. ($A_{\rm r}$: Na, 23; O, 16; C, 12; H, 1)
		Complete the following sentences.
		168 g of sodium hydrogen carbonate producesg of sodium
		carbonate andg of carbon dioxide.
		16.8 g of sodium hydrogen carbonate producesg of sodium
		carbonate andg of carbon dioxide.
		4.2 g of sodium hydrogen carbonate producesg of sodium carbonate. [4]

15 A measuring cylinder contains 32 cm³ of water.

A stone is added to the measuring cylinder, as shown in Fig. 15.1.






Fig. 15.1

(a) Use Fig. 15.1 to calculate the volume of the stone.

$$volume = \dots cm^{3} [1]$$

(b) The density of the stone is 3.0 g/cm³.Calculate the mass of the stone.

© UCLES 2012

16 A metal can is filled with hot water and placed on a metal table, as shown in Fig. 16.1.






Fig. 16.1

The surface of the metal can is matt black.

The temperature is seen to fall quickly.

		poration to door to rain quickly.
(a)	Ехр	lain why the temperature falls more slowly when
	(i)	the can is placed on a wooden table,
		[1]
	(ii)	the surface of the can is shiny white instead of matt black.
		[1]
(b)	Air	above the can becomes heated and rises.
	Ехр	lain why hot air rises.
		[1]
(c)	A la	aboratory liquid-in-glass thermometer is used to measure the temperature of the er.
	•	lain two differences between a laboratory liquid-in-glass thermometer and a clinical id-in-glass thermometer.
	1	
	2	

17 Fig. 17.1 shows some properties of five elements, A, B, C, D and E.

The letters are not the symbols of the elements.

For Examiner's Use

element	melting point /°C	boiling point /°C	electronic structure
Α	-248	-246	2,8,8
В	- 7	59	2,8,18,7
С	63	766	2,8,1
D	119	444	2,8,6
E	659	2447	2,8,3

Fig. 17.1

Use the letters $\mathbf{A} - \mathbf{E}$ to answer the questions.

(a)	Which element is a liquid at room temperature?		[1]
(b)	Which element is in Group 3 of the Periodic Table?		[1]
(c)	Which element is a solid non-metal at room temper	ature?	
	Explain why you have chosen this element.		
	element		
	explanation		
			[3]

18	(a)	State the sign of the charge on the nucleus of an atom.	For Examiner's Use
	(b)	Explain why an electron is attracted to the nucleus of an atom.	
		[1]	
	(c)	Some nuclei are unstable and emit gamma-rays.	
		State the speed of gamma-rays in a vacuumm/s [1]	
19	Fig.	19.1 shows a mains plug.	
		lead Y lead X lead Z	
		Fig. 19.1	
	(a)	Identify the leads X , Y and Z .	
		x	
		Υ	
		Z [2]	
	(b)	The fuse has a rating of 10 A.	
		Explain what is meant by a fuse <i>rating</i> .	
		[2]	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		0	4 :	Helium H		20	Se		40	Αr		25	Ā	Krypton	131	Xe	Xenon	222	R	Radon				175	Ľ
		II/			N	19	ш	Fluorine 10	35.5	Cl	Chlorine 18	80	ā	romine 36	127		lodine 54	210	At	Astatine 86				173	
						16	0	Oxygen 9	22	S	17	62	Se	35	128	Te	53	509		Polonium A					T _m
		<u> </u>				_	_	ω	e		16	7	<u>လ</u>		12		y Tellurium 52	50		- Š				16	F
		>				14	Z	Nitrogen 7	31	Δ.	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	ā	Bismuth 83	_			167	ш
		≥				12	ပ	Carbon 6	28	S	Silicon 14	73	Ge	Germanium 32	119	Sn	Tin 50	207	Pb	Lead 82				165	운
		=				1	Ф	Boron 5	27	Ν	Aluminium 13	02	Ga	Gallium 31	115	п	Indium 49	204	1 1	Thallium 81				162	٥
ts													Zu	Zinc 30	112	ဦ	Cadmium 48	201	Hg	Mercury 80				159	Д
The Periodic Table of the Elements												49	J O	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157	පි
e of the	Group											29	Z	Nickel 28	106	Pq	Palladium 46	195	굽	Platinum 78				152	Ш
dic Tabl	Gre											29	ပိ	Cobalt 27	103	絽	Rhodium 45	192	ļ	Iridium 77				150	Sm
he Perio			1	H ydrogen	-							56	Ъ	Iron 26	101	Bu	Ruthenium 44	190	Os	Osmium 76				147	Pm
F												55	Mn	Manganese 25		ည	Technetium 43	186	Re	Rhenium 75				144	P
												52	ဝံ	Chromium 24	96	Mo	Molybdenum 42	184	≽	Tungsten 74				141	ቯ
												51	>	Vanadium 23	93	qN	Niobium 41	181	Та	Tantalum 73				140	S
												48	F	Titanium 22	91	Zr	Zirconium 40	178	Ξ	Hafnium 72					
												45	Sc	Scandium 21	88	>	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	Actinium 89 †	d sprips	0 001100
		=				6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Š	Strontium 38	137	Ва	Barium 56	226	Ra	Radium 88	* 58-71 Lanthanoid series	+ 90-103 Actinoid series
		_				7	:=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Вb	Rubidium 37	133	Cs	Caesium 55	223	ì	Francium 87	58-71	100 103

в 🗙

Key

The volume of one mole of any gas is 24dm3 at room temperature and pressure (r.t.p.).