

# **Cambridge International Examinations**

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

5129/21

Paper 2

October/November 2014

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 21 printed pages and 3 blank pages.



alkali

duodenum

1 Use words from the list to complete the sentences.

acid

excretion	oesophagı	ıs par	ncreatic	peristalsis
	protein	salivary	starch	
Each word may be us	ed once, more	than once or	not at all.	
The	g	land produce	es the enzym	e amylase in the mouth.
In the mouth, amylase	e acts on		6	and breaks it down into sugars.
Chewed food is swa	llowed and pa	sses down	the	into the
stomach.				
Bacteria in the food a	re killed by			in the stomach secretions.
Material is passed alo	ng the aliment	ary canal by t	the process o	of
	-			[5]

2 A mixture of chromium(III) oxide and aluminium is ignited with a magnesium fuse, as shown in Fig. 2.1.




Fig. 2.1

A violent reaction occurs.

The equation for the reaction is

$$Cr_2O_3 + 2Al \longrightarrow 2Cr + Al_2O_3$$

(a) (i) Calculate the relative molecular mass of aluminium oxide.

		relative molecular mass =	ָנון
	(ii)	The relative molecular mass of chromium(III) oxide is 152.	
		Use the equation to complete the following sentences.	
		152 g of chromium(III) oxide produces g of chromium.	
		38 g of chromium(III) oxide produces g of chromium.	[2]
(b)	Stat	te the type of reaction that aluminium has undergone.	[1]
(c)	Aluı	minium is more reactive than iron.	
	Sug	ggest why aluminium is resistant to corrosion but iron corrodes easily.	

3 A series circuit containing two resistors **P** and **Q** is shown in Fig. 3.1.




Fig. 3.1

Resistor **P** has a resistance of  $2.0 \Omega$ .

The voltmeter reads 1.2V. The ammeter reads 0.20 A.

- (a) Calculate
  - (i) the combined resistance of resistors P and Q,

resistance = ..... 
$$\Omega$$
 [2]

(ii) the resistance of resistor Q.

resistance = ..... 
$$\Omega$$
 [1]

(b) Calculate the time taken for a charge of 10 C to pass through the ammeter.

**(c)** The resistors in Fig. 3.1 have fixed values.

In the space below, draw the symbol for a variable resistor.

[1]

4 (a) Fig. 4.1 shows five methods of birth control and examples of each method.

Complete Fig. 4.1 by drawing a line between the method of birth control and its example.

One line has been drawn for you.




Fig. 4.1

[4]

**(b)** State the name of an example of birth control other than abstinence that helps prevent the spread of HIV.

Explain why it is effective.	
name	
explanation	

5 Fig. 5.1 shows the arrangement of the electrons in atoms of five different elements **A–E**.

The letters are **not** the chemical symbols of the elements.

element	Α	В	С	D	E
electron structure	2,4	2,8,8	2,8,6	2,8,4	2,8,2

Fig. 5.1

Use the letters in Fig. 5.1 to answer the questions.

Each letter may be used once, more than once or not at all.

(a)	Which element has proton number 12?	[1]
(b)	Which element has nucleon number 32 and an isotope that	
	contains 16 neutrons?	[1]
(c)	Which two elements are in the same group of the Periodic Table?	
	and	[1]
(d)	Which element forms a basic oxide?	[1]

[1]

A r	moon buggy is a type of car used on the Moon.
Th	e buggy has a mass of 200 kg.
On	the Moon, the gravitational field strength is 1.6 N/kg.
(a)	Calculate the weight of the buggy when it is on the Moon. State the unit.
	weight = unit unit[2]
(b)	State whether the mass of the buggy on Earth is greater than, equal to or less than its mass when on the Moon.
	[1]
(c)	The buggy is driven on the Moon.
	Calculate the acceleration when the accelerating force is 550 N.
	acceleration =unitunit[3]

6

7 A measuring cylinder containing a liquid is shown in Fig. 7.1.




Fig. 7.1

(a) (i) State the volume of the liquid in the cylinder.

volume =		$\mathrm{cm^3}$	[1	]
----------	--	-----------------	----	---

(ii) The mass of the liquid is 35.2 g.

Calculate the density of the liquid.

**(b)** A stone is placed in the liquid as shown in Fig. 7.2.




Fig. 7.2

Calculate the volume of the stone.


volume = ..... cm<sup>3</sup> [1]

8	(a)	State the function of the heart.
		[1]
	(b)	Fig. 8.1 shows a section through the heart as viewed from the front.
		A
	B	
		Fig. 8.1

[3]

© UCLES 2014 5129/21/O/N/14

On Fig. 8.1, complete the labels  $\boldsymbol{A},\,\boldsymbol{B}$  and  $\boldsymbol{C}.$ 







Fig. 8.2

The blockage in the coronary artery has prevented blood reaching some of the heart tissue. This tissue has died.

(i)	Explain why lack of blood causes heart tissue to die.	
		.[2
(ii)	State three possible causes of coronary heart disease.	
	1	
	2	
	3	
		[3

9 Study the following reaction scheme.



<b>/</b> -\	Idontify,	A D	ام مر م	$\sim$
(a)	Identify	A.B	and	G.

 [3

(b) (i) State the colour of Universal Indicator after it is added to hydrochloric acid.

 [1]

(ii) State the name of the ion which causes acidity. .....[1]

(c) State the test to show that carbon dioxide is produced when green solid C is added to hydrochloric acid.

test	
result	
	[2

**10** A student uses the apparatus shown in Fig. 10.1 to measure the force exerted on an iron cube by a magnet. The diagram is not to scale.




Fig. 10.1

The pivot is at the centre of a uniform metre rule.

The iron cube is placed 0.30 m from the pivot with a magnet held a fixed distance above the cube.

The metre rule is balanced when a weight of 1.8N is placed 0.20 m from the pivot.

(a) (i) Calculate the clockwise moment produced by the 1.8 N weight.

moment =	Nm [2
----------	-------

(ii) The force exerted by the magnet on the iron cube produces a clockwise moment about the pivot of 0.24 N m.

Calculate the force exerted by the magnet on the iron cube.

(iii) Calculate the anti-clockwise moment produced by the weight of the iron cube.

moment = ...... Nm [1]

**(b)** The iron cube is replaced by a lead cube.

Explain why the lead cube and iron cube must have different weights if the metre rule is to remain balanced.

© UCLES 2014 5129/21/O/N/14 **[Turn over** 

11 Fig. 11.1 shows a section through a leaf when viewed under a microscope.




Fig. 11.1

(a) Name the types of cell labelled A, B and C.			
	Α.		
	В.		
	<b>C</b>		
			[3]
(b)	(i)	The main function of a leaf is to carry out photosynthesis.	
		State the word equation for photosynthesis.	
			[2]
	(ii)	Explain the function of chlorophyll during photosynthesis.	
			[2]

12 Fig. 12.1 shows the fractional distillation of petroleum.




	Fig. 12.1	
(a)	Identify fractions A, B and C.	
	A	
	В	
	<b>C</b>	[3]
(b)	The fractions obtained by fractional distillation contain hydrocarbons from the homologoseries known as the alkanes.	us
	State the general characteristics of a homologous series.	
		[2]
(c)	(i) Balance the equation for the combustion of propane.	
	$C_3H_8 + \dots CO_2 + \dots H_2O$	[1]
	(ii) State the condition in which propage burns to produce carbon monoxide rather that	ar

carbon dioxide.

**13** A liquid-in-glass thermometer is shown in Fig. 13.1.




	Fig. 13.1			
The thermometer is at room temperature and is then placed in hot water.				
State the change that occurs, if any, to				
(i)	the volume of the liquid in the thermometer,			
		[1]		
(ii)	the mass of the liquid in the thermometer.			
		[1]		
То і	mark two fixed points on the thermometer, it is placed in melting ice and then in boi	iling		
		[1]		
	Sta (i) (ii) The To wat Sta	The thermometer is at room temperature and is then placed in hot water.  State the change that occurs, if any, to  (i) the volume of the liquid in the thermometer,  (ii) the mass of the liquid in the thermometer.		

(c) Clinical thermometers contain a constriction, as shown in Fig. 13.2.




Fig. 13.2

Explain the purpose of the constriction.

[1]

14	(a)	Describe how a covalent bond is formed between two atoms.	
			[1]
	(b)	State <b>two</b> ways in which the physical properties of covalent compounds different physical properties of ionic compounds.	fer from the
		1	
		2	
			[2]
	(c)		
			r4

15 Fig. 15.1 shows part of a food chain.




Fig. 15.1

(a)	Use	Fig. 15.1 to identify the	
	(i)	decomposer,	
	(ii)	producer,	
	(iii)	carnivore.	
			[3
(b)	Ехр	lain <b>two</b> ways in which energy is lost between second and third trophic levels.	
	1		
	2		· • • • •
			[2

16	Mic	rowa	ve ovens use micro	wave radiation	with a frequ	ency of 2.5 $\times$ 10 <sup>9</sup> H	Z.	
	(a)	(i)	Explain what is me		-			
		(ii)	The speed of micro			<sup>3</sup> m/s.		[1]
			Calculate the wave	elength of this r	nicrowave ra	adiation.		
					wavelength	=		m [2]
	(b)	Infra	a-red radiation may	also be used to	heat food.			
			npared to microway ne value of	e radiation, sta	ate whether	infra-red radiation	has higher, lo	wer or the
		(i)	frequency,					[1]
		(ii)	speed in a vacuum	1				[1]
17	The	follo	wing is a list of met	als.				
			aluminium	calcium	iron	potassium	zinc	
	Froi	m the	e list, select a metal	to complete ea	ach sentence	€.		
Each metal			etal may be used on	ce, more than	once or not	at all.		
	(a)	The	metal extracted fro	m haematite is				[1]
	(b)	An	amphoteric oxide is	formed by				[1]
	(c)	The	catalyst in the man	ufacture of am	monia is			[1]
	(d)	Bra	ss is a mixture of co	pper and				[1]
	(e)	Soc	lium is less reactive	than				[1]

**18** Tritium <sup>3</sup><sub>1</sub>H is an isotope of hydrogen.

(a)	Explain what is meant by isotopes of an element.
	[2]
(b)	A tritium <sup>3</sup> <sub>1</sub> H nucleus emits a beta-particle to form a nucleus of a helium isotope.
	Calculate the number of protons and the number of neutrons in the nucleus of this helium isotope.
	number of protons
	number of neutrons[1]

## **BLANK PAGE**

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET

he Periodic Table of the Elements

252 **ES** Einsteinium 99 **H**olmium 29 Dysprosium 66 Californium 98 **5**21 247 **BK**Berkelium
97 **Β** Terbium 92 Gadolinium 247 **Cm** Curium Am Americium 95 **E**uropium 63 244 **Pu** Plutonium Samarium 62 Pm Promethium 61 Neptunium Neodymium 60 238 Uranium Praseodymium 59 Protactinium 231 **Pa** Serium Berium 232 **Th** Thorium 28 90 b = atomic (proton) number a = relative atomic mass X = atomic symbol

в **X** 

Key

260 **Lr** Lawrencium 103

S59 Nobelium

258 **Md** 

257 **Fm** Fermium 100

20

69

89

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).