

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

5129/21

Paper 2

October/November 2016

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 A toy helicopter of mass 0.043 kg is shown in Fig. 1.1.




Fig. 1.1

The helicopter hovers in a stationary position above the ground.

The weight of the helicopter is opposed by the lift produced by the rotor blades.

- (a) The gravitational field strength g is 10 N/kg.
 - (i) Calculate the weight of the helicopter.

(ii) The helicopter moves through a vertical distance of 0.50 m.

Calculate the useful work done in moving the helicopter to this new height.

work done =J [1]

(b) In order to raise the helicopter through a vertical distance of 0.50 m, the motor in the helicopter supplies more energy than the useful work done in moving the helicopter.

Suggest what happens to this extra energy.

.....

2 A section through a leaf is shown in Fig. 2.1.




Fig. 2.1

(a)	(i)	Name the structures A , B , C and D .	
		A	
		В	
		c	
		D	[4]
	(ii)	State the function of structure D .	נין
			••••
			[1]

(b) The stomata of a leaf allow gases to pass in and out of a leaf.

In a leaf, the processes of photosynthesis, respiration and transpiration take place.

Use the names of gases to complete Table 2.1 to show the **net** movement of the different gases into and out of a leaf in dark conditions and in light conditions.

Table 2.1

net movement of gases in dark conditions		net movement of gases in bright light conditions			
gases into leaf	gases out of leaf	gases into leaf	gases out of leaf		

	[5]
State the functions of xylem and of phloem.	
xylem	
phloem	
	xylem

[3]

3

Sulf	ur di	oxide reacts with oxygen to produce sulfur trioxide.		
The	The equation for the reaction is shown.			
		$2SO_2 + O_2 \longrightarrow 2SO_3$		
The	rela	tive molecular mass of sulfur dioxide is 64.		
(a)	(i)	Calculate the relative molecular mass of sulfur trioxide.		
		[A _r : O, 16; S, 32]		
			[1]	
	(ii)	Complete the following sentences.		
		128 g of sulfur dioxide react withg of oxygen and produceg		
		of sulfur trioxide.		
		3.2g of sulfur dioxide produceg of sulfur trioxide.	[3]	
(b)	Sul	fur trioxide reacts with water to produce sulfuric acid.		
	Cor	nstruct an equation for this reaction.		
			[1]	
(c)	Nar	me one substance that reacts with sulfuric acid to produce copper(II) sulfate.		
			[1]	
(d)	Sul	fur dioxide is an atmospheric pollutant.		
	Exp	plain why the combustion of fossil fuels leads to the formation of sulfur dioxide.		

4 A vernier caliper is used to measure the diameter of a ball.




Fig. 4.1

(a) State the reading shown on the vernier scale in Fig. 4.1.

reading =	cm	[1	1
		г.	J

(b) The ball moves down a slope and passes through points **X** and **Y**, as shown in Fig. 4.2.




Fig. 4.2

escribe how the time taken for the ball to move from X to Y is measured.	
[2

5

6

(a)	Name two substa	ances that are	e produced by the	liver.		
	1					
	2					[2]
(b)	Name two substa	ances that are	e broken down in tl	ne liver.		[-1
	1					
	2					[2]
The	e following is a list	of soos				
	o romo minigrio di mor	or gases.				
	argon	ammonia	carbon diox	ide d	carbon monoxide)
	argon	ammonia	carbon diox ydrogen nitr		carbon monoxide	•
	argon	ammonia elium hy	ydrogen nitr			3
Use	argon he the list to comple	ammonia elium hy	ydrogen nitr	rogen		•
Use Ead	argon he the list to comple ch gas may be use	ammonia elium hy ete the followin ed once, more	ydrogen nitr	rogen at all.	oxygen	
Use Eac (a)	argon he the list to comple th gas may be use methane.	ammonia elium hy ete the followin ed once, more	ydrogen nitring sentences. than once or not a	rogen at all. oduced by	oxygen the incomplete	combustion of [1]
Use Eac (a)	argon he the list to comple th gas may be use methane.	ammonia elium hy te the followin ed once, more	ydrogen nitring sentences. than once or not a	rogen at all. aduced by	oxygen the incompleted	combustion of [1]
Use Eac (a) (b) (c)	argon the the list to comple th gas may be use methane.	ammonia elium hy te the followin ed once, more	ydrogen nitrogen nitr	rogen at all. aduced by most abunc	oxygen the incompleted ant gas in the air or to produce a so	combustion of [1] [1]

7 The solar panel shown in Fig. 7.1 is fixed to the roof of a house.




Fig. 7.1

A long pipe is looped many times through the panel.

Water is pumped through this pipe.

(a)	Solar energy is incident on the panel.
	State how the water flowing away from the panel at A is different from the water returning to

	the	panel at B .
		[1]
(b)	The	water pipe in the panel is made from copper.
	(i)	Explain why the pipe is made from copper.
		[1]
	(ii)	Explain why the panel and the pipe are coloured black.

.....[1]

(c)	The pipe carrying hot water from the panel enters the storage tank towards the middle.
	Explain why the pipe enters the tank towards the middle rather than at the top.

8 Light rays C and D are incident on a converging lens, as shown in Fig. 8.1.




Fig. 8.1

On Fig. 8.1, use a ruler to draw lines to show the paths of rays **C** and **D** through the lens. Continue the lines to show how both rays emerge from the lens. [2]

9 The daily energy requirements of different people are shown in Fig. 9.1.




Fig. 9.1

(b)	A male office worker has an intake of 15000 kJ per day.
	Use information in Fig. 9.1 to explain why he is likely to become overweight.
	[2]
(c)	Use information in Fig. 9.1 to suggest two factors that affect the daily energy requirement of a person.
	1
	2
	[2]

10 Table 10.1 shows the structure of the atoms of some elements, ${\bf R}$ to ${\bf V}$.

The letters are not the chemical symbols of the elements.

Table 10.1

element	nucleon number	proton number	number of neutrons	electronic structure	
R	15	7			
S	20	10	10	2,8	
Т	24	12	12	2,8,2	
U	U 37		20	2,8,7	
V		18	22	2,8,8	

(a)	Con	nplete Table 10.1.	[4]				
(b)	State which two elements are in the same group of the Periodic Table.						
		and	[1]				
(c)	(i)	Deduce the formula of the compound formed by elements ${\bf T}$ and ${\bf U}$.					
			[1]				
	(ii)	State the type of bonding in this compound.					
			[1]				

11 A part of the electromagnetic spectrum is shown in Fig. 11.1. The names of two regions are shown.

<u>, </u>					Ultraviolet
	700	600	500	400	
		wavelength	/10 ⁻⁹ m		

Fig. 11.1

(a)	(i)	Name the region of the electromagnetic spectrum between infra-red and ultraviolet.
		[1]
	(ii)	State the speed of the electromagnetic waves in a vacuum.
		[1]
(b)	Nar	ne the property of a wave that increases from infra-red to ultraviolet.
		[1]
(c)	An	electromagnetic wave is described as a transverse wave.
	Nar	ne a wave, other than an electromagnetic wave, that is transverse.
		[1]

12	Cho	ose	words or phr	ases from the	e list to comp	ete the sen	tences.	
	Eac	ch wo	ord or phrase	may be used	d once, more	than once o	r not at all.	
				glands	kidney	lung	plasma	
				re	ed blood cell	s targ	et	
	Hor	mon	es are chemi	cals produce	d by			
	Hor	mon	es are carrie	d round the b	ody in			
	A h	ormo	one alters the	activity withi	n a		organ.	[3]
13	Met	thane	e is the main	constituent o	f natural gas	and is a fue	l.	
	The	e com	nbustion of m	ethane is exc	othermic.			
	(a)	(i)	Explain the	meaning of t	he word <i>exoti</i>	hermic.		
						•••••		
								[1]
		(ii)	State the na	ames of the p	roducts wher	methane b	urns in excess oxygen.	
					and	•••••		[2]
	(b)	Met	hane is the s	implest mem	ber of the ho	mologous s	eries called the alkanes.	
		Des	scribe the ge	neral charact	eristics of a h	omologous	series.	
								[2]
	(c)	Dra	w the structu	re of methan	e.			

14 A stiff wire is moved vertically between the poles of a magnet, as shown in Fig. 14.1.




Fig. 14.1

	1 lg. 17.1
(a)	Describe what is observed on the voltmeter as the wire moves and then stops between the poles.
	[2]
(b)	State one factor affecting the magnitude of the induced e.m.f.
	[1]
(c)	The resistance of the wire is 9Ω .
	The induced e.m.f. is 0.3 mV.
	Calculate the current in the wire. State the unit.
	current = unit [3]

15 A food web is shown in Fig. 15.1.




Fig. 15.1

Name the type of energy used by the producers in this food web.						
		[1]				
Identify, from Fig. 15.1,						
the name of the producer,						
the number of herbivore species,						
the number of carnivore species.		[3]				
	Identify, from Fig. 15.1, the name of the producer, the number of herbivore species,	Identify, from Fig. 15.1, the name of the producer, the number of herbivore species,				

16	The reactions	of four	metallic	elements	W,	X,	Υ	and	Z	with	hydrochloric	acid	and	water	are
	described belo	W.													

The letters are not the chemical symbols of the elements.

X reacts with dilute hydrochloric acid and steam.

Y reacts violently with cold water.

W does not react with hydrochloric acid.

 \boldsymbol{Z} reacts with hydrochloric acid but not with steam.

(a) Deduce the order of reactivity of the metals.

Use the letters to complete Table 16.1.

Table 16.1

	most react	ive —	► least reactive				
metal							

כיו	
_	
_	ì

(b)	The	e oxide of W is reduced by heating in a stream of hydrogen gas.	
	(i)	Explain the meaning of the word <i>reduced</i> .	
			[1]
	(ii)	In terms of reactivity, explain why the oxide of ${\bf W}$ is reduced by hydrogen.	
			[1]
(c)	Stat	te one physical property that all metals have in common.	

17 The wiring in a mains plug that is connected to an appliance is shown in Fig. 17.1.




Fig 17.1

(a)	(i)	Name the wire lab		·		[41]		
	(ii)				an excessive current in t			
						[2]		
(b)	A m	ains plug attached	l to an applia	nce with dou	ble insulation does not ne	ed an earth wire.		
	Ехр	lain what is meant	by double in	sulation.				
						[1]		
(c)	A st	udent is asked to v	wire a plug fo	r an appliand	e that uses 5 A.			
	He i	s given the followi	ng fuses to cl	noose to use	in the plug:			
	1 A	3 A	5 A	7 A	13 A			
	State which fuse he should use and explain your choice.							
	fuse							
	expl	anation						
						[C]		

18 The female reproductive system is shown in Fig. 18.1.




Fig. 18.1

State the letter of the part wh	ere
a zygote may be formed,	
fertilisation takes place,	
the fetus develops.	

[3]

19 Selenium is in Group VI of the Periodic Table.

Selenium reacts with hydrogen to form hydrogen selenide, H₂Se.

(a) Complete Fig. 19.1 to show the arrangement of the outer-shell electrons in a molecule of hydrogen selenide.




Fig. 19.1 [2]

- **(b)** Hydrogen selenide dissolves in water producing an acidic solution.
 - (i) State the name of the ion which causes this solution to be acidic.

.....[1]

(ii) When this solution is tested with Universal Indicator, it changes to an orange colour.

Suggest the pH value of this solution.[1]

20 A container designed to store radioactive sources is shown in Fig. 20.1.




Fig. 20.1

In the container are three hollow cylinders, each of which can be covered with a lid.

When they are not in use, each radioactive source is placed inside a cylinder.

(a)	Suggest a suitable material for making cylinders and their lids for the storage of a gamma ray source and explain why this material is suitable.
	material
	explanation

......[2]

(b) The activity of one of the sources stored in the box is measured once each year for twenty years.

The results are shown on the graph in Fig. 20.2




Fig. 20.2

Use Fig. 20.2 to

(i) determine the activity of the source at time 12 years,

(ii) calculate the half-life of the source.

half-life = years [1]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	\equiv	5 -	e L	helium 4	10	Se	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	牊	radon					
	₹				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αt	astatine -					
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	molouium –	116		livemorium		
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	: <u>.</u>	bismuth 209					
	≥				9	O	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	lΉ	flerovium -		
	=				5	В	boron 11	13	Νſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204					
											30	Zu	zinc 65	48	ည	cadmium 112	80	Ρ̈́	mercury 201	112	ပ်	copernicium -		
											29	D O	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -		
Group											28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -		
Gro											27	ဝိ	cobalt 59	45	R	rhodium 103	77	Ir	iridium 192	109	Μţ	meitnerium -		
			Г	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -		
											25	Mn	manganese 55	43	٦ ک	technetium -	75	Re	rhenium 186	107	Bh	bohrium —		
										lod	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106
			3	Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>T</u> a	tantalum 181	105	Op	dubnium —		
						ato	rek				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium —		
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids			
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -		
	_				3	:=	lithium 7	1	Na	sodium 23	19	\prec	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -		

71 Lu	lutetium 175	103	۲	lawrencium -
º X	ytterbium 173	102	%	nobelium -
e9 Tm	thulium 169	101	Md	mendelevium –
88 Д	erbium 167	100	Fm	fermium -
67 Ho	holmium 165	66	Es	einsteinium –
% O	dysprosium 163	86	Ç	californium -
65 Tb	terbium 159	97	Ř	berkelium -
⁶⁴ Gd	gadolinium 157	96	Cm	curium
e3 Eu	europium 152	92	Am	americium -
Sm	samarium 150	94	Pu	plutonium –
Pm	promethium	93	d d	neptunium —
9 P	neodymium 144	92	\supset	uranium 238
59 P	praseodymium 141	91	Ъа	protactinium 231
Ce Oe	cerium 140	06	드	thorium 232
57 La	lanthanum 139	89	Ac	actinium -

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)