

## **Cambridge International Examinations**

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

5129/21

Paper 2

October/November 2017

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 22 printed pages and 2 blank pages.



1	A student lifts	a sack of mass 50	kg through a verti	cal distance of	2.4 m in 0.80 s.				
	The gravitatio	nal field strength $g$	is 10 N/kg.						
	Calculate								
	(a) the usefu	ıl work done to lift th	ne sack,						
			work o	lone =		J [2]			
	(b) the avera	age useful power ou							
	(b) mo avore	igo doorar power oc							
			power ou	itput =		W [2]			
2	Use words fro	om the list to comple	ete the sentences	about functior	ns of the liver.				
	Each word ma	ay be used once, m	nore than once, or	not at all.					
		amino acids	antibodies	fats	glycogen				
		hormones	kidneys	lungs	starch				
	The liver form	s urea from excess	S						
	Urea is then t	aken by the blood t	o the		. where it is excreted				
	The liver conv	verts excess glucos	e into		and stores it.				
	Amino acids a	and	are do	estroyed by th	e liver.	[4]			

© UCLES 2017 5129/21/O/N/17 3 Ethene burns in an excess of oxygen to form carbon dioxide and water.

The equation for the reaction is

$$C_2H_4 + 3O_2 \longrightarrow 2CO_2 + 2H_2O.$$

The relative molecular mass of ethene is 28 and the relative molecular mass of water is 18.

[A<sub>r</sub>: O, 16; C, 12]

(a)	(i)	Calculate the	relative	molecular	mass	of	carbon	dioxide.
-----	-----	---------------	----------	-----------	------	----	--------	----------

.....[1]

(ii) Complete the following sentences.

28 g of ethene produces ...... g of carbon dioxide and ...... g of water.

0.7 g of ethene produces ...... g of carbon dioxide.

**(b)** Complete the diagram to show the bonds in a molecule of ethene.

H H

C C

H H

[1]

[3]

## 4 A beam rests on a pivot.

The weight of the beam is negligible.

Masses W, X and Y are placed on the beam, as shown in Fig. 4.1.




Fig. 4.1

The weight of mass  $\mathbf{Y}$  is 12 N and the weight of mass  $\mathbf{W}$  is 4 N.

Calculate the weight of mass  $\boldsymbol{X}$  that balances the beam.

weight = ...... N [3]

5 Muscle cells respire aerobically during mild exercise. During strenuous exercise muscle cells also respire anaerobically.

Complete Table 5.1 to show the comparison between aerobic and anaerobic respiration.

Write a tick ( $\checkmark$ ) where a statement is correct and a cross ( $\checkmark$ ) where it is not correct.

One row has been done for you.

Table 5.1

statement	aerobic respiration	anaerobic respiration
oxygen is used		
glucose is used		
large amount of energy released	1	Х
carbon dioxide is produced		
lactic acid is produced		

[4]

6 Ammonia is manufactured using the Haber process.

In the Haber process, nitrogen and hydrogen are heated together in the presence of a catalyst.

(a) (i) Draw circles around the values of temperature and pressure used in the Haber process.

temperature/°C	150	250	350	450	
pressure/atm	100	200	300	400	[2]

(ii) Name the catalyst used in the reaction.

F 4	ъ.
17	- 1
 11	- 1

(iii) Balance the equation for the reaction.

$$N_2 + \dots NH_3$$
 [1]

[2]

(b) Complete Fig. 6.1 to show the outer electrons in a molecule of ammonia.




Fig. 6.1

(c) State one use of ammonia.

7	Microwaves are	part of the	electromagn	etic spectrur
	IVIIOI OVVAVOO AIO	pail of the	Olooti Olliagii	Otio opooti a

(a)	(i)	Name an electromagnetic wave with a <b>higher</b> frequency than microwaves.

.....[1]

(ii) State the speed of microwaves in a vacuum.

**(b)** The frequency of the microwaves is  $2.4 \times 10^9$  Hz.

Use your answer to (a)(ii) to calculate the wavelength of the microwaves.

(c) Microwave radiation is incident on a metal surface, as shown in Fig. 7.1.




Fig. 7.1

On Fig. 7.1, draw

- 1. the normal to the surface at the point where the microwave radiation is incident on the metal,
- 2. a ray to show the direction of the microwave radiation after reflection from the metal surface.

[2]

**8** Fig. 8.1 shows a white blood cell, as seen using a microscope.




Fig. 8.1

(a)	On	Fig. 8.1, label the nucleus with the letter <b>N</b> . [1]
(b)	(i)	State and explain why the cytoplasm of a red blood cell is different to the cytoplasm of a white blood cell.
		difference
		explanation
		[2]
	(ii)	State <b>two</b> differences in structure between a white blood cell and a mesophyll cell of a leaf.
		1
		2
		[2]

**9** (a) In Fig. 9.1, the boxes on the left show the names of some metals.

The boxes on the right show the reaction of elements with water and with dilute hydrochloric acid.

Draw **one** line from each metal to its reaction.

	metai	reaction	
	calcium	no reaction with cold water but reacts vigorously with steam	
	copper	reacts vigorously with cold water	
	sodium	no reaction with hydrochloric acid or steam	
	zinc	reacts slowly with cold water	
		Fig. 9.1	[4]
(b)	When a metal reacts wit	th water, hydrogen gas is released.	
	Describe the test and th	e result of the test for hydrogen gas.	
	test		
	result		
			[2]

10 The volume of blood pumped out of the heart per minute is called the *cardiac output*.

Fig. 10.1 shows how the cardiac output for two students,  $\bf F$  and  $\bf G$ , changes as the rate of exercise increases.




Fig. 10.1

(a) (i) State the cardiac output for student **F** when at rest and at maximum rate of exercise.

cardiac output at rest =	dm <sup>3</sup>	per mir
cardiac output at maximum rate of exercise =	dm <sup>3</sup>	per mir
		[1]

(ii) Use your answers to (a)(i) to calculate the increase in cardiac output for student **F** from rest to maximum rate of exercise.

(iii) Calculate the percentage increase in cardiac output for student **F** between being at rest and at maximum rate of exercise.

(b)	Suggest <b>two</b> ways in which the action of the heart changes during exercise to produce an increase in cardiac output.
	1
	2
	[2]
(c)	Suggest <b>one</b> reason for the difference in the cardiac output of students <b>F</b> and <b>G</b> when exercising.
	[1]

**11** A girl rubs a balloon on her hair.

The balloon gains electric charge.

She holds the balloon against a window.

When she removes her hand, the balloon stays on the glass and does not fall, as shown in Fig. 11.1.




Fig. 11.1

	Explain why the balloon stays on the glass.	
		[3]
12	Complete the following sentences about the structure of an isotope of silicon, which is represent by the symbol, $^{30}_{14}{\rm Si}$ .	nted
	The of an element determines the position the element in the Periodic Table.	n of
	This isotope of silicon contains protons andneutrons.	
	Isotopes of the same element have different numbers of	
	The electronic structure of the silicon atom is	[4]

13 Fig. 13.1 shows different objects. These are reflectors **A** and **B**, lens **C** and glass block **D**.




Fig. 13.1

Some of the objects shown in Fig. 13.1 are hidden behind some screens.

Parallel rays of light are aimed at the objects behind the screens. The light rays behave as shown in Fig. 13.2.




Fig. 13.2

On the dotted lines in Fig. 13.2, write the letters of the objects from Fig. 13.1 that must be placed behind each of the screens.

Each object may be used once, more than once, or not at all.

[4]

14 Fig. 14.1 shows a section through a germinating seed.




Fig. 14.1

(a	)	Identify	structures	H,	J	and	K
----	---	----------	------------	----	---	-----	---

Н	 ٠.	 	 													 				 			
J	 					 				 		 		-								 	
K	 	 	 		 															 			

[3]

**(b)** Fig. 14.2 shows a fertile seed that has been planted in soil.

The soil temperature is 25 °C.




Fig. 14.2

After several weeks, the seed has not germinated.

Explain why germination has not taken place.

.....[2]

# **15** A list of apparatus is shown.

	balance	beaker	burette	conde	enser	
filter f	unnel me	asuring cylin	der pip	ette	thermometer	
From the list, na	ame <b>one</b> piece d	of apparatus w	hich <b>must</b> be	used for	each of the experime	ents.
Each piece of a	pparatus may b	e used once, r	more than onc	ce, or not	at all.	
(a) distilling se	ea water					[1]
(b) accurately	measuring 24.5	cm <sup>3</sup> of a liquid	l			[1]
(c) separating	coloured dyes					[1]
(d) titrating an	acid with an alk	ali				[1]

16 Two coils, **X** and **Y** are placed close to one another, as shown in Fig. 16.1.





Fig. 16.1

Coil  $\boldsymbol{X}$  is connected to a battery and a switch.

A voltmeter is connected across coil Y.

(a)	Explain why there is a reading on the voltmeter for a short time as the switch is closed.
	[3]
(b)	Coil <b>X</b> and coil <b>Y</b> are now moved further apart.
	Predict how the deflection of the voltmeter will change when the switch is closed.
	Explain your answer.
	prediction
	explanation
	[2]

17 Part of a food web is shown in Fig. 17.1.



not drawn to scale

Fig. 17.1

(a)	Some spiders move into the oak tree.	
	Spiders eat flies. Blue tits eat spiders.	
	Complete Fig. 17.1 to show this information.	[2]
(b)	Name the organism that is the source of energy for all other organisms shown in Fig. 17.1	١.
		.[1]
(c)	The woodpeckers in this food web die out.	
	Suggest and explain what happens to the number of blue tits in the food web.	

18 Sulfur is an element. Water is a compound.

Describe the difference between an element and a compound using sulfur and water as examples

19 The nuclide notation of an atom is



(a) Use words from the list to complete the sentences below.

			atom	electron	(	element		
		neutror	n nu	cleon	nuclid	е	proton	
	Eac	h word may be ı	used once, m	nore than one	ce, or not	at all.		
	<b>X</b> is	the symbol for t	he					
	A is	the		numl	ber.			
	Z is	the		numl	ber.			[2]
(b)	The	radioactive dec	ay of americi	um-241 (Am	ı) is repre	sented by	the equation	
			<sup>241</sup> An	$n \rightarrow \frac{237}{93}N$	p + <sup>4</sup> <sub>2</sub> H	łe.		
	(i)	Describe the ra	dioactive de	cay process	shown in	the equa	tion.	
								[3]
	(ii)	The emission fr	om americiu	m-241 may l	be used t	o produce	e charged air mo	olecules.
		State the name	of the proce	ss that produ	uces cha	rged air m	nolecules.	
								[1]
	(iii)	The charged $1.0 \times 10^{-11}$ A.	air molecule	s move in	part of	a circuit	that produces	a current of
		The current is t	hrough a res	istor of resis	tance 4.5	$\times 10^7 \Omega$ .		
		Calculate the p	otential differ	ence across	the resis	tor.		
		State the unit.						

20 Fig. 20.1 shows part of the alimentary canal and some associated organs.




Fig. 20.1

(a)	Use letters from Fig. 20.1 to identify the stomach and the colon.	
	stomach	
	colon	[2]
(b)	Explain how food is moved along the ileum.	
		.[2]

ivati	ural gas and petroleum are sources of fuels.	
(a)	Name the main constituent of natural gas.	
		.[1]
(b)	Name the process used to separate petroleum.	
		.[1]
(c)	When a fuel burns, energy is released.	
	State the name given to reactions that release energy.	
		.[1]
(d)	Petroleum is a mixture of hydrocarbons.	
	Explain what is meant by the term <i>hydrocarbon</i> .	
		[1]

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	<b>=</b>	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	Rn	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -			
	>			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	molod –	116	^	livermorium -
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥			9	ပ	carbon 12	14	SS	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
	=			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	ЬĞ	mercury 201	112	ပ်	copemicium
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
dno										28	ï	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	뫈	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>Б</u>	tantalum 181	105	Op	dubnium –
				10	ato	rela				22	i	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
							-			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ва	barium 137	88	Ra	radium
				_	_	lithium 7	_	<u>a</u>	ium 3	6	_	mnisi 9	7	q	dium 5	5	S	ium 33	7	_	francium -

71		lutetium 175	103	۲	lawrencium	ı
		ytterbium 173			_	ı
69	E	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ŭ	californium	ı
65	Q L	terbium 159	97	Ř	berkelium	ı
64	Б	gadolinium 157	96	Cm	curium	ı
63	Ш	europium 152	95	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pu	promethium -	93	ď	neptunium	ı
09	PZ	neodymium 144	92	$\supset$	uranium	238
29	ቯ	praseodymium 141	91	Ра	protactinium	231
58	o	cerium 140	06	드	thorium	232
22	Га	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).