

## **Cambridge International Examinations**

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

5129/22

Paper 2

October/November 2018

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 24.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 24 printed pages.



1	When sodium hydrogencarbonate is heated, it decomposes to produce sodium carbonate, water and carbon dioxide.
	The equation for the reaction is
	$2NaHCO_3$ $\longrightarrow$ $Na_2CO_3$ + $CO_2$ + $H_2O$ .
	[A <sub>r</sub> : H, 1; C, 12; O, 16; Na, 23]
	The relative molecular mass of sodium hydrogencarbonate is 84.
	(a) (i) Calculate the relative molecular mass of sodium carbonate.
	[1]
	(ii) Complete the following sentences.

84g of sodium hydrogencarbonate produces ...... g of sodium carbonate and

[Total: 6]

[2]

© UCLES 2018 5129/22/O/N/18

..... g of water.

2 (a) Muscle cells normally respire aerobically.

During strenuous exercise, muscle cells also respire anaerobically.

Complete Table 2.1 to compare aerobic and anaerobic respiration in muscle cells.

Write a tick  $(\mathcal{I})$  to show a correct statement and a cross  $(\mathcal{I})$  to show a statement that is not correct.

Two rows have been completed for you.

Table 2.1

statement	aerobic respiration	anaerobic respiration
oxygen is used	✓	×
glucose is used	✓	✓
carbon dioxide is produced		
water is produced		
lactic acid is produced		
a relatively large amount of energy is released		

(b)	Describe respiration	oxygen	in	atmospheric					
		 			 	 	 	 	[3]
									[Total: 7]

[4]

3 A circuit containing two different resistors connected to a power source is shown in Fig. 3.1.




Fig. 3.1


(a) Two types of meters are connected in the circuit so that the resistance of the fixed resistor may be calculated.

State the names of the types of meters that must be used.

..... and ...... [2]

(b) The meter used to measure the potential difference  $V_1$  across the fixed resistor is shown in Fig. 3.2.

The meter used to measure the potential difference  $V_2$  across the variable resistor is shown in Fig. 3.3.



1 2 3 4 0 V V

Fig. 3.2

Fig. 3.3

(i) The current in the circuit is 0.08A.

Calculate the resistance of the fixed resistor. State the unit.

(ii)	Determine the total potential difference $V$ supplied by the source.
	Show your working.

V = V [2
----------

[Total: 7]

4 Some reactions of nitric acid are shown in Fig. 4.1.




Fig. 4.1

(a)	Identify liquid <b>A</b> , salt <b>B</b> and gas <b>C</b> .						
	liquid A						
	salt B						
	gas <b>C</b>	[3]					
(b)	Nitric acid is titrated with aqueous sodium hydroxide, using Universal Indicator as indicator.	the					
	Complete the sentences about the titration.						
	The nitric acid is added to the sodium hydroxide using a until						
	Universal Indicator turns green, which shows that the solution is						
	The temperature of the solution increases because the reaction is						
(c)	The formula of a magnesium ion is ${\rm Mg^{2+}}$ and the formula of a nitrate ion is ${\rm NO_3}^-$ .						
	Deduce the formula of magnesium nitrate.						
		.[1]					

[Total: 7]

Question 5 starts over the page.

5 AAA cells are used in small electrical devices.

Fig. 5.1 shows a ruler, marked with 1 mm divisions, being used to measure the length of a used AAA cell.

A line **P** marks the position of one end of the AAA cell against the scale on the ruler.




Fig. 5.1

- (a) (i) On Fig. 5.1 draw a line, labelled **Q**, to show the position of the other end of the AAA cell against the scale on the ruler. [1]
  - (ii) Use the scale on the ruler in Fig. 5.1 to determine the length l in mm of the AAA cell.

*l* = ......mm [1]

(iii) The diameter *d* of the AAA cell is shown in Fig. 5.2.



Fig. 5.2 (not to scale)

The ratio of the diameter d of the cell to the length l of the cell is 2 : 9.

Calculate the diameter *d* of the cell.

d = .....mm [1]

(b)	(1)	used AAA cell.
		[1]
	(ii)	The volume of the AAA cell is 4.40 cm <sup>3</sup> .
		The density of the cell is 3.16 g/cm <sup>3</sup> .
		Calculate the mass <i>m</i> of the cell.

 $m = \dots g[2]$ 

[Total: 6]

6	(a)	The word	equation	for n	hotosy	nthesis	is
U	lai	THE WOLG	Euualion	ט וטו	บบเบรา	/1111116919	ıς

carbon dioxide + water ------ glucose + oxygen.

This reaction will only take place in the presence of light and chlorophyll.

Explain the role of light and the role of chlorophyll in photosynthesis.

light	 	 			
J					
chlorophyll		 			
oo. opy					

[2]

**(b)** In an investigation, a green plant is placed in bright light with a supply of carbon dioxide and water.

The rate of photosynthesis is measured at different temperatures.

The results are shown in Fig. 6.1.




Fig. 6.1

(i	Describe	the	trend	shown	in	Fia.	6.1

Suggest an explanation for your answer.	

	(ii)	Predict what happens to the rate of photosynthesis at 45 °C.
		Give a reason for your answer.
		prediction
		reason
, ,	_	[2]
(c)	Exp	lain why all animal life depends on plants carrying out photosynthesis.
		[2]
		[Total: 8]

Pet	roleu	m is separated into fractions by fractional distillation.	
(a)	Nar	me the fraction that is used for	
	mał	king roads,	
	airc	raft fuel.	[2]
(b)	Нер	otane is a hydrocarbon obtained from petroleum.	
	Stat	te what is meant by the term <i>hydrocarbon</i> .	
(c)	Hep	otane is broken down into other substances by cracking.	
	Dur	ing this process, heptane forms two compounds ${\bf X}$ and ${\bf Y}$ and hydrogen.	
	The	equation for the reaction is	
		$C_7H_{16} \longrightarrow 2X + Y + H_2$	
		h ${\bf X}$ and ${\bf Y}$ change the colour of bromine water from brown to colourless. A molecule calculation two carbon atoms.	of <b>X</b>
	(i)	Deduce the molecular formula of <b>X</b> and of <b>Y</b> .	
		X	
		Υ	[2]
	(ii)	Name the homologous series to which <b>X</b> and <b>Y</b> belong.	
			.[1]
		[Total	: 7]

© UCLES 2018 5129/22/O/N/18

7

8 The inside of an electrical plug is shown in Fig. 8.1.




Fig. 8.1

(a)	On Fig. 8.1 draw a line to identify the live wire. Label the line <b>L</b> .	[1]
(b)	Wire <b>B</b> is the earth wire. Explain the function of the earth wire.	
		.[2]
(c)	When plugged into a socket, the plug supplies mains electricity at 230 V to a wash machine.	າing
	The current in the appliance is 9.6A.	
	Calculate the power <i>P</i> produced in the washing machine.	

[Total: 5]

**9** Fig. 9.1 shows some words associated with food webs and the definitions of those words.

Draw one line from each word to its definition.




Fig. 9.1

[6]

[Total: 6]

10 Table 10.1 shows the arrangement of electrons in atoms of five different elements A, B, C, D and E.

The letters are **not** the chemical symbols of the elements.

**Table 10.1** 

element	Α	В	С	D	E
electronic structure	2,1	2,8,5	2,6	2,8,7	2,8,2

Use the letters in Table 10.1 to complete the following sentences.

Each letter may be used once, more than once or not at all.

(a)	The element with the proton number 15 is	[1]
(b)	The element with the nucleon number 35 which has an isotope containing 18 neutrons is	
		[1]
(c)	The two non-metallic elements in the same period of the Periodic Table are	
	and	[1]
(d)	An element that forms an ionic compound with fluorine is	[1]
(e)	The element that gains two electrons to form an ion is	[1]

11 Fig. 11.1 shows a lens A and plane mirror B.

A ray of light **R** is incident on lens **A**.




Fig. 11.1

(a) Ray R passes through the lens and is reflected from the mirror.

On Fig. 11.1, draw the path of ray R.

[3]

**(b)** Fig. 11.2 is a simplified diagram showing the range of wavelengths for some colours in the visible spectrum.




Fig. 11.2

(iii) Calculate the highest **frequency** of orange light.

[Total: 8]

**12** A list of words about blood is shown below.

	antibodies	blood clotting	j f	ibrinogen	
	hormones	oxygen	phago	ocytosis	
	photosynthe	esis plasn	na	water	
Use words from the	list to complete th	ne sentences abo	out bloo	d.	
Each word may be u	used once, more t	han once or not	at all.		
White blood cells pro	otect the body fro	m infection by pr	oducing		
White blood cells als	so carry out the p	rocess of			
Platelets in the blood	d are responsible	for			
The liquid part of the	e blood is called				
One of the functions	of the liquid part	of the blood is to	transpo	ort	
to target organs.					[5]

[Total: 5]

13	Lith	ium,	sodium and potassium are elements in Group I of the Periodic Table.								
	Gro	up I	elements are called the alkali metals.								
	(a)	(a) State how the melting points of the elements change as the group is descended.									
			[1]								
	(b)	Sug	gest why the Group I elements are called the alkali metals.								
			[1]								
	(c)	(i) Each of the elements in Group I reacts with chlorine to form an ionic metal									
			Write a balanced symbol equation for the reaction of chlorine with potassium.								
			[1]								
		(ii)	State how the reactivity of lithium differs from that of potassium.								
			[1]								
	(iii)		State <b>one</b> way in which the properties of potassium chloride differ from the properties of a covalent compound.								
			[1]								
			[Total: 5]								

Question 14 starts over the page.

14 A thin strip of metal **X** is firmly fixed to a thin strip of metal **Y**. This is called a bimetallic strip.

Fig. 14.1 shows the effect of heat on the bimetallic strip.




Fig. 14.1

The bimetallic strip is heated and the pointer moves along a millimetre scale.

(a) Draw a circle around the physical property of the metal strips that changes to cause the movement of the pointer when the bimetallic strip is heated.

colour e.m.f. mass resistance volume [1]

**(b)** On Fig. 14.2, sketch a graph to show the relationship between the temperature of the bimetallic strip and the position of the pointer on the scale.

Label the axes of the graph and state the unit for each axis.



Fig. 14.2

[3]

(c) In a second experiment a load of 3.0 N is fixed to the end of the pointer.

The heating of the metal strips is repeated and the load rises 0.02 m in 18.0 s.

Calculate the work done *W* by the metal strips on the load. State the unit.

[Total: 7]

**15** Fig. 15.1 shows the number of deaths from alcohol-related diseases in a city between 1994 and 2012.




Fig. 15.1

(a)	(i)	State the number of males who died from alcohol-related diseases in 1994.
		per 100 000 population [1]
	(ii)	State the number of females who died from alcohol-related diseases in 2010.
		per 100 000 population [1]
(b)	Des	cribe <b>two</b> trends shown in Fig. 15.1.
	1	
	2	
		[2]
(c)	Nar	ne the organ in the body that breaks down alcohol.
		[1]

	(d)	State <b>two</b> ways, other than death, in which long term excessive use of alcohol a body.	affects the
		1	
		2	
			[2]
			[Total: 7]
16	Con	mplete the following sentences about atoms.	
	Ator	ms are the smallest parts of	
		nen two atoms of the same type combine chemically, a diatomicned.	is
		nen two different non-metal atoms combine chemically, anpound is formed.	
	Whe	en atoms of two different metals are mixed together, an is	s formed. [4]
			[Total: 4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	\text{\rm   }	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	×e	xenon 131	86	格	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	>			8	0	oxygen 16	16	ഗ	sulfur 32	8	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	moloulum -	116		livermorium -
	>			7	z	nitrogen 14	15	ட	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	:E	bismuth 209			
	≥			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Ŀ	flerovium -
	≡			5	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	1L	thallium 204			
										30	Zu	zinc 65	48	ပ	cadmium 112	80	Ρ̈́	mercury 201	112	ပ်	copernicium -
										29	D O	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gre										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ιr	iridium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Ср	dubnium —
					ato	rek				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium —
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium _
	_			က	=	lithium 7	=	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	ъ	francium -

٢ _	D L	Intetium	175	103	۲	lawrencium	I
02							ı
69 <b>F</b>	=	thulium	169	101	Md	mendelevium	I
89 [	П	erbinm	167	100	Fm	ferminm	ı
29	9	holminm	165	66	Es	einsteinium	I
99	Š	dysprosium	163	86	ర	californium	I
65	Q 	terbinm	159	97	Æ	berkelium	I
4 6	D D	gadolinium	157	96	Cm	curium	I
63	EU	europium	152	92	Am	americium	I
62	S	samarium	150	94	Pn	plutonium	ı
19	Į E	promethium	_	93	ď	neptunium	I
09	D Z	neodyminm	144	92	$\supset$	uranium	238
59	ŗ	praseodymium	141	91	Ра	protactinium	231
28	S e	cerium	140	06	ㅂ	thorium	232
57	Га	lanthannm	139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).