

# **Cambridge Assessment International Education**

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

303440544

**COMBINED SCIENCE** 

5129/21

Paper 2

May/June 2019

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 26 printed pages and 2 blank pages.



## **BLANK PAGE**

	Ç					
Some	Some information about a food chain is listed.					
Cater	pillars are herbivores.					
Black	birds eat caterpillars.					
Hawk	s are carnivores.					
Cabb	ages carry out photosynthesis.					
(a) C	Complete the food chain in Fig. 1.1, using the information in the sentences.					
	Do not draw pictures of the organisms.					
	caterpillars					
	<b>Fig. 1.1</b> [3]					
<b>(b)</b> T	The hawk in this food chain dies.					
	State the name of the type of organism that obtains its energy from the body of the dead nawk.					
	[1]					
(c) S	State the source of energy for the food chain.					
	[1]					
	[Total: 5]					

1

2 A ball rests on a track, as shown in Fig. 2.1.




Fig. 2.1

The track is tilted and the ball accelerates as it rolls down the track.

(a)	) State	what is	s meant	by	accele	ration
-----	---------	---------	---------	----	--------	--------

101

**(b)** Fig. 2.2 shows how the speed of the ball varies as it rolls down the track.




Fig. 2.2

(i) On Fig. 2.2, draw the curved line of best fit.

[1]

(ii) Use Fig. 2.2 to complete Table 2.1.

[1]

## Table 2.1

time/s	0	0.5	1.0	1.5	2.0	2.5
speed cm/s	0	3.0	5.0	6.8		8.2

	Describe how the acceleration of the ball changes as it rolls down the track.	(iii)
[1]		
[Total: 5]		

	ogen iosph	dioxide and carbon monoxide are produced in car engines. They cause pollution of the ere.
Wh red		niversal indicator is added to an aqueous solution of nitrogen dioxide, the indicator turns
(a)	(i)	Suggest the pH of the nitrogen dioxide solution. [1]
	(ii)	State <b>one</b> effect that nitrogen dioxide has on the environment.
		[1]
(b)	cars	ogen dioxide and carbon monoxide are removed from the exhaust gases of modern susing a catalytic converter. This changes nitrogen dioxide and carbon monoxide into ogen and carbon dioxide.
	The	equation for the reaction is
		$2NO_2 + 4CO \longrightarrow N_2 + 4CO_2$ .
	[ <i>A</i> <sub>r</sub> :	O, 16; N, 14; C, 12]
	The	relative molecular mass of nitrogen dioxide is 46.
	(i)	Calculate the relative molecular mass of carbon monoxide.
		[1]
	(ii)	Complete the following sentences.
		92g of nitrogen dioxide reacts with g of carbon monoxide and
		produces g of nitrogen.
		0.46g of nitrogen dioxide reacts with g of carbon monoxide. [3]
		[Total: 6]

© UCLES 2019 5129/21/M/J/19

3

4 Use words or phrases from the list to complete the sentences about hormones.

Each word or phrase may be used once, more than once, or not at all.

	gland	kidney	liver	main
musc	le	plasma	red blood cells	target
A hormon	e is a chemical p	produced by a		
It is transp	oorted around th	e body by the		
The part of	of the body respo	onding to the hormo	one is called the	organ.
Hormones	s are destroyed	by the		[4]

5 A student invents a machine to measure the force of the wind.

A large piece of light-weight material is used as a wind-catcher and is attached to the top of a mast.

A newton-meter is used to measure the turning force and is attached to the bottom of the mast.

The mast is free to rotate about a pivot as shown in Fig. 5.1.




Fig. 5.1 (not to scale)

(a) The newton-meter is attached 0.25 m from the pivot.

On a windy day the reading on the newton-meter is 52.0 N when the mast is vertical.

(i) Calculate the moment of the force applied by the newton-meter about the pivot.
State the unit.

moment =		unit	[2]	]
----------	--	------	-----	---

(ii) The wind-catcher is attached 5.0 m from the pivot.

Calculate the force from the wind when the mast is vertical.

**(b)** The newton-meter contains a spring which deforms with elastic deformation.

Describe what happens to the spring in the newton-meter as the force acting on it increases from  $0\,N$  and then decreases back to  $0\,N$ .

......

[Total: 5]

6 Equal volumes of dilute nitric acid are placed into three separate test-tubes. Small pieces of three metals A, B and C are placed in the test-tubes.

The results are shown in Fig. 6.1.




		Fig. 6.1	
(a)		te the test and the result of the test that shows hydrogen is produced when a metal rean dilute nitric acid.	ıcts
	test		
	resi	ult	
			[2]
(b)	Det	ermine the order of reactivity of the metals <b>A</b> , <b>B</b> and <b>C</b> .	
	mos	st reactive	
	leas	st reactive	[2]
(c)		ic acid reacts with copper(II) carbonate to produce copper(II) nitrate, water abon dioxide.	and
	(i)	Complete and balance the equation for the reaction.	
		$CuCO_3$ + $HNO_3$ $\longrightarrow$ $Cu(NO_3)_2$ + $H_2O$ +	[1]
	(ii)	State the names of two other substances that react with dilute nitric acid to produce copper(II) nitrate.	uce
		1	
		2	[2]

[Total: 7]

7 Fig. 7.1 shows how the breathing rates of two students **A** and **B** change during and after exercise.

Both students are the same age, sex and body mass.

They are both resting before the exercise.

They both do the same vigorous exercise for one minute.




Fig. 7.1

(a)	(i)	Use the information in Fig. 7.1 to calculate the increase in breathing rate for student A as
		a result of the one minute of exercise.

	breaths per min [1]
(ii)	Explain why breathing rate increases during exercise.
	[2]

(b)	(i)	Describe <b>two</b> differences shown in the graph in Fig. 7.1 between the changes to breathing rates of student <b>A</b> and student <b>B</b> .	the
		1	
		2	
			[2]
	(ii)	Suggest a reason why the breathing rates of student <b>A</b> and student <b>B</b> are different.	
			[1]
(c)		gest one body function other than breathing rate which increases during exercise.	
			נין
		[Tota	al: 7]

8 A student compares the thermal properties of materials A, B and C.

The apparatus he uses is shown in Fig. 8.1.




Fig. 8.1

(a)	Describe an experiment using the apparatus in Fig. 8.1, that shows material <b>C</b> is the best thermal conductor.
	[3

(b) The student performs another experiment using different thicknesses of material A.

The results of this experiment show that the thickness of the material is *inversely proportional* to the rate at which thermal energy transfers through it.

On Fig. 8.2 label the *y-axis* and draw a line graph to show this *inversely proportional* relationship.




Fig. 8.2

[2]

[Total: 5]

9 Some information about three different atoms X, Y and Z is shown in Table 9.1.

Table 9.1

atom	number of protons	number of neutrons	number of electrons
X	8	8	8
Υ	8	9	8
Z	8	10	8

(a)	These atoms are isotopes of the same element.	
	Explain how the data in the table shows this.	
		[2]
(b)	Complete Fig. 9.1 to show the electronic structure of atom Y.	
	nucleus of atom <b>Y</b>	
	Fig. 9.1	[1]
(c)	Use the Periodic Table to identify the element of atom Y.	
		[1]

[Total: 4]

**10** (a) The boxes on the left in Fig. 10.1 contain the names of plant structures.

The boxes on the right contain descriptions of the functions of these structures in photosynthesis.

Draw one straight line to link each structure to its function.

plant structure			function in photosynthesis	
chloroplast			absorbs water	
	root hair cell		gaseous exchange	
stomata			transports water to leaf cells	
	xylem		traps light energy	
		Fig. 10.1		[4]
(b)	Animal life depends on plants	carrying out photosynth	nesis.	
	State <b>two</b> reasons why.			
	4			

[Total: 6]

[2]

Per	ntane is a member of a <i>homologous series</i> .
(a)	Explain what is meant by the term homologous series.
	[2]
(b)	When pentane is heated in the presence of a catalyst, the pentane breaks down to form ethene $\rm C_2H_4$ and one other product.
	(i) Complete the equation for the breakdown of pentane.
	$C_5H_{12} \longrightarrow C_2H_4 + \dots$ [1]
	(ii) State the name of this process.
	[1]
(c)	State the test and the result of the test that shows ethene is an unsaturated hydrocarbon.
	test
	result
	101
	[2]
	[Total: 6]

11

**12** The apparatus shown in Fig. 12.1 is used to find the speed of sound.




Fig. 12.1

Two microphones are connected to an electronic timer.

The metal block is hit with a hammer to produce a short 'pulse' of sound.

Microphone 1 detects the pulse of sound and starts the electronic timer.

Microphone 2 then detects the pulse of sound and stops the timer.

The microphones are 1.0 m apart.

Sound travels at a speed of 340 m/s.

(a) Calculate the time taken for the sound to travel 1.0m.

Use the equation: speed = 
$$\frac{\text{distance}}{\text{time}}$$

- **(b)** The pulse of sound produced by the hammer hitting the metal block contains waves with different frequencies and wavelengths.
  - (i) One of these waves has a frequency of 485 Hz.

Calculate the wavelength of this wave.

	(11)	All of the waves within this pulse of sound reach microphone 2 in the same amo time.	unt o
		Explain why.	
			[1]
(c)	In e	each microphone there is a coil of wire that is free to move, and a magnet.	
	Exp	plain how the pulse of sound causes an e.m.f. to be induced in these coils of wire.	
			[2]
		lTc	otal: 5

13 Fig. 13.1 shows the human alimentary canal and associated organs.




Fig. 13.1

(a) Complete Table 13.1 using the letters from Fig. 13.1.

One has been done for you.

**Table 13.1** 

name of structure	letter
anus	
colon	
liver	
oesophagus	
pancreas	U

[4]

(b) Amylase is present in saliva.

The stomach contains an acid.
Describe and explain the effect of stomach acid on the action of amylase.
[2]
[Total: 6]

**14** A student makes a circuit containing two identical lamps and three ammeters, as shown in Fig. 14.1.




Fig. 14.1

(a) The ammeters measure the current in the circuit.

xplain what is meant by <i>current</i> .	
	[2]

(b) Table 14.1 shows four different sets of ammeter readings.

Put **one** tick in the last column to indicate which set of readings is correct for the circuit shown in Fig. 14.1.

**Table 14.1** 

ammeter 1/A	ammeter 2/A	ammeter 3/A	correct readings
0.4	0.4	0.8	
0.4	0.6	0.8	
0.8	0.6	0.4	
0.8	0.8	0.8	

[1]

(c) The student uses a scientific instrument to measure potential difference.

(i) State the name of the instrument.

.....[1]

(ii) The student uses this instrument to measure the potential difference across **one** of the lamps.

The instrument has a digital display and the reading on it is shown in Fig. 14.2.



Fig. 14.2

Determine the potential difference of the battery. State the unit.

potential difference = ...... unit ...... [2]

[Total: 6]

**15** Fig. 15.1 shows the chromatogram obtained from four different mixtures of dyes, using water as the solvent.




Fig. 15.1

(a)	Exp	lain why the base line is drawn using a pencil rather than an ink pen.
		[1]
(b)	lder cho	ntify the mixture that contains a dye that is insoluble in water and give a reason for your ice.
	mix	ture
	reas	son
		[2]
(c)	(i)	State the number of mixtures that contain two different dyes.
		[1]
	(ii)	Use Fig. 15.1 to determine the total number of different dyes that are present in all four mixtures.
		[1]
		[Total: 5]

16	Iron	is ex	stracted from its ore by reduction with carbon in a blast furnace.	
	(a)	(i)	Name an ore of iron.	[1]
		(ii)	State what is meant by <i>reduction</i> .	
				[1]
	(b)	Iron	rusts when it is exposed to air.	
		Nan	ne the substances present in air that cause iron to rust.	
			and	[2]
	(c)	Iron	is prevented from rusting by coating it with a metal.	
		Stat	te the name of this process and name the metal used.	
		prod	cess	
		met	al	[2]
			[Total	: 6]

**17** A student investigates the germination of pea seeds.

The apparatus used is shown in Fig. 17.1.



Fig. 17.1

Three dishes, **X**, **Y** and **Z** are used.

Each dish contains five pea seeds.

All the dishes are placed in the light.

The other conditions vary as shown in Table 17.1.

The results of the investigation are shown in Table 17.1.

**Table 17.1** 

conditions and	dish								
results	Х	Υ	Z						
cotton wool	damp	dry	damp						
temperature/°C	20	20	5						
results after three days	all germinate	none germinate	none germinate						

(a)	(i)	Explain why the seeds in dishes <b>Y</b> and <b>Z</b> do not germinate.	
		dish Y	
		dish <b>Z</b>	
		uioii Z	
	(ii)	The student uses five pea seeds in each dish.	
		Suggest why using 30 seeds in each dish is preferable.	
			[1]

	(b)		investigation, for three days	•	s are put on damp	cotton wool	and left at 20°C	in a
		Predict and	d explain the re	esults.				
		prediction						
		explanation	ı					
								. [2]
							[Tota	al: 5]
18	Use	words or n	umbers from t	he list to comp	lete the sentences	about electro	magnetic waves.	
	Eac	h word or n	umber may be	used once, m	ore than once, or r	not at all.		
	3	3 × 10 <sup>8</sup>	$3 \times 10^{6}$	gamma	longitudinal	radio	transverse	
	All e	electromagn	etic waves are	e				
	The	electromag	netic wave wi	th the longest	wavelength is			
	The	y travel thro	ough a vacuum	n at a speed of			m/s	[2]

19 An experiment to investigate magnetism is shown in Fig. 19.1.

A first magnet is placed on an electronic balance and the reading is zeroed.

A second magnet is moved close to it, as shown.




Fig. 19.1

The reading on the balance is displayed in newtons (N).

Table 19.1 shows how the reading on the balance changes as the second magnet moves closer.

**Table 19.1** 

distance between magnets/mm	20	15	10	5.0
electronic balance reading/N	1.0	1.6	2.8	

(a)	Complete Table 19.1 to suggest the reading on the balance when the distance between magnets is 5.0 mm.	the [1
(b)	Explain why the reading on the balance increases.	
		[2
(c)	The average force applied to move the second magnet $5.0 \times 10^{-3}$ m closer to the first mag	gne

(c) The average force applied to move the second magnet 5.0 × 10<sup>-3</sup> m closer to the first magne is 2.2 N.

Calculate the work done by this force.

[Total: 5]

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

S
ents
<u>e</u>
me
<u>e</u>
Ĭ
ō
ď
Š
Table
_
<u>.0</u>
Q
.0
ē
Periodic
The
٦.

	≡>	2 H	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	×e	xenon 131	98	R	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	¥	astatine			
	5			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъо	molouium —	116	^	livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium –
	=			5	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В О	cadmium 112	80	РĜ	mercury 201	112	S	copernicium –
										29	Cn	copper 64	47	Ag	silver 108	62	An	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium –
Ğ										27	ဝိ	cobalt 59	45	R	rhodium 103	77	ľ	iridium 192	109	Ħ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ဝံ	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	14	g	niobium 93	73	<u>⊾</u>	tantalum 181	105	9	dubnium -
					atc	<u> </u>				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium  -
	_			က	:=	lithium 7	=	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ţ.	francium _

71	Γn	lutetium 175	103	۲	lawrencium	I
70	Υp	ytterbium 173	102	8 N	nobelium	I
69	T	thulium 169	101	Md	mendelevium	1
89	ய்	erbium 167	100	Fm	ferminm	ı
29	운	holmium 165	66	Es	einsteinium	-
99	ò	dysprosium 163	86	ŭ	californium	_
65	Д	terbium 159	97	Ř	berkelium	_
64	Вq	gadolinium 157	96	Cm	curium	_
63	Ш	europium 152	95	Am	americium	_
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium -	93	ΔN	neptunium	-
09	Š	neodymium 144	92	$\supset$	uranium	238
59	Ţ	praseodymium 141	91	Ра	protactinium	231
28	Če	cerium 140	06	T	thorium	232
22	Гa	lanthanum 139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).