

Cambridge O Level

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

944653047

COMBINED SCIENCE

5129/21

Paper 2 May/June 2020

2 hours 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 100.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 24 pages. Blank pages are indicated.

DC (PQ/CT) 192889/4 © UCLES 2020

[Turn over

1 A wave is shown in Fig. 1.1.




Fig. 1.1

| 1 | (~) | \bigcirc \square | 1 1 | drove tree | vortical | linoo | | wavelength | anart |
|---|---------------|----------------------|------|------------|----------|-------|-----|------------|--------|
| ı | aı | On Fig. | 1.1. | diaw two | verucai | imes | one | wavelendin | aoan. |
| ۸ | \ - -/ | • | , | | | | | | o. p o |

Draw an arrow (← →) between these two lines. [1]

(b) The wave has a speed of 2.0 m/s and a wavelength of 100 m.
Calculate the frequency of the wave.

frequency = Hz [2]

(c) (i) An electromagnetic wave enters a transparent material.

Its angle of incidence $i = 35^{\circ}$. Its angle of refraction $r = 18^{\circ}$.

Calculate the refractive index of the medium.

Use the equation $n = \frac{\sin i}{\sin r}$

n =[1]

(ii) Explain why the direction of the wave changes as it enters the transparent material.

[Total: 5]

2 Fig. 2.1 shows the atomic structure of an atom of nitrogen, ${}_{7}^{15}N$.




Fig. 2.1

| (a) | On | Fig. 2.1, name the particles A and B . | [1] |
|-----|-------|---|-----|
| (b) | The | atom forms an ion with the formula N^{3-} . | |
| | Des | cribe how this ion is formed. | |
| | Ехр | lain why the ion is stable. | |
| | | | |
| | | | |
| | | | [2] |
| (c) | Nitro | ogen obtained from air is combined with hydrogen in the manufacture of ammonia. | |
| | (i) | State the approximate percentage of nitrogen in clean air. | |
| | | | [1] |
| | (ii) | State the name of the process used to obtain hydrogen from hydrocarbons. | |
| | | | [1] |

[Total: 5]

3 Complete Fig. 3.1 by drawing one straight line from each biological term to its description.

biological term

description

the movement of gas molecules down a concentration gradient diffusion a chemical that alters the activity of a target organ enzyme the removal of toxic materials and the waste products of metabolism excretion a biological catalyst hormone the tissue transporting carbohydrates in plants osmosis the tissue transporting water and mineral ions in plants xylem the movement of water molecules through a partially permeable membrane

Fig. 3.1

[6]

4 Fig. 4.1 shows an electromagnet made from a coil of wire wrapped around an iron core.




Fig. 4.1

| (a) | When the switch is closed, pieces of materials X and Y are attracted to the bottom of the electromagnet. |
|-----|--|
| | Explain why this happens. |
| | |
| | |
| | [3] |
| (b) | When the switch is opened, the pieces of material ${\bf X}$ remain on the electromagnet and the pieces of material ${\bf Y}$ fall off. |
| | Name material X and explain your answer. |
| | material X |
| | explanation |
| | [2] |
| (c) | State what is meant by the term d.c. in the phrase d.c. power supply. |
| | [1] |
| | [Total: 6 |

| | | 0 | |
|---|-------------------|---|-----|
| 5 | Zino | c reacts with hydrochloric acid to produce zinc chloride and hydrogen. | |
| | The | e equation for the reaction is: | |
| | | $Zn + 2HCl \longrightarrow ZnCl_2 + H_2$ | |
| | The | e relative molecular mass, $M_{\rm r}$, of zinc chloride is 136. | |
| | The | e volume of 2g of hydrogen gas is 24dm ³ . | |
| | [A _r : | Zn, 65; C <i>l</i> , 35.5; H, 1] | |
| | (a) | Complete the following sentences. | |
| | | 65 g of zinc produces g of zinc chloride and dm ³ of hydrogen. | |
| | | 3.25g of zinc produces g of zinc chloride. | [3] |
| | (b) | Describe a test to show that hydrogen is given off in the reaction. | |
| | | State the result of the test. | |
| | | test | |
| | | result | |
| | | | |
| | | | [2] |

(c) Suggest the names of two **other** substances which react with hydrochloric acid to produce zinc chloride.

..... and [2]

[Total: 7]

(a) Fig. 6.1 shows the structures of a human eye. 6




Fig. 6.1

Complete Table 6.1 by naming the structures **A**, **B** and **C** identified in Fig. 6.1.

Table 6.1

| letter on Fig. 6.1 | name of structure |
|--------------------|-------------------|
| Α | |
| В | |
| С | |

| - 1 | |
|-----|---|
| - 1 | • |
| - 1 | • |
| | |

| (b) | Describe how the structures A , B and C in Fig. 6.1 change when the eye changes focus from focussing on a far object to focussing on a near object. |
|-----|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [3] |

[Total: 6]

7 Fig. 7.1 shows a clinical thermometer.




Fig. 7.1

| rig. 7.1 |
|--|
| State the temperature shown on the thermometer. |
| temperature =°C [1] |
| Determine the range of the thermometer scale. |
| from°C to°C [1] |
| Explain why the thermometer has a constriction. |
| |
| [1] |
| The thermometer contains a liquid which expands when heated. |
| Use ideas about particles to describe what happens during thermal expansion. |
| |
| [1] |
| |

[Total: 4]

| 8 Carbon dioxide dissolves in water and forms a solution with a pH of | 8 | Carbon o | dioxide | dissolves | in water | and forms | a solution | with a | bH of |
|---|---|----------|---------|-----------|----------|-----------|------------|--------|-------|
|---|---|----------|---------|-----------|----------|-----------|------------|--------|-------|

(a) State the colour of universal indicator when it is added to a solution of carbon dioxide.

.....[1]

(b) The structure of a molecule of carbon dioxide is shown in Fig. 8.1.




Fig. 8.1

Complete Fig. 8.2 to show the outer shell electrons in a molecule of carbon dioxide.




Fig. 8.2

[2]

(c) Limewater is an alkaline solution.

Suggest how the pH of the limewater changes when carbon dioxide is bubbled through the limewater.

.....[1]

(d) Carbon dioxide is produced when methane burns in an excess of oxygen.

Complete and balance the equation for the combustion of methane.

$$CH_4 + \dots O_2 \longrightarrow CO_2 + \dots$$
 [2]

[Total: 6]

| 9 | (a) | Complete the | e word equati | on for aerobic respirat | ion. | |
|---|-----|----------------|----------------------------|------------------------------|---|--------------------------------|
| | (b) | | | | nning machine for 12 m | [2] ninutes. |
| | | The number | of breaths he | takes per minute is re | ecorded every three mi | nutes. |
| | | The average | volume of ea | ch breath is also reco | rded. | |
| | | The results a | are shown in 1 | Table 9.1. | | |
| | | | | Table 9.1 | | |
| | | | time/min | number of breaths per minute | average volume of each breath/dm ³ | |
| | | | 0 | 10 | 0.5 | |
| | | | 3 | 17 | 1.4 | |
| | | | 6 | 23 | 2.8 | |
| | | | 9 | 28 | 3.6 | |
| | | | 12 | 30 | 4.2 | |
| | | (i) Calcula | te the total vo | lume of air the athlete | breathes in per minute | when $t = 0$ minutes. |
| | | volur | ne of air brea | thed in at $t = 0$ minut | es = | dm ³ per minute [1] |
| | | | te the increas minutes. | e in the total volume | of air breathed in per | minute by the athlete |
| | in | crease in tota | l volume of ai | r breathed in per minu | ıte = | dm ³ [2] |

| Explain why the volume of air breathed in per minute by the athlete increases during the exercise. | ıe |
|--|----|
| | |
| | |
| | |
| | |
| | |
| [3 | 3] |
| [Total: 8 | 8] |

10 Table 10.1 shows how the voltage output of a simple a.c. generator varies with time.

Table 10.1

| time/s | 0 | 0.02 | 0.04 | 0.06 | 0.08 | 0.10 | | |
|------------------|---|------|------|------|------|------|--|--|
| voltage output/V | 0 | +6 | 0 | -6 | 0 | +6 | | |

| (a) | The simple a.c. generator contains a coil of wire. |
|-----|--|
| | State one other component of the a.c. generator. |
| | [1] |
| (b) | Explain why the voltage output varies between +6V and -6V. |
| | |
| | |
| | |
| | [3] |
| | lTotal: 4 |

11 Fig. 11.1 shows a motor connected to an electrical circuit in the home.




Fig. 11.1

 $\boldsymbol{X},\,\boldsymbol{Y}$ and \boldsymbol{Z} are wires in the circuit.

| (a) | Name wire X and expla | in why switches are connected in wire X | |
|-----|------------------------------|--|-------------------|
| | name of X | | |
| | explanation for switches | s | |
| | | | |
| | | | [2] |
| (b) | Name wire Z and expla | in why it is connected to the metal case | of the appliance. |
| | name of Z | | |
| | explanation for connect | ion | |
| | | | |
| | | | [2] |
| (c) | A label on the motor sta | ates | |
| | N | Not suitable for use in damp conditions | |
| | State one hazard of ope | erating the motor in damp conditions. | |
| | | | [1] |
| | | | |

[Total: 5]

| 12 Sodium is in Group I of the Periodic | c Iable. | |
|--|----------|--|
|--|----------|--|

When sodium is added to water, an alkaline solution is produced.

The equation for the reaction is:

$$2Na + 2H_2O \longrightarrow 2NaOH + H_2$$

| (a) | State the name given to the elements in Group I. |
|-----|--|
| | [1 |
| (b) | Name the ion present in the solution that causes it to be alkaline. |
| | [1 |
| (c) | When the alkaline solution is added to ammonium chloride and warmed, a colourless gas is produced. |
| | State the name of the colourless gas. |
| | [1 |
| (d) | Describe the trend in melting point and the trend in reactivity of the elements as Group I is descended. |

(e) Explain why sodium cannot be extracted from its oxide by heating with carbon.

melting point

reactivity

[Total: 6]

[2]

13 Use words or phrases from the list to complete the sentences about blood.

Each word may be used once, more than once, or not at all.

| antibodies | arteries | blood | capillaries | | | | | | |
|--------------------------------------|---|------------------|-------------|--|--|--|--|--|--|
| fibrinogen | phagocytosis | pla | platelets | | | | | | |
| | red blood cells | veins | water | | | | | | |
| | of different types of blood ound the body by the heart | | | | | | | | |
| | | | | | | | | | |
| Chemicals can ente | er and leave the blood whe | en it passes the | ough | | | | | | |
| Some types of whit | e blood cells make | | | | | | | | |
| Other types of white | e blood cells carry out | | | | | | | | |
| Urea is transported in of the blood. | | | | | | | | | |

14 The diameter of a cylinder is measured using a vernier caliper as shown in Fig. 14.1.




Fig. 14.1

(a) Determine the reading shown on the vernier scale in Fig. 14.1.

(b) The cylinder is placed on a beam as shown in Fig. 14.2.




Fig. 14.2

The beam is held in the horizontal position when a force of 6.0 N is applied at a distance of 8.0 cm from the pivot.

The beam has negligible weight.

Calculate the weight of the cylinder.

[Total: 3]

15 Some reactions of ethene are shown in Fig. 15.1.




Fig. 15.1

| (a) Identify: |
|---------------|
|---------------|

| hydrocarbon X | |
|----------------------|--|
| reagent Y | |
| process Z . | |

[3]

(b) Draw the structure of poly(ethene).

[2]

[Total: 5]

16 Fig. 16.1 shows the human male reproductive system.




Fig. 16.1

Draw label lines and labels on Fig. 16.1 to show the position of:

- penis
- prostate gland
- sperm duct.

[3]

17 Fig. 17.1 shows a pump being used to push air into a balloon.




Fig. 17.1

| A fo | arce applied to the handle of the pump causes air in the cylinder to move into the balloon. |
|------|---|
| (a) | The air inside the balloon creates a force. |
| | Describe how this force affects the balloon. |
| | |
| | [1] |
| (b) | A force of 12.0 N is applied to push the handle of the pump 0.15 m. |
| | Calculate the work done. |
| | |
| | |
| | work done = J [2] |
| (c) | The balloon is made from rubber. |
| | Describe an experiment that would show that rubber is an elastic material. |
| | You may draw a diagram if it helps your explanation. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 101 |
| | [3] |

18 Fig. 18.1 shows representations of elements, compounds and mixtures.




Fig. 18.1

Choose the diagram from Fig. 18.1 that represents:

- a mixture of two elements
 a compound that conducts electricity when molten
 a gaseous diatomic compound

[4]

| 19 | (a) | | te a medical treatment for gonorrhoea. |
|----|-----|------|--|
| | | | [1] |
| | (b) | (i) | State two signs or symptoms of syphilis. |
| | | | 1 |
| | | | |
| | | | 2 |
| | | | [2] |
| | | (ii) | State ${\bf two}$ methods used to prevent the spread of the human immuno-deficiency virus (HIV). |
| | | | 1 |
| | | | |
| | | | 2 |
| | | | [2] |

5129/21/M/J/20

[Total: 5]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

| S |
|--------------|
| int |
| Ĕ |
| em |
| Ш |
| _ |
| 4 |
| = |
| a |
| _ |
| ≗ |
| 90 |
| eric |
| Pe |
| 4 |
| ڃّ |
| \vdash |

| | II / | 2 He | helium 4 | 10 | Ne | neon 20 | 18 | Ā | argon 40 | 36 | 궃 | krypton 84 | 54 | Xe | xenon 131 | 98 | 格 | radon | | | |
|-------|-------------|---------|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | II/ | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ā | bromine 80 | 53 | П | iodine 127 | 85 | Αŧ | astatine - | | | |
| | > | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>a</u> | tellurium 128 | 84 | Ро | molonium — | 116 | | livermorium - |
| | > | | | 7 | z | nitrogen 14 | 15 | ₾ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Ξ | bismuth 209 | | | |
| | ΛΙ | | | 9 | O | carbon 12 | 14 | :S | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | Ъ | lead 207 | 114 | Εl | flerovium - |
| | ≡ | | | 5 | В | boron 11 | 13 | Ρl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | lT | thallium 204 | | | |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | В С | cadmium 112 | 80 | Нg | mercury 201 | 112 | S | copernicium — |
| | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Au | gold 197 | 111 | Rg | roentgenium - |
| Group | | | | | | | | | | 28 | Ë | nickel 59 | 46 | Pd | palladium 106 | 78 | 귙 | platinum 195 | 110 | Ds | darmstadtium - |
| Ğ | | | | , | | | | | | 27 | ဝိ | cobalt 59 | 45 | R | rhodium 103 | 77 | 'n | iridium 192 | 109 | Ĭ | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | R | ruthenium 101 | 92 | SO | osmium 190 | 108 | Hs | hassium - |
| | | | | | | | 1 | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | 뭠 | bohrium — |
| | | | | _ | pol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium - |
| | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | <u>⊾</u> | tantalum 181 | 105 | Op | dubnium — |
| | | | | | atc | re | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ξ | hafnium 178 | 104 | 꿉 | rutherfordium - |
| | | | | | | | 1 | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 26 | Ba | barium 137 | 88 | Ва | radium - |
| | _ | | | က | := | lithium 7 | = | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | ᅩ | francium — |

| 71 | Ρſ | lutetium 175 | 103 | ت | lawrencium - |
|----|--------|---------------------|-----|-----------|---------------------|
| 70 | Υp | ytterbium 173 | 102 | 8 N | nobelium — |
| 69 | T | thulium 169 | 101 | Md | mendelevium – |
| 89 | ш | erbium 167 | 100 | Fm | fermium — |
| 29 | 웃 | holmium 165 | 66 | Es | einsteinium – |
| 99 | ò | dysprosium 163 | 86 | ర్ | californium — |
| 65 | 요 L | terbium 159 | 97 | B | berkelium – |
| 64 | Вg | gadolinium 157 | 96 | Cm | curium |
| 63 | П | europium 152 | 92 | Am | americium - |
| 62 | Sm | samarium 150 | 94 | Pu | plutonium – |
| 61 | Pm | promethium - | 93 | ď | neptunium - |
| 09 | ρN | neodymium 144 | 92 | \supset | uranium 238 |
| 59 | Ţ | praseodymium 141 | 91 | Ра | protactinium 231 |
| 58 | Ö | cerium 140 | 06 | ┖ | thorium 232 |
| 22 | Ľ | lanthanum 139 | 88 | Ac | actinium _ |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).