


Cambridge O Level

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |



COMBINED SCIENCE

5129/22

Paper 2

October/November 2022

2 hours 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 100.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 The speed of a motorcycle is measured at different checkpoints in a race.

At 22s, the motorcycle passes checkpoint **A** at a speed of 32m/s.

Point **A** in Fig. 1.1 shows the speed of the motorcycle and the time when it passes checkpoint **A**.




Fig. 1.1

(a) After passing checkpoint **A**, the motorcycle decelerates uniformly.

It passes checkpoint **B** at a speed of 18 m/s, 9 seconds after passing checkpoint **A**.

- (i) On Fig. 1.1, mark and label point **B** to show the speed of the motorcycle and the time when it passes checkpoint **B**. [1]
- (ii) On Fig. 1.1, draw a straight line between point **A** and point **B** to show how the speed of the motorcycle changes between checkpoint **A** and checkpoint **B**. [1]
- (iii) Calculate the deceleration of the motorcycle between checkpoint A and checkpoint B.

Use the equation:

$$deceleration = \frac{change in speed}{time taken}$$

Give your answer to three significant figures.

deceleration = m/s^2 [2]

| (b) | A force of 420 N is applied at the brakes to decelerate the motorcycle. |
|-----|---|
| | Using your answer to (a)(iii), calculate the mass of the motorcycle. |
| | |
| | |
| | mass = kg [2] |

[Total: 6]

2 Fig. 2.1 shows part of a food web in a lake.




Fig. 2.1

(a) Determine the number of each type of organism in Fig. 2.1.

Write your answers in Table 2.1.

Table 2.1

| type of organism | number |
|------------------|--------|
| producers | |
| herbivores | |
| carnivores | |
| consumers | |

[4]

(b) Determine the number of food chains in the food web in Fig. 2.1.

number of food chains =[1]

(c) A snake also lives in the lake.

It eats diving birds and frogs.

Add this information to the food web in Fig. 2.1.

(Do **not** draw a diagram of the snake.) [2]

[Total: 7]

3 Table 3.1 shows some information about the reactions of four different metals $\bf A, \, B, \, C$ and $\bf D.$

The letters ${\bf A},\,{\bf B},\,{\bf C}$ and ${\bf D}$ are **not** the chemical symbols of the elements.

Table 3.1

| metal | reacts with dilute hydrochloric acid | reacts with cold water | reacts with steam |
|-------|--------------------------------------|---------------------------|-------------------|
| Α | yes | no | yes |
| В | yes | yes | yes |
| С | no | no | no |
| D | yes | no | no |

| (i) | Deduce the ord | der of reactivity of the four metals. | |
|------|-------------------------------|--|----------------|
| | most reactive | | |
| | | | |
| | | | |
| | least reactive | | [2] |
| (ii) | Suggest the na | ame of metal C . | |
| | | | [1] |
| Sta | | | |
| | | | [1] |
| Aluı | minium is above | e zinc in the reactivity series but reacts more slowly with hydrochloric ac | cid. |
| Ехр | lain the appare | nt unreactivity of aluminium. | |
| | | | |
| | | | [1] |
| Sta | | | [.] |
| | | | [1] |
| _ | | | her |
| | | | [1] |
| | | [Total | : 7] |
| | (ii) State Alui Exp State Sug | least reactive (ii) Suggest the national State the name of the state apparent of the state one general process of the state o | least reactive |

4 A block of weight 9.0 N is placed at one end of a beam resting on a pivot as shown in Fig. 4.1.




Fig. 4.1

(a) Calculate the moment of the block about the pivot.

| | | moment = | Nm [2] |
|-----|--|---------------------------------|--------|
| (b) | The volume of the block is $0.00018\mathrm{m}^3$. | | |
| | Calculate the density of the block. Give v | our answer in kg/m ³ | |

Gravitational field strength = 10 N/kg

| | density of the block = kg/m³ [3] |
|-----|---|
| (c) | A weight of 18.0 N placed at point X in Fig. 4.1 will not balance the beam. |
| | Explain why. |
| | |

[Total: 6]

5 Fig. 5.1 shows a section through a human heart.




Fig. 5.1

(a) Complete Table 5.1 by inserting the letters from Fig. 5.1 that match each of the descriptions.

Table 5.1

| description | letters |
|--|---------|
| two structures that contain oxygenated blood | and |
| the blood vessel carrying blood to the lungs | |
| the right ventricle | |
| an artery | |

[4]

| (b) | The | e neart pumps blood round the body. | |
|-----|------|---|----|
| | Blo | od consists of plasma and blood cells. | |
| | (i) | State three substances present in plasma. | |
| | | 1 | |
| | | 2 | |
| | | 3 | |
| | | | [3 |
| | (ii) | State the names of two types of cell found in blood. | |
| | | 1 | |
| | | 2 | |
| | | | [2 |

[Total: 9]

6 Fig. 6.1 shows some reactions involving ammonia.




Fig. 6.1

(a) Reaction A takes place in the Haber process.

| | (i) | Name the gas that reacts with nitrogen in the Haber process. | |
|-----|------|--|------|
| | | | [1] |
| | (ii) | Describe two conditions needed for the Haber process. | |
| | | 1 | |
| | | 2 | |
| | | | [2] |
| (b) | Nan | ne the acid that is used in reaction B . | |
| | | | [1] |
| (c) | Stat | te one use of ammonium nitrate. | |
| | | | [1] |
| | | [Total | : 5] |

7 A student investigates how different loads cause the length of a spring to increase.

The results of the investigation are shown in Fig. 7.1.




Fig. 7.1

| (a) | Describe how the student obtains these results. |
|-----|--|
| | |
| | |
| | [2] |
| (b) | Use the results shown in Fig. 7.1 to determine the initial length of the spring (when it is not carrying any load). |
| | Show any working on the graph. |
| | initial length =cm [2] |
| (c) | Determine the extension of the spring at 16.0 N. |
| | |
| | extension = |

[Total: 5]

- 8 Methane, CH_4 , and ethane, C_2H_6 , are both members of the same homologous series.
 - (a) (i) Complete Fig. 8.1 to show the outer electrons in a molecule of methane.




Fig. 8.1

[1]

| State the name of the homologous series that contains methane and ethane. |
|--|
| [1] |
| State two reasons why methane and ethane are members of the same homologous series. |
| 1 |
| |

(b) State the colour of the mixture obtained when ethane is bubbled through aqueous bromine.

.....[1]

[Total: 5]

[2]

cuticle

glucose

chemical

9 A list of words and phrases about photosynthesis is shown.

amino acids

| | nitrogen oxygen phloem root hair | |
|-----|--|------------|
| | stomata thermal xylem | |
| Con | mplete the sentences using words or phrases from the list. | |
| Eac | ch word or phrase may be used once, more than once, or not at all. | |
| (a) | The process of photosynthesis combines carbon dioxide and water to | |
| | produce and | [2] |
| (b) | Carbon dioxide enters the leaves of green plants by diffusing in through | |
| | the | [1] |
| (c) | Water is absorbed from the soil by the cells | |
| | and then travels to the leaves in the tissue. | [2] |
| (d) | The function of the chlorophyll is to convert light energy into | |
| | energy. | [1] |
| | | [Total: 6] |

10 A night vision camera is used to detect animals at night or when there is no natural light. Infrared radiation emitted by the warm animal is detected by the camera. This causes a charge to move in a circuit, which results in a visible image on a display screen. Identify the energy in the animal which is transferred, during respiration, to thermal energy. Tick (✓) one box. chemical elastic electrical kinetic light [1] (ii) State how energy is transferred from the battery in the night vision camera to the screen.[1] (iii) Identify the main way that energy is transferred from the display screen. Tick (✓) one box. chemical electrical kinetic

[1]

© UCLES 2022 5129/22/O/N/22

light

thermal

| (b) | The | e camera contains a battery with a potential difference of 3.8 V. |
|-----|------|---|
| | In n | ormal use, the battery produces $2.7 \times 10^{-3} \text{W}$ of electrical power. |
| | (i) | Calculate the current in the circuit. |
| | | |
| | | |
| | | |
| | | current in circuit = A [2] |
| | (ii) | Show that approximately 2.6 C of charge is transferred in the circuit in one hour. |
| | | |
| | | |
| | | |
| | | [3] |
| | | [Total: 8] |

11 Two groups of students, group **X** and group **Z**, measure their heart rates during different activities.

The results are averaged and plotted on a graph.

Fig. 11.1 shows the results for each group after averaging.




Fig. 11.1

| (1) | State the activity which produces an average heart rate in group X or 114 beats/min. | |
|-------|---|-----|
| | | [1] |
| (ii) | State the average heart rate for group Z when the activity is 'running fast'. | |
| | beats/min | [1] |
| (iii) | Using the data shown in Fig. 11.1, determine one conclusion that can be made comparing the heart rate of different activities. | by |
| | | [4] |

| (b) | (i) | Energy for these activities is supplied by respiration. | |
|-----|------|--|--------|
| | | Complete the word equation for aerobic respiration. | |
| | | ······································ | [2] |
| | (ii) | State one difference between aerobic and anaerobic respiration. | |
| | | | |
| | | | . [1] |
| | | [Tot | al: 6] |

12 An iron nail reacts with a mixture of water and air.

The mass of the nail is measured every 100 days.

The results are shown in Table 12.1.

Table 12.1

| day | mass of nail /g |
|-----|--------------------|
| 0 | 9.55 |
| 100 | 9.62 |
| 200 | 9.68 |
| 300 | 9.71 |

| (a) | (i) | Name the piece of apparatus used to measure the mass of the nail. |
|-----|-------------|---|
| | | [1 |
| | (ii) | Calculate the increase in the mass of the nail over 300 days. |
| | | |
| | | r. |
| | | g [1 |
| | (iii) | Name the type of reaction that iron undergoes when it reacts with water and air. |
| | | [1 |
| (b) | Stat and | e two methods that could be used to prevent the iron nail from reacting with the wate air. |
| | 1 | |
| | 2 | [2 |
| | | الماسان |

[Total: 5]

13 A light-weight metal sphere is at rest on a smooth surface.

The sphere has positive and negative charges.

Fig. 13.1 shows the distribution of charges on the sphere when it is neutral.




Fig. 13.1

| a) | Explain why the sphere is neutral. | |
|----|--|----|
| | | |
| | | |
| | | [1 |
| h۱ | A positively charged chicat is placed poor to the ephere as shown in Fig. 12.2 | |

(b) A positively charged object is placed near to the sphere as shown in Fig. 13.2.




Fig. 13.2

| (i) | Explain wh Fig. 13.2. | y the | negative | charges | on | the | sphere | are | now | distributed | as | shown | in |
|------|--------------------------|---------|-----------|-------------|------|-----|--------|-----|-----|-------------|----|---------|-----|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | [2] |
| (ii) | Suggest wh | nat nov | w happens | s to the sp | oher | e. | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | [1] |
| | | | | | | | | | | | | [Total: | 4] |

| A volume of following me | of aqueous sodium hydroxide is neutralised with dilute hydrochloric acid using the ethod: |
|--------------------------|---|
| Step 1 25 | .0 cm ³ of aqueous sodium hydroxide is added to a conical flask. |
| Step 2 Dil | lute hydrochloric acid is titrated into the conical flask until the solution is neutral. |
| A solution of | f sodium chloride is produced. |
| | iggest a suitable piece of apparatus to measure the volume of aqueous sodium droxide. |
| | [1] |
| (ii) De | escribe the change to the pH value of the mixture in the conical flask. |
| | [1] |
| (iii) Sta | ate the colour of universal indicator paper in a neutral solution. |
| | [1] |
| (b) State th | ne ionic equation for a neutralisation reaction. |
| | [1] |
| (c) Describ | be how sodium chloride solid is obtained from the neutralised solution. |
| | [1] |
| | [Total: 5] |

15 The boxes on the left in Fig. 15.1 contain names of animal and plant structures.

The boxes on the right in Fig. 15.1 contain names of different functions.

Draw one straight line from each structure to its function.

| structure | function |
|-----------------|-------------------|
| alveolus | urea formation |
| | |
| anther | pollen production |
| | |
| liver | oxygen absorption |
| | |
| testes | sperm production |
| | |
| pancreas | transport |
| | |
| vascular bundle | amylase formation |

Fig. 15.1

[5]

| 16 | Dur | ing radioactive decay, changes in the nucleus of an atom cause emissions of radiation. |
|----|-----|--|
| | (a) | Alpha-particles are one type of emission. |
| | | Suggest one feature of alpha-particles that explains why they are the most ionising type of radiation. |
| | | feature |
| | | explanation |
| | | [2] |
| | (b) | State one other type of radioactive emission. |
| | | [1] |
| | (c) | Explain why some types of emission lead to the formation of new elements. |
| | | |
| | | [1] |
| | (d) | Explain why waste radioactive materials are encased in concrete and stored deep underground for many years. |
| | | |
| | | [1] |
| | | [Total: 5] |

17 (a) The following is a list of words used when describing reactions.

| | | | acidic | amphoteric | basi | C | | | | |
|-----|-------|--|-----------------|------------------|----------------|-----------------------------|----------|--|--|--|
| | | hydro | gen hy | droxide | ionic | metallic | | | | |
| | Use | the words in the | list to comple | ete the followir | g sentence | S. | | | | |
| | Eac | h word may be u | sed once, mo | ore than once, | or not at all. | | | | | |
| | (i) | Non-metallic ele | ments form . | | bo | onds with metallic elements | s. [1] | | | |
| | (ii) | (ii) Non-metallic elements react with oxygen to form oxides. | | | | | | | | |
| | (iii) | An alkali forms | | ion | s in aqueou | s solution. | [1] | | | |
| | (iv) | | oxido | es react with a | cids and ba | ses. | [1] | | | |
| (b) | Stat | e an atmospheri | c pollutant tha | at is responsibl | e for acid ra | ain. | | | | |
| | | | | | | | [1] | | | |
| (c) | Ехр | lain why farmers | add calcium | carbonate to s | oil. | | | | | |
| | | | | | | | | | | |
| | | | | | | | [1] | | | |
| | | | | | | [To | otal: 6] | | | |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | = | 2 | ¥ | helium 4 | 10 | Ne | neon 20 | 18 | Ā | argon 40 | 36 | Ϋ́ | krypton 84 | 54 | Xe | xenon 131 | 98 | R | radon - | | | |
|-------|---|---|---|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | | | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ŗ | bromine 80 | 53 | Ι | iodine 127 | 85 | Αţ | astatine - | | | |
| | 5 | | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 84 | Ъ | polonium - | 116 | | livemorium - |
| | > | | | | 7 | z | nitrogen 14 | 15 | ட | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | <u>i</u> | bismuth 209 | | | |
| | 2 | | | | 9 | ပ | carbon 12 | 14 | SS | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pp | lead 207 | 114 | Fl | flerovium |
| | = | | | | 2 | В | boron 11 | 13 | Ρl | aluminium 27 | 31 | Ga | gallium | 49 | In | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | | 30 | Zu | zinc 65 | 48 | g | cadmium 112 | 80 | Hg | mercury 201 | 112 | C | copernicium |
| | | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Αn | gold 197 | 111 | Rg | roentgenium |
| Group | | | | | | | | | | | 28 | Ë | nickel 59 | 46 | Pd | palladium 106 | 78 | £ | platinum 195 | 110 | Ds | damstadtium - |
| Gro | | | | | | | | | | | 27 | ဝိ | cobalt 59 | 45 | 뫈 | rhodium 103 | 77 | 'n | iridium 192 | 109 | ¥ | meitnerium - |
| | | - | I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | Os | osmium 190 | 108 | H | hassium |
| | | | | | | | | | | | 25 | Mn | manganese 55 | 43 | <u>၁</u> | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium |
| | | | | | | pol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≯ | tungsten 184 | 106 | Sg | seaborgium - |
| | | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Та | tantalum 181 | 105 | Op | dubnium — |
| | | | | | | atc | rek | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | 茔 | hafnium 178 | 104 | 꿆 | rutherfordium - |
| | | | | | | | | | | | 21 | Sc | scandium 45 | 36 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 26 | Ba | barium 137 | 88 | Ra | radium - |
| | _ | | | | က | = | lithium 7 | 1 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 22 | S | caesium 133 | 87 | ъ. | francium - |

| 71 | Ľ | lutetium | 175 | 103 | ۲ | lawrencium | I |
|----|----|--------------|-----|-----|-----------|--------------|-----|
| 70 | Υp | ytterbium | 173 | 102 | 8 N | nobelium | ı |
| 69 | Tm | thulium | 169 | 101 | Md | mendelevium | I |
| 89 | Щ | erbium | 167 | 100 | Fm | fermium | ı |
| 29 | 웃 | holmium | 165 | 66 | Es | einsteinium | _ |
| 99 | Ò | dysprosium | 163 | 86 | ర్ | californium | 1 |
| 65 | Tp | terbium | 159 | 26 | ă | berkelium | _ |
| 64 | В | gadolinium | 157 | 96 | Cm | curium | _ |
| 63 | En | europium | 152 | 92 | Am | americium | _ |
| 62 | Sm | samarium | 150 | 94 | Pu | plutonium | _ |
| 61 | Pm | promethium | - | 93 | Ν d | neptunium | - |
| 09 | PZ | neodymium | | 92 | \supset | uranium | 238 |
| 59 | ፵ | praseodymium | 141 | 91 | Ра | protactinium | 231 |
| 58 | Ce | cerium | | 06 | T | thorium | 232 |
| 57 | Га | lanthanum | 139 | 89 | Ac | actinium | _ |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).