Name

MINATIONS - COM

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

BIOLOGY 9700/02

Paper 2 Structured Questions AS

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces provided at the top of this page. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [ ] at the end of each question or part question.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

FOR EXAMI	NER'S USE
1	
2	
3	
4	
5	
TOTAL	

## Answer all the questions.

1 Fig. 1.1 is a drawing made from an electron micrograph. It shows a longitudinal section through a sieve tube element and a companion cell in the phloem of a flowering plant.




Fig. 1.1

- (a) Refer to Fig. 1.1.
  - (i) Name structures A to C.

A .....

B .....

**C** ......[3]

		the state of the s
		3 M. P. P.
	(ii)	State the name given to the region labelled <b>D</b> that separates the two sie elements.  Name <b>one assimilate</b> that is transported in the phloem.
	(iii)	Name <b>one assimilate</b> that is transported in the phloem.
(b)		lain how the structure of sieve tube elements helps the translocation of substance ne phloem.
		[:
(c)	Des	scribe the role of companion cells in translocation in the phloem.
		[:
		[Total : 10

## **2** Fig. 2.1 shows a $\beta$ glucose molecule.




Fig. 2.1

(a) State how  $\alpha$  glucose differs from  $\beta$  glucose as shown in Fig. 2.1.

.....[1]

(b) Fig. 2.2 shows a molecule of  $\beta$  glucose that is about to be added to the end of a growing chain of a polysaccharide.

Fig. 2.2

(i) Name the bond E.

.....[1]

(ii) Use the diagram below to show how the  $\beta$  glucose molecule will attach to the end of the growing chain of the polysaccharide. You may annotate the diagram if you wish.

For Examiner's

- (iii) Name a polysaccharide that is formed entirely from  $\beta$  glucose molecules in shown in Fig. 2.2.
- (c) A solution of starch was poured into six separate test-tubes, labelled **F** to **K**. The test-tubes were kept at 35 °C for 5 minutes and then treated as shown in Table 2.1. After a further 30 minutes the contents of the test-tubes were tested for the presence of reducing sugar.

Table 2.1

test-tubes	substances added after 5 minutes	presence or absence of reducing sugar after 30 minutes
F	distilled water	absent
G	amylase + boiled maltase	present
Н	amylase + distilled water	present
ı	boiled amylase + maltase	absent
J	amylase + maltase	present
K	maltase + distilled water	absent

Explain the results shown in Table 2.1.
[4]

[Total : 10]

[3]

(a) Compl listed.	6 lete the table below by describing <b>one</b> role in living organisms for each of the	For Examiner's Use
ion	role in living organisms	Tage Co
calcium		137
iron		
potassium		

**(b)** Fig. 3.1 shows part of the nitrogen cycle in a field grazed by cows.




Fig. 3.1

(I) Name substances L and	IVI .
---------------------------	-------

L.	 	 	 	 	 	 

**M** ......[2]

- Name the process by which ammonium ions are converted to nitrate ions in the (ii) nitrogen cycle.
  - .....[1]

7 BLANK PAGE

Question 3 continues on page 8

www.PapaCambridge.com

(c) Some young grass plants were grown with their roots in a mineral solution contained nitrate ions. The plants were divided into two batches, N and P.

www.PapaCambridge.com Cyanide, which inhibits aerobic respiration, was added to the solution given to the plants in batch P.

The quantity of nitrate ions in the plants was determined at regular intervals for 70 hours.

After 60 hours, the mineral solution was replaced by distilled water.

The results are shown in Fig. 3.2.




Fig. 3.2

Using the data in Fig. 3.2,

calculate the rate of absorption of nitrate ions in batch **N** between 40 and 60 hours. Show your working.

	9	For Fyaminer's
(ii)	explain why the absorption of nitrate ions by the plants in batch <b>N</b> differs fine in batch <b>P</b> ;	And J.
		3e.com
(iii)	explain why the mean quantity of nitrate ions in <b>both</b> batches of plants decreased	
	after 60 hours.	
	[2]	
	[Total : 14]	

Fig. 4.1 is a diagram of a bacterium.




Fig. 4.1

(a)	Name structures	Ρ	to	S.
-----	-----------------	---	----	----

Q	
R	
s	[3]

(b) State the names of three structures that are present in a phagocyte from a mammal that are not present in bacteria.

1	
2	

3 ......[3]

	11 A. P.
erc	ulosis (TB) is an infectious disease caused by a bacterium.
) (i)	ulosis (TB) is an infectious disease caused by a bacterium.  Name the bacterium that causes TB.  Describe how TB is transmitted from infected to uninfected people.
(ii)	Describe how TB is transmitted from infected to uninfected people.
	[2
	tics are used in the treatment of people with TB. The usual procedure is for people to take a mixture of three or four antibiotics for up to a year.
th TE	
th TE	3 to take a mixture of three or four antibiotics for up to a year.
th TE	3 to take a mixture of three or four antibiotics for up to a year.
th TE	3 to take a mixture of three or four antibiotics for up to a year.
th TE	3 to take a mixture of three or four antibiotics for up to a year.
th TE	3 to take a mixture of three or four antibiotics for up to a year.
th TE	sto take a mixture of three or four antibiotics for up to a year.
th TE	sto take a mixture of three or four antibiotics for up to a year.

- 5 Enzymes catalyse reactions in which substrate molecules are converted to products
  - (a) There are two main approaches to investigation of the activity of an enzyme. State to two ways in which the activity of an enzyme can be found.

www.	For
12 Ex	aminer's
ymes catalyse reactions in which substrate molecules are converted to products.	Use
There are two main approaches to investigation of the activity of an enzyme. State two ways in which the activity of an enzyme can be found.	age
1	COM
2	1
[2]	

Phosphatase enzymes remove phosphate groups from a wide range of organic compounds that contain phosphate. This makes available a supply of phosphate ions within cells. The reaction catalysed by phosphatase enzymes is as follows:

phosphatase enzyme

$$XPO_4 \longrightarrow X + PO_4^{3-}$$

X = an organic compound

The activity of phosphatase was measured at different values of pH by using nine different buffer solutions. The temperature was kept constant at 30 °C. The results are shown in Fig. 5.1.




Fig. 5.1

	Using the data in Fig. 5.1, describe the effect of pH on the activity of phosphatas	For
(b)	Using the data in Fig. 5.1, describe the effect of pH on the activity of phosphatas	Use
		Tidde Co.
		13
		1
<b>(-</b> )		
(c)	Explain why the activity of phosphatase is very low at pH 1.	
	[41]	
(d)	Draw a curve on Fig. 5.1 to show the results you would expect if the experiment was repeated in exactly the same way but at a temperature of 20 °C. [2]	
(e)	Explain how competitive inhibitors affect the activity of enzymes, such as phosphatase.	
	[3]	
	[T-1-1. A 4]	1

[Total : 14]

**BLANK PAGE** 

www.PapaCambridge.com

15

**BLANK PAGE** 

www.PapaCambridge.com

16

#### **BLANK PAGE**

www.PapaCambridge.com

Copyright Acknowledgements:

Question 1 Fig. 1.1 EM of phloem in *Biological Science*, Cambridge University Press, 1997.

Every reasonable effort has been made to trace all copyright holders where the publishers (i.e. UCLES) are aware that third-party material has been reproduced. The publishers would be pleased to hear from anyone whose rights they have unwittingly infringed.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.