WWW. Papa

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

9691 COMPUTING

9691/12

Paper 1 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	er
	GCE AS/A LEVEL – May/June 2012	9691	100

1 (a) (i) - ROM is non volatile/RAM is volatile

Data held on ROM cannot be altered/Data held on RAM can be altered

(1 per -, max 2)

(ii) - Bootstrap/boot program / BIOS

...because it must be present when the computer is switched on

[2]

(iii) - Loads an operating system ready for use/runs start up seguences (including POST)

[1]

(b) (i) A peripheral which can accept data/allows data to be entered to a computer/processor as electrical pulses

[1]

(ii) A peripheral which allows information to be reported by a computer after data has been processed/in human readable form (or in a form suitable for reprocessing by the computer at a later date)

To give information from the computer/after processing

[1]

- (c) Input:
 - Braille keyboard
 - so that the secretary can feel the characters on each key
 - Microphone
 - so that the secretary can use voice recognition software to write documents

Output:

- Printer/Braille printer
- to produce documents for sending to other members of the league/for the secretary to keep
- Speakers
- so that documents can be read to the secretary using voice synthesiser

Storage:

- Hard drive/zip drive / CD, DVD, Blu-ray
- to permanently store the documents produced by the secretary
- USB flash memory stick/Pen drive
- to take back-ups of the files held on the hard drive in case of corruption

(1 per –, max 3 pairs, one from each category)

[6]

		2.
Page 3	Mark Scheme: Teachers' version	Syllabus
	GCE AS/A LEVEL – May/June 2012	9691

- 2 (a) (i) The systems software which controls the operation of the computer.
 - (ii) Software to carry out a task which would need to be done if a computer was available.

[1]

- (b) (i) Custom-written is software which is written in response to a user's specific requirements.
 - Off-the-shelf software is written to respond to the requirements of a group of problems that are similar/is available to buy / is immediately available.
 - (ii) Immediately available
 - tested with a wider range of users / tried and tested
 - Ready trained work force
 - Shared cost of development
 - greater range of support / help
 - Compatible with other software from same manufacturer/with software of other people/ organisations

$$(1 per -, max 4)$$
 [4]

(c) (i) To write the report / to enter text into a report / essay

[1]

- (ii) To store rainfall readings and make calculations/predictions about the readings / produce charts/graphs [1]
- (iii) To produce the final report in a presentable form/ready for publication to combine text and graphics (easily) [1]
- (d) Only one user is allowed access at any one time
 - Users are allocated disk space to store their files, accessed by passwords
 - Allows individual users to have different access rights to files and software
 - Will appear to run more than one piece of software at a time.../ or by example
 - ...by allowing each piece of software a slice of processor time

$$(1 per -, max 4)$$
 [4]

	Page 4	Mark Scheme: Teachers' version	Syllabus	7.A er
	i ugo i	GCE AS/A LEVEL – May/June 2012	9691	Po l
3	TRANSAC	TION PROCESSING		W. Papa Cambridge
	(i) im	mediate updating of files / immediate response to user		Tage
	(ii) – e.	g. airline booking / any booking system		[1]
		roids double booking / overbooking onfident booking has been made because of immediate re	sponse	[2]
	CONTINUO	OUS MANUFACTURING PROCESS / MONITORING		
	(i) wh	nere the current output affects the next input		[1]
	(ii) – e.	g. any control/ monitoring application		[1]
		eeds response in a reasonable time/immediate fety implications needing reasonable response		[2]
4	– Tr – lig	eader reads the <u>position</u> of a mark on the paper document ne position is then translated into information th reflected more from no mark / less where mark made g. School register/lottery ticket/	t	
	(1 per	–, max 3)		[3]
	– Sł – e.	eader reads <u>shape</u> of character hape compared with <u>library of shapes</u> stored in computer g. Document reader for blind/to input documents t andwriting / copy from a hard copy into a computer / to rea	•	
	(1 per	–, max 3)		[3]
5	 to dete Is it ec Will the Are the cost of can the Is the s 	technology/hardware available to solve the problem ermine if the new system is viable conomically possible to produce the solution e end product be so expensive that it bankrupts the complex social effects likely to be too damaging ere enough skilled people available to make the solution training employees too high e new system be created in a time effective manner solution legal?	•	ectively / e.g. is

(1 per -, max 5)

[5]

	Page 5	Mark Scheme: Teachers' version	Syllabus
		GCE AS/A LEVEL – May/June 2012	9691
3	interfaceinterfacesome infUse of cUse of p	e to safety to avoid accidents design to ensure smooth running design reflects needed level of detail / is relevant formation is time critical / safety critical colour should be consistent osition for different types of information must be consiste	nt Cambridge Con
	Use of s	ound / flashing interface in a critical situation	

- 6 reference to safety to avoid accidents
 - interface design to ensure smooth running
 - interface design reflects needed level of detail / is relevant
 - some information is time critical / safety critical
 - Use of colour should be consistent
 - Use of position for different types of information must be consistent
 - Use of sound / flashing interface in a critical situation
 - Input should be minimal
 - any necessary input should be straight-forward

7 (a) (i) 0100010110 [1]

(ii) 172 [1]

(b) (i) e.g. 'A'/"A"/"5" [1] e.g. 01012012 / 20120101 [1]

(ii)

Field name	Data type	Reason
StudentName	String/text/alphanumeric	Non-numeric characters
NumberOfPrizesWon	Integer/int/Short/Byte	Must be a whole number and will be small in size
AverageExaminationMark	Single/Real/Float	Must allow fractions if they are necessary though great precision not necessary

If wrong data type do NOT allow reason

[6]

- 8 share devices (a) (i)
 - data/files/software
 - can be used for communication between users/email
 - to remotely manage computers

[2]

- In parallel a group of bits (often a byte) are transmitted at the same time (ii)
 - down multiple wires

[2]

- (b) Packet switching
 - data is split into packets
 - packets may travel through different paths/routes

Advantages:

- difficult for an outsider to be able to hack into a message
- Does not tie up a particular route
- adaptive routing

Disadvantages:

Page 6	Mark Scheme: Teachers' version	Syllabus
	GCE AS/A LEVEL – May/June 2012	9691
– Pac – slow Circuit S – data	is split into packets ngle route is reserved to transmit the packets (data)	Cambridge com

- Message is only received as fast as the slowest packet
- Packets need to be reordered on arrival
- slow to spot missing packets

Circuit Switching

- data is split into packets
- a single route is reserved to transmit the packets (data)

Advantages:

- Packets do not need to be reordered on arrival
- guaranteed bandwidth

Disadvantages:

- Path is tied up for the duration of transmission
- path must be set up which takes time