## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**GCE Advanced Subsidiary Level and GCE Advanced Level** 

## MARK SCHEME for the October/November 2012 series

## 9700 BIOLOGY

9700/35

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

www.PapaCambridge.com

Page	2 Mark Scheme	Syllabu	
	GCE AS/A LEVEL – October/November 2012	9700	
Mark ashar	me abbreviations:	Car	
wark scher	7%		
•	separates marking points	O.	
1	alternative answers for the same point	126	
R	reject		
Α	accept (for answers correctly cued by the question, or by extra guidance)		
AW	alternative wording (where responses vary more than usual)		
<u>underline</u>	actual word given must be used by candidate (grammatical va	riants excepted)	

## Mark scheme abbreviations:

indicates the maximum number of marks that can be given max

or reverse argument ora

marking point (with relevant number) mp

error carried forward ecf

ignore

ACE Analysis, Conclusions and Evaluation (skills)

Manipulations, Measurement and Observation (skills) **MMO** 

Presentation of Data and Observations (skills) **PDO** 

Page 3 Mark Scheme Syllabu. er			my
	Page 3	Mark Scheme	Syllabu. er
GCE AS/A LEVEL – October/November 2012 9700		GCE AS/A LEVEL – October/November 2012	9700

1 (a	a) (i)		andr			
	mp 1	(labels for concentration (0).3 AND (0).03;	on under correct sequence of beakers)			
MMO decision 3	mp 2	(for dilution of C) cm³ or ml(s) shown <b>AND</b> shows transfer of 1 (cm³) of 0.3 (%) to next dilution or shown by arrow;				
10 de		Do not give mark if in	correct concentrations			
WW m	mp 3	(for water) adds <u>9 cm<sup>3</sup></u> of (distilled) water / <b>W</b> to each of the two beakers <b>AND</b> must add previous concentration to third beaker;				
	(ii)		[5]			
	mp 1		vn <b>AND</b> heading (top row or column to left of recorded data) c(entration) of <u>C</u> or <u>copper sulfate</u> or [ C ] <b>OR</b> <u>only time</u> (with) <u>s</u>			
PDO recording 2		Can have	no outer boundary			
		Ignore	<ul> <li>test-tube /additional columns</li> <li>notes outside area</li> <li>t or T</li> </ul>			
		Do not give mark if	<ul> <li>% in cells of headed column</li> <li>other units e.g. mol dm<sup>-3</sup></li> <li>no percentage or %</li> <li>units in cells of this column/row e.g. 45' (units)</li> <li>min(utes)</li> <li>more than one row in one cell for multiple trials</li> </ul>			
	mp 2	2 (heading for any column/row including mean) temp(erature) (/) °C;				
		Ignore	<ul> <li>if have columns/rows for test-tubes or observations e.g. effervescence</li> <li>any notes outside area</li> <li>heading for test-tubes/heading for time</li> <li>t or T</li> </ul>			
		Do not give mark if	<ul> <li>headings for volumes or method information or in cells e.g. volumes and concentrations in same cell</li> </ul>			

		my
Page 4	Mark Scheme	Syllabu
	GCE AS/A LEVEL – October/November 2012	9700
		C

	1	
က	mp 3	(mark first column/row) records at least four results as whole numbers or to he degree only for 30 seconds that is any whole number or 0.5 °C, which is less than and more than 15;  (mark first column/row of recorded temperature for recording correct pattern) for <b>W</b> /water/0, temperature at 210 seconds higher than temperature at 30 seconds;
MMO collection 3	mp 4	(mark first column/row of recorded temperature for recording correct pattern) for <b>W</b> / water/0, temperature at 210 seconds higher than temperature at 30 seconds;
MO co		Must have units for temperature recorded somewhere, e.g. °C
mp 5		in column/row for concentration/solution the order is $\underline{\mathbf{W}}$ and then from their lowest concentrations to $\underline{\mathbf{3\%}}$ ; (water to left for row or top if column)
	(iii)	[1]
		<b>Must have</b> results for water, 0.03% and 3% <b>AND</b> results for lowest temperature recorded e.g. initial temperature/30 seconds <b>AND</b> results for 210 seconds;
ACE conclusion 1		(if change in temperature from 0 to 210 seconds for 3% is <b>LESS</b> compared to water/0.03%)
		inhibition/ (reaction) slows down/less active/fewer ESCs/describes blocking active sites/denatured
		(if change in temperature from 0 to 210 seconds for 3% is <b>MORE</b> compared to water/0.03%)
		more active/reaction speeds up/more active/ more ESCs/ cofactor
		(if <u>change in temperature</u> from 0 to 210 seconds for 3% is <b>SAME</b> compared to water/0.03%)
		(allow 0.5°C difference)
		no effect

		Way.
Page 5	Mark Scheme	Syllabu
	GCE AS/A LEVEL – October/November 2012	9700
		,C.

	(iv)	[max M <sub>H</sub>	
× 2		cause of error  starting/initial temperature  with the starting of error  starting of error  not same of error  starting of error	
mp 1		starting/initial temperature not same/different/changes;	
tation mp 2			
ACE interpretation max	mp 3	mixing (of <b>W</b> , <b>H</b> and <b>Y</b> and/or <b>C</b> , not same for each test-tube/different/changes; <b>H</b> and <b>Y</b> )	
ACE	mp 4	concentration of hydrogen changes/decreases; peroxide/substrate	
(v)		[max 3]	
mp 1		use thermostatically (controlled) water bath;	
		Do not give if temperature controlled room/air conditioning	
ACE improvements max 3	mp 2	(dependent variable) use data logger with temperature sensor/digital thermometer/thermometer with narrower calibration;	
	mp 3	mp 3 use magnetic stirrer/mechanical stirrer (to standardise stirring);	
	mp 4	(standardised variables) cover or use 'fresh'/from bottle hydrogen peroxide;	
	mp 5	(independent variable) more/wider/narrower range of concentrations (of <b>C</b> );	
mp 6		(dependent variable) record for longer OR for longer intervals OR repeats/replicate experiment/multiple tests;	
	mp 7	7 insulate test-tubes/describes method;	
(vi)		[1]	
MMO decision 1		<ul> <li>replace C/copper sulfate with water</li> <li>W/water and Y/yeast suspension and H/hydrogen peroxide</li> <li>replace Y/yeast suspension with water/beads;</li> </ul>	
MMO		Do not give • just remove C/copper sulfate • boil enzyme/Y	

		The same
Page 6	Mark Scheme	Syllabu
	GCE AS/A LEVEL – October/November 2012	9700
		· C

(vii)					
	(*	•	ivision (whatever stated as smallest division):		
ACE interpretation 1		half of smallest division (whatever stated as smallest division);  Do not give for any figure less than (0).25			
(	b) (i	)	[4]		
	0		ntration) of <u>catalase</u> (/) <u>arbitrary units</u> / (au) <b>AND</b> y-axis <u>absorbance</u> of bloured solution) (/) <u>arbitrary units</u> (au);		
out 4	S		s 20 to 2 cm labelled each 2 cm except origin and 100 need not be y-axis 0.2(0) to 2 cm labelled each 2 cm except origin and 1.4(0) need d;		
plotting •			ve points as small cross (use square on grid) or dot (in circle, use grid) or cross in ircle to within half a square;		
	L	Five plots join	ed with <u>ruled</u> lines exactly point to point <b>AND</b> (quality) <u>smooth line less</u> <u>ck</u> (use grid);		
Addi	tiona	l guidance:			
0					
S	Mus	t have label of val	ue of origin if zero not at origin		
	ecf	if no labels for O b	ut numbers show orientation is correct then must have scale as normal.		
	If re	verse orientation tl	nen only		
<i>x</i> -axis 0.4 to 2 cm		is 0.4 to 2 cm			
	<i>y</i> -ax	is 20 to 2 cm			
Р	P Can have		<ul> <li>ecf if x- and y-axis reversed if x-axis 0.4 to 2 cm y-axis 20 to 2 cm</li> </ul>		
	Do not give if		<ul> <li>any blobs or dots</li> <li>any cross too large with any part of cross outside square on grid or dot larger than circle on grid</li> </ul>		

	•	my
Page 7	Mark Scheme	Syllabu. er
	GCE AS/A LEVEL – October/November 2012	9700

	<u> </u>	Car		
L	Can ha	ve • ecf from incorrect P		
	Can have  • ecf from incorrect P  Do not give if  • any feathery or gap in line • any irregular thickness • any extrapolation either end			
	(ii)	[2]		
ACE conclusions 2	mp 1	more enzyme-substrate-complexes/ESCs/more active sites binding to hydrogen peroxide/substrate;		
ACE	mp 2	less hydrogen peroxide/substrate available/all gone/none left/hydrogen peroxide limiting factor;		
		[Total: 22]		
2	(a)	[max 5]		
	mp 1	quality of plan diagram;		
PDO layout 1		<ul> <li>Do not give if</li> <li>drawn over the print of question or any shading or wiggly lines anywhere or any ruled or compass lines</li> <li>complete section</li> <li>drawn both walls</li> <li>thickness of wall smaller than 60 mm across widest point AND (clear, sharp, unbroken lines);</li> <li>less than 5 hand drawn lines</li> <li>the outermost line and innermost line</li> <li>any part of the line 1mm or thicker</li> <li>any feathery or dashed or gap in line</li> <li>any 'tails' or overlaps</li> </ul>		
mp 2		no cells drawn AND only sector of wall drawn;		
MMO collection		Do not give if  two walls (not sector drawn)  complete sector		
MM	mp 3	drawn 5 layers (6 lines);		

Page 8	Mark Scheme	Syllabu	
	GCE AS/A LEVEL – October/November 2012	9700	

	mp 4	Do not give if  • label i • any la	e space below innermost line; bels identifying tissues associated with animal s written between the innermost and outermost lines bel which is biologically incorrect e.g. plant bel written between the innermost and outermost			
on 2	mp 5	correct annotation with at least one label line;				
decisio		inner wall	outer wall			
MMO decision 2		folded rough irregular	not folded smooth regular			
		tightly packed cells	loosely packed cells			
		many nuclei	fewer nuclei/no nuclei			
		no cells	cells present			
	difference in density/colour of staining					
(	(b) (i)					
MMO decision 1	mp 1	(Step 1) answer ( = mm) must be $0.004(0)$ OR expressed in standard form $4 \times 10^{-3}$ ;				
30 ay 1	mp 2	(either box in step 2) 1000 OR 10 <sup>3</sup> <b>AND</b> answer from step 1 in other box;				
PDO display	ecf any answer to step 1					
on 1	mp 3	3 μm AND answer from step 1 x 1000;  freestanding mark in isolation from answers to boxes in step 2				
ACE interpretation 1						

		Mary
Page 9	Mark Scheme	Syllabu
_	GCE AS/A LEVEL – October/November 2012	9700
		·C

	/::\	COM		
	(ii)	To the state of th		
on 1	mp 1	measures correctly in eyepiece graticule units <u>51 to 65</u> (epg units);		
MMO collection		measures correctly in eyepiece graticule units <u>51 to 65</u> (epg units); <b>Do not give if</b> • μm or mm or cm or m		
	mp 2	shows multiplication by answer from (b) (i)		
lay 1		any one value (multiplied by) $\underline{x}$ by answer from <b>(b)</b> (i) step 2;		
PDO display 1		Can have • alternative signs . or *		
Ф.	Do not give if  if any division shown			
(c) [4]				
	mp 1	quality of drawing;		
PDO layout 1		<ul> <li>Do not give if</li> <li>drawn over the print of question or <u>any</u> shading anywhere or<u>any</u> ruled or compass lines smaller than 50 mm across widest cell less than 4 cell outlines</li> <li>any of outermost lines have</li> <li><u>any</u> line 1 mm or thicker (use grid)</li> <li><u>any</u> feathery or dashed line or gap in line</li> <li><u>any</u> 'tails' or overlaps</li> </ul>		
	mp 2	only four complete cells drawn AND cell 1 must touch cells 2 and 3;		
tion 2		Do not give if • any ruled or compass lines		
MMO collec	mp 3	at least two nuclei with both drawn either in contact with a single line (either side of a line) or within two lines;		
M		<ul> <li>Do not give if</li> <li>drawn EM organelles e.g. mitochondria</li> <li>all cells drawn separately</li> </ul>		
00 1	mp 4	labels only one nucleus with ruled label line touching either outer line of enclosed area or ending inside enclosed area;		
MMO		<ul> <li>any label other than nucleus, ignore label lines and P</li> <li>any label within drawn area</li> </ul>		

Page 10	ge 10 Mark Scheme		- A er
	GCE AS/A LEVEL – October/November 2012	9700	100-

	(d)				arated by lines (no cells needs	
PDO recording 2	mp 1	organise as a table with only three columns or rows separated by lines (no cells needs <b>Ignore</b> number column <b>AND</b> headings in any order only <b>L1/slide</b> and <b>Fig. 2.6 AND</b> third column/row contains list of features;				
		(feat		and other column to left, right or		
		only differences (all recorded);				
Id.	mp 2	Do not give if  any similarities recorded  any functions  any EM features				
ACE interpretation max 2	max 2	Do not give if any ref. to membranes/vacuoles/tunica				
	2		feature	L1/slide	Fig. 2.6	
		1	(number of folds/ folding) (inner layer/surface)	highly folded/more/many	less folded/less/few(er);	
		2	(size of folds/ innermost layer)	large(r)/thick(er)	small(er)/ thin(ner)	
			(shape of folds/ lumen)	rough/less smooth / irregular/ wavy	more smooth / regular/rectangular	
		3	contents of lumen	has/present	none	
		4	cartilage	no (one) / absent/has not	yes/present/has	
			('middle tissue')	continuous	discontinuous/has break;	
		5	number of layers	eith	er way;	
		6	nuclei	more	less	
					•	

[Total 18]