CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary Level

www.PapaCambridge.com MARK SCHEME for the October/November 2014 series

8780 PHYSICAL SCIENCE

8780/04

Paper 4 (Advanced Practical Skills), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Sy. Oper
	Cambridge International AS Level – October/November 2014	878

1 (a) current reading (no mark)

(b) (i)	table headings with correct units: R/Ω ; I/A ; $1/I/A^{-1}$ accept brackets instead of / accept words instead of symbols	[1]	S. S.
(ii)	record first values of R and I in table (no mark)		
(iii)	8 sets of readings recorded in table all readings of I made to nearest 0.01 A <u>and</u> consistent	[1] [1]	
	significant figures for $1/I$ to the same number as for I and consistent accept one more significant figure for $1/I$ than given for I	[1]	
	from graph: 6 points (not R = 25Ω) within $1/I = 0.2$ of line	[1]	
(iv)	calculation of $1/I$ correct for each measurement of I	[1]	[6]
(c) (i)	graph: both axes labelled with sensible scales and at least $\frac{1}{2}$ grid used do not accept awkward scales – 3, 7, etc.	[1]	
	at least 7 points plotted to within $\pm 1\!\!/_{\!\!2}\text{small}$ square best straight line drawn	[1] [1]	
(ii)	correct substitution into gradient formula $\underline{\text{and}}$ triangle used over at least $1\!\!/_{\!\!2}$ drawn line	[1]	
(iii)	correct read-off of intercept <u>and</u> reciprocal	[1]	[5]
exp uni	e of E = 1/gradient sect 5.4 V to 6.5 V trequired (accept A Ω) sept a method using readings from the graph substituted in the equation	[1]	[1]
(e)(i)(ii)	correct identification of odd resistor network	[1]	
(iii)	correct value of odd resistor	[1]	
	explanation of how sections of network were tested to identify odd resistor OR by calculation	[1]	[3]

[Total: 15]

Page 3	Mark Scheme	Syl Syl per
	Cambridge International AS Level – October/November 2014	878

2 (a) silver <u>nitrate</u> and no/very faint precipitate do not allow addition of aqueous ammonia before the silver nitrate

barium <u>nitrate/chloride</u> and white precipitate accept a named soluble lead salt for the reagent

(b) (i) green/greenish precipitate [1]
*turns brown (on heating/standing) [1]
correct test for ammonia with litmus or indicator paper [1]

(ii) dark blue precipitate/colouration/solution [1]

(iii) solution turns brown/browny-yellow/yellow [1]

(iv) brown/dark brown/brown-red precipitate [1]

(v) turns blue/dark blue [1]

(vi) solution turns yellow/yellow green [1]

(vii) greenish/green precipitate [1]

*turns brown (on heating/standing) [1]

*this mark can be awarded in EITHER (b)(i) or (b)(vii) but NOT both

MAXIMUM 7 MARKS FOR PART (b)

(viii) blue precipitate/colouration/solution

(c) (i) iron(II) with correct evidence [1]
ammonium with correct evidence [1]
sulfate with correct evidence [1]

(ii) hydrogen peroxide is an oxidising agent with correct evidence [1]

zinc is a reducing agent with correct evidence allow one mark if BOTH oxidising and reducing agents identified with no or incomplete evidence

(iii) (iron(II) changes to iron(III) by) <u>air</u> oxidation [1] [6]

[Total: 15]

[1]

[1]

[7]