CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Level

MARK SCHEME for the October/November 2015 series

9608 COMPUTER SCIENCE

9608/42

Paper 4 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.


Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

1 (a) (i)



1 mark for each square

[2]

(ii) week number 18

Allow follow through


[1]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(b) (i)

Activity	Description	Weeks to complete
Α	Write requirement specification	1
В	Produce program design	1
C	Write module code	7
D	Module testing	2
Е	Integration testing	2
F	Alpha testing	2
G	Install software and carry out acceptance testing	2
Н	Research and order hardware	1
J	Install delivered hardware	3
K	Write technical documentation	4
L	Write user training guide	2
М	Train users on installed hardware and software	1
N	Sign off final system	1





1 mark per activity (but 1 mark for activity M and N)

Notes:

C must be after E (1 or 2 later is ok)

D, E, F correct relative to C

J must start in week 20 (allow 21, 22)

G must come after the end of J (f.t.)

K finishes after or at same time as F

L finishes at the same time as G and after the end of J (or 1-2 weeks later)

M starts when everything else has finished. N after or at same time as M

[9]

(ii) week number: 26

Allow f.t. [1]

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

2 (a) parent(ali, ahmed).
 parent(meena, ahmed).

Accept statements in either order Wrong capitalisation minus 1 mark

[2]

(b) P =
 ahmed
 aisha

Ignore capitalisation
Deduct 1 mark for every extra result


[2]

(c) mother (M, gina).

Accept parent (M, gina) AND female (M). Accept a comma instead of AND Reject mother (M, gina) IF female (M) AND parent (M, gina). Ignore capitalisation

[1]

(d) father(F, C)
 IF



[2]


(e) brother(X, Y)
IF

male(X) AND [1]
parent(<u>A</u>, X) AND [1]
parent(<u>A</u>, Y) [1]
AND NOT X=Y.

Accept any variable for A, but it must be the same in both places Accept father/mother instead of parent Ignore capitalisation

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

3 (a)



Mark as follows:

Base class:

- dateOfBirth declaration and associated method in Student
- constructor

Subclasses:

- telephoneNumber declaration and associated method in FullTimeStudent
- NumberOFCourses declaration and associated method in PartTimeStudent
- fee declaration and associated method in PartTimeStudent
- feepaid declaration and associated method in PartTimeStudent
- constructor method in PartTimeStudent
- inheritance arrows

Ignore data types, ignore other methods/attributes Ignore brackets after methods

[Max 7]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(b) (i) Mark as follows (parts to be ignored in grey):

If no programming language stated, map to 1 of the 3 below (or check in Q1ai) Class header & ending (watch out these may be squashed into the next clip) Ignore methods

2 attributes with correct data types

No mark if subclass properties shown here

Attributes required:

StudentName

DateOfBirth (accept variations e.g. DoB)

Pascal

```
TYPE Student = CLASS
    PUBLIC
         Procedure ShowStudentName();
         Procedure ShowDateOfBirth();

PRIVATE
         StudentName : STRING;
         DateOfBirth : TDateTime; // accept string reject Date
END;
```

Python

```
class Student :
    def __int__ (self) :
        self.__StudentName = ""
        self.__DateOfBirth = "" # date(1,1,2015)
    def ShowStudentName() :
        pass
    def ShowDateOfBirth() :
        pass
```

Ignore __ before attributes

VB.NET

```
Class Student
Public Sub ShowStudentName()
End Sub
Public Sub ShowDateOfBirth()
End Sub
Private StudentName As String
Private DateOfBirth As Date 'accept string
End Class
```

(Ignore: must inherit)
Ignore Private/protected/public
Don't give a mark if using DIM

[2]

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(ii) Mark as follows:

- Class header and showing superclass
- Properties (Do not award this mark if properties from base class included here)
 Data types must be correct
- Methods (Do not award this mark if methods from base class included here) must show heading and ending of procedure/function declaration
 Ignore PUBLIC, PRIVATE

Pascal

```
TYPE FullTimeStudent = CLASS (Student)
   PUBLIC
      Procedure ShowAddress();
      Procedure ShowTelephoneNumber();
   PRIVATE
      Address
                      : STRING;
      TelephoneNumber: STRING; // reject integer
END;
Python
class FullTimeStudent(Student) :
    def init (self):
        self. Address = ""
self. TelephoneNumber = ""
    def ShowAddress() :
        pass
    def ShowTelephoneNumber() :
        pass
VB.NET
Class FullTimeStudent: Inherits Student
    Public Sub ShowAddress()
    End Sub
    Public Sub ShowTelephoneNumber()
    End Sub
    Private Address As String
```

Private TelephoneNumber As String ' reject integer

No mark if using DIM

End Class

[3]

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(iii) 1 mark per statement to max 3
Missing string delimiters: penalise once
Accept use of constructor

Pascal

```
NewStudent := FullTimeStudent.Create;
NewStudent.StudentName := 'A.Nyone';
NewStudent.DateOfBirth := EncodeDate(1990, 11,12);//:=
'11/12/1990'
NewStudent.TelephoneNumber := '099111';
```

Alternative

```
NewStudent := FullTimeStudent.Create('A.Nyone', '12/11/1990',
'099111');
```

Python

```
NewStudent = FullTimeStudent()
NewStudent.StudentName = "A.Nyone"
NewStudent.DateOfBirth = "12/11/1990"
NewStudent.TelephoneNumber = "099111"
```

Alternative

```
NewStudent = FullTimeStudent('A.Nyone', '12/11/1990', '099111')
```

VB.NET

```
Dim NewStudent As FullTimeStudent = New FullTimeStudent()
NewStudent.StudentName = "A.Nyone"
NewStudent.DateOfBirth = #11/12/1990#
NewStudent.TelephoneNumber = "099111"
```

Alternative

```
Dim NewStudent As FullTimeStudent = New
FullTimeStudent("A.Nyone", "12/11/1990", "099111")
```

[Max 3]

Page 9	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

4 (a) FUNCTION Hash (Key: STRING) RETURNS INTEGER

DECLARE Number : INTEGER

Number ← ASCII (LEFTSTRING (Key, 1))

// Number ← ASCII(Key[1])

Number ← Number - 64

RETURN Number

// Result ← Number // Hash ← Number

ENDFUNCTION

Accept ASC instead of ASCII

Accept LEFT instead of LEFTSTRING

Key can be a different identifier but must be the same in both places

[5]

(b) (i)

	Dictionary	
Index	Key	Value
1		
2		
3	Computer	Rechner
4	Disk	Platte
5	Error	Fehler
6	File	Datei
7		
8		
:	:	
:	:	
1999		
2000		

Ignore spelling mistakes

1 mark for 2 correct pairs entered in correct slots

[2]

(ii) Collision / synonym / space already occupied / same index in array Overwrites previous key-value pair

reject error [Max 2]

(iii) Create an overflow area

The 'home' record has a pointer to others with the same key // linked list OR

Store the overflow record at the next available address ...

in sequence (= next available)

OR

Re-design the hash function // write a different/another algorithm

to generate a wider range of indexes // enlarging storage space // to create fewer collisions

[2]

Page 10	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(iv) Mark as follows:

Check whether slot is empty:

```
IF Dictionary[Index,1] <>"" // != '' // > NULL // >
NONE
```

If not: update index: THEN Index ← <some value>

...to find an <u>empty</u> slot (loop / follow pointer / go to overflow area) reject FOR loop Insert code between lines 20 and 30

[4]

5 (a) (i)

	Accumulator
	7
J	
1	0
	1
	7
J	14
1	1
	2
	14
J	21
1	2
	3
	3 marks

Memory Addr	ess		
509	510	511	512
7	3	0	0
			7
		1	
			14
		2	
			21
		3	
		1 mark	1 mark

If values changed in column 509 or 510 don't give marks for 511/512

[5]

(ii) <u>stores</u> the counter value for// acts as a control variable/counter How many times the loop has been performed // control the loop

Ignore re-stating the steps

[2]

(b) LDM #12 (must be instruction before storage) STO 509 (must be final instruction)

1 mark for each instruction

[2]

Page 11	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

6 (a) 1 mark for structure header/ending

1 mark for each field correct, take away 1 mark for additional fields Python answers will use a class

Pascal

```
TYPE StockItem = RECORD
  ProductCode : String; // accept integer
  Price : Currency; // accept real
  NumberInStock : Integer;
END;
```

Python

```
class StockItem :
    def __init__(self) :
        self.ProductCode = "" # = 0
        self.Price = 0.0 # = 0
        self.NumberInStock = 0
```

VB.NET

```
STRUCTURE StockItem

Dim ProductCode As String
Dim Price As Decimal
Dim NumberInStock As Integer
END STRUCTURE

' accept integer
' Double/single
Double/single
```

VB6

```
Type StockItem

ProductCode As String 'accept integer
Price As Currency 'Double/single
NumberInStock As Integer

END Type
```

[4]

Page 12	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

(b) (i) 01 TRY

02 OPENFILE "StockFile" FOR READ/RANDOM // ignore "

03 EXCEPT

04 OUTPUT "File does not exist"

05 ENDTRY

(ii) (Line 01) alerts system to check for possible <u>run-time</u> errors (exception) (Lines 03, 04) handle the exception without the program crashing // keeps program running// provide alternative statements to execute to avoid <u>run-time</u> error

Accept "exception handling" for 1 mark

[Max 2]

[2]

(c) WHILE NOT EOF("StockFile")

READFILE "StockFile", ThisStockItem // accept reading separate fields

OUTPUT ThisStockItem.ProductCode

OUTPUT ThisStockItem.NumberInStock

ENDWHILE

1 mark for loop (accept REPEAT)

1 mark for EOF("StockFile") // StockFile.Peek <> -1 / NONE/"

1 mark for READ record

1 mark for OUTPUT of 2 fields

Ignore opening and closing file

[4]