CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the May/June 2015 series

9700 BIOLOGY

9700/31

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

www.PapaCambridge.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme Sy.	per			
	Cambridge International AS/A Level – May/June 2015 970 970	2			
Mark sche	Cam				
;	separates marking points	Or.			
1	alternative answers for the same point	8			
R	reject	i, G			
Α	accept (for answers correctly cued by the question, or by extra guidance)				
AW	alternative wording (where responses vary more than usual)				
underline	actual word given must be used by candidate (grammatical variants accepted)				

Mark scheme abbreviations:

max indicates the maximum number of marks that can be given

or reverse argument ora

marking point (with relevant number) mp

error carried forward ecf

ignore

		2.
Page 3	Mark Scheme	Syl per
	Cambridge International AS/A Level – May/June 2015	970
4 (-) (N (banding) aluting(a) an arranda (banding) abang ating(a) an	Same (with

1 (a) (i) (heading) solution(s) or sample + (heading) observation(s) or colour (with iodine);

(S) blue-black/black + (S and E) any acceptable colour (orange/brown/yellow);

repeats the experiment; [3]

- (ii) records time as a whole number only + seconds/s/sec(s); [1]
- (iii) ref. to hydrolysis/digestion of starch; [1]
- (iv) glucose/maltose; [1]
- (v) (level of risk) medium or high; [1]
- (b) (i) (labels under correct sequence of beakers) 0.5 + 0.25 + 0.125 + 0.0625 + %;
 shows transfer of 10 cm³ of solution from previous beaker to 3 beakers;
 adds 10 cm³ water / W to 4 beakers;
 - (ii) 1 (heading) percentage concentration of starch solution;
 - 2 (heading for any column/row) time + s/second(s)/sec(s);
 - 3 records at least 5 results for 5 different concentrations as whole numbers;
 - 4 records 1% as faster than lowest concentration; [4]
 - (iii) correct answer calculated from students results; [1]
 - (iv) reject;

colour change fastest at 1%; [2]

- (c) (i) colour change/endpoint is difficult to judge; [1]
 - (ii) systematic error + same syringe or random error + appropriate problem; [1]
 - (iii) same concentration of starch;

at least 5 different concentrations of **X** or fruit juice + serial or simple dilution;

add Benedict's + heat to 80 °C/boil + record the time for first appearance of any colour change;

[Total : 22]

[3]

P	age 4	4		Mark Scheme	Sv. A.D. ner
	-g			Cambridge International AS/A Level – May/June 2015	Syl And per 970
2	(a)	(i)	1	at least 3 lines + size at least 70 mm + no shading;	Sylvad Der 970 Per Sylvad Sylv
			2	no cells + correct quarter drawn ;	
			3	at least 5 lines drawn + one complete bulge;	•
			4	at least 3 layers + epidermis drawn as double lines or trichom	es drawn ;
			5	label T with label line ;	[5]
		(ii)	1	quality of outer line sharp and continuous + largest cell size at 40 mm in length + at least 4 cells;	t least
			2	only 4 complete cells drawn + each cell must touch another ce at one point to form one group;	ell at least
			3	correct proportion of cell wall to cytoplasm (thin cell walls);	
			4	labels one cell wall ;	[4]
	(b)	rec	ords	correct number of eyepiece graticule units ;	
		sho	ows	multiplication by 11 ;	
		cor	rect	answer + units ;	[3]
	(c)	(i)		entation axis) <u>biological molecule</u> found in fruit + (<i>y</i> -axis) <u>mass (</u> of) <u>biolog</u> molecule in the <u>35 g fruit</u> (/) <u>g</u> ;	<u>gical</u>
			SCa (X-	ale axis) bars of equal width + equal distance apart) + using more the grid + (y-axis) even scale;	han half
			•	tting rect plotting of each bar in the order in the table ;	
			line sha	earp ruled lines + labels for C, S, U, F, P directly below bar or ins	ide bar ; [4]
		(ii)	sho	ows addition of 0.2 and 0.4 + division by 35 + multiplication by 1	00;
			1.7	· (%);	[2]

[Total: 18]