

| |
|--|
| |
|--|

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

No Additional Materials are required.

The number of marks is given in brackets [] at the end of each question or part question.

APA CAMBRIDGE

Answer **all** the questions.

- 1 A student investigated growth in the roots of broad bean, *Vicia faba*. The student cut sections of the root tip of this plant and viewed them with a light microscope.

Fig. 1.1 is a photomicrograph of one of the sections. The cell labelled **D** is in interphase.




Fig. 1.1

- (a) Complete the table below by:
- naming the stages of mitosis in the correct sequence following interphase
 - identifying **one** example from the cells labelled **A** to **H** that is in each stage of mitosis that you have named.

| stage of mitosis | label from Fig. 1.1 |
|------------------|---------------------|
| | |
| | |
| | |
| | |

[5]

- (b) In animal cells, centrioles are responsible for assembling microtubules to make the spindle at the beginning of mitosis.

Describe the role of the spindle during mitosis.

.....

.....

.....

.....

.....

.....[2]

- (c) State two roles of mitosis in plants and animals **other than growth**.

1

2[2]

- (d) *V. faba* is a legume. Roots of legumes often have swellings at intervals known as nodules. Cells within the nodules contain nitrogen-fixing bacteria.

- (i) Explain the role of nitrogen fixation in the nitrogen cycle.

.....

.....

.....

.....

.....

.....[2]

- (ii) Farmers in some parts of the world grow legume crops together with cereal crops in the same field. This is known as intercropping.

Explain how intercropping results in an increase in the yield of the cereals when the legumes die.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[3]

[Total: 14]

- 2 Pathogens enter the body in a variety of ways, including through the gas exchange system. The body has several defence mechanisms against the entry of pathogens and their spread throughout the body.

Fig. 2.1 is an electron micrograph of a cross section of the lining of a bronchiole.




Fig. 2.1

- (a) (i) Name tissue **X** and cell **Y**.

X

Y[2]

- (ii) With reference to the structures visible in Fig. 2.1, state three ways in which the lining of the trachea, bronchus and bronchioles provides protection against the entry of bacterial pathogens.

1

.....

2

.....

3

.....[3]

Fig. 2.2 shows part of the immune response to the first infection by a bacterial pathogen. The pathogen entered the body through the lining of a bronchiole. **J** and **K** are stages in the immune response.




Fig. 2.2

(b) (i) State what is happening at stage **J**.

.....
[1]

(ii) Explain the role of cell **L** at stage **K** in the immune response.

.....

[2]

- (c) With reference to Fig. 2.2, explain how the response to a second infection by the same pathogen differs from the first.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[3]

- (d) There are various ways in which the effectiveness of immune responses can be reduced.

Suggest how each of the following reduces the effectiveness of an immune response.

- (i) The number of T-lymphocytes is reduced in a person with HIV/AIDS.

.....

.....[1]

- (ii) Some pathogens are covered in cell surface membranes from their host.

.....

.....[1]

- (iii) B-lymphocytes do not mature properly and do not recognise any antigens.

.....

.....[1]

[Total: 14]

- 3 When a leaf is first formed it is described as a sink for carbohydrate. As the leaf continues to grow it starts to photosynthesise and becomes a source of carbohydrates and other assimilates.

Fig. 3.1 shows the changes that occur to the structure of plasmodesmata in the leaf as it grows.




Fig. 3.1

- (a) Suggest the advantage of complex plasmodesmata between cells in leaves.

.....

.....

.....

.....

.....[2]

- (b) Assimilates are transported into phloem sieve tubes.

Explain how assimilates in phloem sieve tubes move from the veins in a mature leaf to such as flowers and fruits, in the rest of the plant.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

[Total: 6]

- 4 (a) Fig. 4.1 shows two ways in which enzymes interact with their substrates.




Fig. 4.1

Explain the difference between the two ways in which enzymes interact with their substrates as shown in Fig. 4.1.

.....

.....

.....

.....

.....

.....

.....

.....[3]

- (b) Carbonic anhydrase is an enzyme that is found in blood, liver and kidneys. Fig. 4.2 shows a molecular model of this enzyme.




Fig. 4.2

- (i) With reference to Fig. 4.2 and the parts labelled **P** and **Q**, explain the term *secondary structure*.

.....

.....

.....

.....

.....

.....

.....

.....[3]

- (ii) Describe the role of carbonic anhydrase in the blood.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

[Total: 10]

[Turn over]

- 5 Fig. 5.1 shows a diagram of the molecular structures of tristearin (a triglyceride) and phosphatidylcholine (a phospholipid).




Fig. 5.1

- (a) Table 5.1 shows a structural difference between the two molecules shown in Fig. 5.1.


Complete Table 5.1 with two further structural differences **other than** in numbers of different types of atoms.

Table 5.1

| structural feature | tristearin | phosphatidylcholine |
|-----------------------------|---------------------|---------------------|
| length of fatty acid chains | all the same length | different lengths |
| | | |
| | | |

[2]

- The enzymes are packaged in vesicles so that they can be exported from these shown in Fig. 5.2.



.....[4]

- (c) Water has many significant roles to play in cells and living organisms.

Complete Table 5.2 below by stating the property of water that allows each of the following to take place.

Table 5.2

| role of water | property of water |
|---|-------------------|
| solvent for glucose and ions | |
| movement in xylem | |
| helps to decrease body temperature in mammals | |

[3]

[Total: 9]

- 6 Red blood cells are formed from cells called reticulocytes. Stem cells in the bone marrow produce reticulocytes which differentiate into red blood cells. During differentiation haemoglobin is produced.

Fig. 6.1 shows the structure of small sections of DNA and messenger RNA (mRNA) in the nucleus of a reticulocyte during transcription.




Fig. 6.1

(a) Name the bases P to S.

- P
- Q
- R
- S[4]

(b) Describe the role of the mRNA molecule shown in Fig. 6.1.

.....

.....

.....

.....

.....

.....

.....

.....[3]

[Total: 7]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.