


Cambridge International AS & A Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



MARINE SCIENCE 9693/11

Paper 1 AS Structured Questions

May/June 2020

1 hour 30 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has 16 pages. Blank pages are indicated.

Answer **all** the questions in the spaces provided.

1	(a)		marine environment includes many different ecosystems. In each ecosystem there is a ety of food chains.
		(i)	Explain the meaning of the term ecosystem.
			[2]
		(ii)	Explain the role of a producer in a food chain.
		(,	
			[2]
	(h)	Sea	egrass is a producer that grows attached to the sea bed in shallow water around coastlines.
	(6)		igrass grows well where there are low levels of nitrogen in the water.
		Fig.	1.1 shows a seagrass bed.
			Fig. 1.1
		(i)	State one function of each of the following nutrients in seagrass.
			nitrogen
			magnesium

phosphorus

[3]

(ii)	Algae are small	producers t	that float in	the surface	layers of the ocean.
------	-----------------	-------------	---------------	-------------	----------------------

River run-off can lead to a huge increase in the population of algae in areas where seagrass grows.

Explain the impact this could have on the seagrass.
[2]

(c) Productivity was measured in an area of the mid-North Atlantic Ocean, and in a second area near the coast of Peru. These areas are shown in Fig. 1.2.




Fig. 1.2

The productivity was measured in grams of carbon per m² per year (gm⁻²y⁻¹).

The productivity in the mid-North Atlantic Ocean was 0.2 gm⁻²y⁻¹.

The productivity in the ocean near the coast of Peru was $10\,\mathrm{gm^{-2}y^{-1}}$.

(i) Calculate productivity in the mid-North Atlantic Ocean as a percentage of the productivity near the coast of Peru.

 	 	 	 	 	 				 		 								 	 		9	/	
																					ſ	. 1	1	

(ii)	This research was not carried out during an El-Niño event.
	Suggest reasons for the high productivity in the ocean near the coast of Peru, compared with the mid-North Atlantic Ocean.
	[4]
	[Total: 14]

2 Fig. 2.1 is a map showing the mid-Atlantic ridge in the Atlantic Ocean.

The arrows show the direction of tectonic plate movement.




Fig. 2.1

(a) In the Atlantic Ocean scientists found rock that was 3800000 years old at a distance of 43 km from the centre of the mid-Atlantic ridge.

1 km = 1000000 mm

(i) Use the formula speed = distance ÷ time, to calculate the average speed of movement of each plate in mm per year.

	mm per year [2]
(ii)	Use your answer from (a)(i) to calculate how far from the centre of the ridge each plate has moved since the year 2000. Include the unit.
	[1]
(iii)	State the area of the sea floor where the oldest rocks are located.
	[1]

(b) Fig. 2.2 shows a different type of tectonic plate boundary to the one found in the mid-Atlantic.




Fig. 2.2

(i) Name this type of tectonic plate boundary.	
	[1]
(ii) Explain how earthquakes may occur at this type of tectonic boundary.	
	[3]
(iii) Explain how this type of tectonic boundary can also lead to the formation of a ts following an earthquake.	unami
	[2]
[Tot	tal: 10]

3 (a) Fig. 3.1 shows part of a general nutrient cycle in the ocean.




Fig. 3.1

Name, or describe, processes P, Q, R and S.

Р	
Q	
R	
3	[4

(b) Primary productivity is the rate of production of new biomass by producers.

Table 3.1 shows the relationship between sea bed depth and the percentage of biomass produced from primary productivity that reaches the sea bed sediment.

Table 3.1

sea bed depth/m	percentage of biomass produced from primary productivity that reaches the sediment
5	55
15	20
2200	12
4000	1

(i)	State the relationship between sea bed depth and percentage of biomass produced from primary productivity that reaches the sediment.
/::\	Suggest and reason for this relationship
(ii)	Suggest one reason for this relationship.
	[1] [Total: 6]

4

Tropica	al cyclones require specific factors to be present in order to form and be sustained.
(a) St	ate another term used for tropical cyclones.
	[1]
(b) De	escribe the role played by each of the following in the formation of a tropical cyclone.
(i)	sea water temperature of at least 26.5 °C
	[2]
(ii)	Coriolis effect
	[1]
(iii)	low wind shear
	[1]
	[Total: 5]

5 Fig. 5.1 shows the locations of four of the world's oceans.




Fig. 5.1

Table 5.1 shows the rate of precipitation and evaporation in these four oceans.

Table 5.1

ocean	precipitation (P) /mm per year	evaporation (E) /mm per year	P – E /mm per year	other freshwater input /mm per year
Arctic	97	53	+44	307
Indian	1043	1294	-251	72
Pacific	1292	1202	+90	69
Atlantic	761	1133	-372	197

(a)	(i)	Suggest reasons for the difference in evaporation rates in the Arctic Ocean and the Indian Ocean.
		[2]

(ii) Fig. 5.2 shows the salinities in the world's oceans.




Fig. 5.2

	Atlantic Ocean differs from the salinity of the Pacific Ocean.
	[4]
(b)	Precipitation is one example of a fresh water input which causes a reduced salinity in the oceans.
	Suggest two other sources of fresh water input into the oceans, and for each suggest a different impact on the ocean in that area.
	source
	impact
	source
	impact
	[4]


(i)	Name the photosynthetic organisms that live within tropical coral polyps.
(ii)	Describe the relationship between the tropical coral polyp and these photosynthese
()	organisms.
(iii)	Suggest two reasons why tropical coral polyps rarely grow at an ocean depth be 50 m.
	1
	2
) Tro	pical coral polyps can be killed by:
,,	temperature change
	tomperature enamige
	• storms.
(i)	 storms. Name two other environmental conditions that can kill tropical coral polyps and leacoral reef erosion.
(i)	Name two other environmental conditions that can kill tropical coral polyps and leacoral reef erosion.
(i)	Name two other environmental conditions that can kill tropical coral polyps and lead coral reef erosion. 1
(i)	Name two other environmental conditions that can kill tropical coral polyps and lea

	(ii)	Following the death of the tropical coral polyps, storm events may pull the reef structure.	ture
		Suggest why it may be difficult for tropical corals to naturally recolonise habitats follow storm damage.	ving
			[2]
((iii)	A temperature change caused the death of 80% of the tropical coral polyps on a creef. An artificial reef was installed as part of a conservation programme.	oral;
		Scientists proposed to colonise it with only the tropical coral species that survived temperature change.	the
		Suggest one advantage and one disadvantage of using this species.	
		advantage	
		disadvantage	
			 [2]
(c)	Exp	lain the effect that the loss of a tropical coral reef has on the local coastal area.	[-]
			[4]

[Total:16]

7 (a) Fig. 7.1 shows a pyramid of numbers and a pyramid of energy for the following food chain in the middle of summer.

phytoplankton → zooplankton → blue damselfish → skipjack tuna



pyramid of numbers

pyramid of energy

Fig. 7.1

(i)	Label the dotted lines in Fig. 7.1 with the names of the four organisms in the food	chain
	to show which organism occupies each trophic level.	[1]

(11)	Name the organism occupying the third trophic level.	

	[1

(iii) Tuna are often infected with parasitic nematodes.

A al al a sa a la a sa 4 a a a a	ممرحة امليمت مستحدا			LO.
Add one bar to eac	:n byramid to re	epresent the parasition	c nematodes.	13

(iv) Describe the parasitic relationship between skipjack tuna and nematodes.

 	[2]

(b) The percentage energy transfer efficiency of the food chain is shown in Table 7.1.

Table 7.1

energy transfer	percentage transfer efficiency
surface solar energy to phytoplankton	2.0
phytoplankton to zooplankton	16.1
zooplankton to blue damselfish	8.9
blue damselfish to skipjack tuna	10.3

	(i)	Suggest one reason for the low percentage transfer efficiency of surface solar energy to phytoplankton.
		[1]
	(ii)	Typical percentage energy transfer efficiencies from one trophic level to the next are estimated at 10%.
		Suggest two reasons why the value for percentage energy transfer efficiency from phytoplankton to zooplankton, shown in Table 7.1, is greater than 10%.
		1
		2
		[2]
(c)	Skip	ojack tuna are a shoaling fish.
	Ехр	lain why it is an advantage to skipjack tuna to form shoals.
		[4]

[Total: 14]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.