

Cambridge International AS & A Level

CENTRE CANDIDATE NUMBER	MARINE SCIE	ENCE uctured Questions	9693/03 ober/November 2020

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has 20 pages. Blank pages are indicated.

PapaCambridge

Answer all the questions in the spaces provided.

1 Arcata Bay is one of the largest estuaries in California, United States of America.

Fig. 1.1 shows a plan of Arcata Bay.

(a)




Fig. 1.1

(a) (i)	Several rivers drain into Arcata Bay to form an estuary.
	State the meaning of estuary.
	[1]
(ii)	Extensive seagrass beds are found in shallow clear water.
	Explain why seagrass is only found in shallow clear water in Fig. 1.1.
	[4]
© UCLES 2020	9693/03/O/N/20



(iii) Fig. 1.2 shows the structure of seagrass found in Arcata Bay.




Fig. 1.2

		Use Fig. 1.2 to suggest how the structure of seagrass plants helps to modify the conditions in the shallow water, making it more suitable for seagrass to survive.
		[2]
(b)	•	ster farming has taken place in the same shallow water as the seagrass beds since the 0s. Oysters used to be cultured on the sea bed and harvested by dredging.
		ce 2001, the oysters have been cultured in beds, attached to long lines suspended above seagrass.
	(i)	Use all the information provided to suggest why the culture method was changed in 2001.
		[1]

(ii) Fig. 1.3 shows seagrass cover below and around the suspended oyster beds.




Fig. 1.3

In 2017, the oyster farming company applied to increase the oyster beds by 34%.

Jse the information provided and your own knowledge to explain why commercial shermen might object to the proposed increase.
[4]
[Total: 12]

© UCLES 2020 9693/03/O/N/20

- **2** (a) The albacore tuna, *Thunnus alalunga*, is an important commercial species in the Indian, Pacific and Atlantic Oceans.
 - (i) Fig. 2.1 shows some of the main stages in the life cycle of tuna.




Fig. 2.1

Complete Fig. 2.1	by writing in t	the missing stages ir	n the life cycle.
-------------------	-----------------	-----------------------	-------------------

(iii) During the spawning season, older females can release eggs for more months than younger females.

Suggest why older females can release eggs for more months than younger females.

[2]

(b)	Stat	e two ways in which the life cycle of salmon differs from the life cycle of tuna.
	1	
	2	
		[2]
(c)	Alba	core tuna swim continuously and migrate long distances.
	(i)	Explain why tuna must consume large quantities of food each day.
		[2]
	(ii)	Describe how the ventilation system in tuna allows enough oxygen to be obtained so that the fish can swim continuously.
		[3]
		[Total: 13]

3	(a)	Illegal	fishing	is an	international	issue.
---	-----	---------	---------	-------	---------------	--------

S	tate one	method	d of ento	rcement	available	e if illegal	fishing h	nas taken	place.	
•••										
										 [1]

(b) Various monitoring methods are used to try to reduce illegal fishing. These include fishermen having to use logbooks to record their catch and patrol aircraft observing fishing boats to check for illegal fishing.

Complete Table 3.1 to show an advantage and disadvantage of each method.

Table 3.1

monitoring method	advantage	disadvantage
logbooks	cheap and can be used on any fishing vessel, in any language	
patrol aircraft		cannot arrest fishing crew and cannot inspect catch or gear

[2]

[Turn over

PapaCambridge

(c) Two other methods of monitoring include Vessel Management System (VMS) and Automatic Identification System (AIS).

VMS was designed as a ship monitoring and tracking system, while AIS was designed for ships to communicate with each other and with shore. AIS depends on a communication satellite signal. Only AIS information is freely available.

Fig. 3.1 shows part of the coastline of Indonesia. Map **A** tracks a fishing vessel using AIS. Map **B** tracks the same fishing vessel using VMS **and** AIS.




Fig. 3.1

Suggest and explain the advantages of using combined data from both VMS and AIS

	rather than relying on data from AIS only.
	[2]
(ii)	Indonesia has recently made the data from VMS freely available, so that, when combined with AIS, all its fishing fleet can be tracked.
	Suggest the advantage to the Indonesian fishing industry of sharing their fishing fleet tracking data.
	[1]
	catch made by smaller fishing vessels is often transferred to larger factory vessels while at sea. The factory vessels later carry the catch to port.
(i)	Suggest two advantages of transferring catch to factory vessels.
	1
	2
© UCLES 2020	[2] 9693/03/O/N/20

One problem with transferring catch at sea is that legal and illegal catch can become mixed together. Some fishing boats switch off their AIS when they are fishing illegally, or when they are transferring illegal catch.

Argentina allows only Argentinian vessels to fish for squid within 483 km of the shore. There is no restriction on squid fishing outside this restricted fishing zone.

Fig. 3.2 shows the restricted fishing zone around part of the coastline of Argentina. Each star (*) represents a different non-Argentinian fishing vessel. The stars show the positions where each vessel stopped transmitting AIS signals for at least 24 hours.




Fig. 3.2

(ii)	Use the information provided in Fig. 3.1 and 3.2 to discuss the evidence that illegal fishing and illegal transfers are taking place along the border between the restricted fishing zone and the unrestricted fishing zone.
	[3]
	[Total: 11]

BLANK PAGE



4	(a)	Between 1950 and 2010, production of fish by aquaculture increased by 120 million tonnes.
		Production by commercial fishing increased by 60 million tonnes between 1950 and 1990 and then stayed the same until 2010.
		Suggest why aquaculture production is still increasing but production from commercial fishing is not.
		ro.

(b) New aquaculture projects are being set up in many different countries.

Fig. 4.1 shows a flow diagram of an aquaculture project in Africa. Water from the fish-rearing tanks is recycled in a closed system that treats the water.




Fig. 4.1

food use and disease management.
Describe how the system in Fig. 4.1 meets each of these requirements.

(i) Three requirements for a sustainable aquaculture system are clean water, efficiency of

 	 [4]

PapaCambridge

	(ii)	State two requirements, other than those listed in (b)(i) , for a sustainable aquaculture system.
		1
		2[2]
	(iii)	Suggest two disadvantages of the aquaculture system shown in Fig. 4.1.
		1
		2
		[2]
	(iv)	Suggest two ways in which the aquaculture system in Fig. 4.1 reduces the negative impacts of aquaculture.
		1
		2
		[2]
(c)		ne aquaculture systems rear fish which are released into the sea to increase the ulations of wild fish.
		lain why fish raised in aquaculture are often unsuccessful in increasing populations of fish.
		[3]
		[Total: 16]

© UCLES 2020 9693/03/O/N/20 **[Turn over**

5 It is estimated that eight million tonnes of plastic refuse enters the oceans every year. Plastic refuse usually floats and is carried by surface currents.






Fig. 5.1

(a) (i	Name the effect that produces ocean currents as a result of the Earth's rotation.
	[1]
(ii	State two other causes of ocean currents.
	1
	2[1]
(iii	Plastic refuse eventually gathers in ocean areas to form huge floating masses. One of these areas is marked at X on Fig. 5.1.
	Suggest why plastic often collects in this area.
	4.0

(b) Plastics remain in the environment for a long time and much of the plastic that has ever existed is still around today. Plastics are eventually broken down into small pieces called microplastics.

Table 5.1 shows the estimated number of years for some plastics to break down.

Table 5.1

type of plastic	estimated number of years to break down
styrofoam cup	50
plastic bottle	450
fishing line	


		plastic bottle	450	
		fishing line		
(i)	Fishing line tak	kes an estimated 34	1% longer to break down t	han plastic bottles.
	Calculate the	estimated number o	of years for fishing line to b	reak down.
	Space for work	king.		
				[2]
(ii)	Explain one wa	ay that fishing line p	ooses a threat to marine a	nimals.
				[2]

[Turn over © UCLES 2020 9693/03/O/N/20

(c)	Microplastics are a similar size and density to phytoplankton.
	Edible shellfish such as mussels feed on phytoplankton.
	Suggest why scientists are concerned about the increasing volume of microplastics in the marine environment.
	[3]
(d)	Several companies are developing an alternative to plastic made from waste prawn shells.
	Suggest and explain the advantages of using this alternative to plastic.



BLANK PAGE



A marine conservation organisation carries out projects with local communities all over the world

	elp to conserve the marine environment. This work has resulted in the setting up of Locally naged Marine Areas (LMMAs), which are managed by local communities.
(a)	Suggest why LMMAs are often more successful than government-directed projects.
	[2]
(b)	Suggest two reasons why it is important to conserve coral reefs.
	1
	2

[2]

(c) In Madagascar, international volunteers are working in an LMMA to assess the effectiveness of a complete fishing ban on the health of coral reefs.

The volunteers map the reef and collect information about different aspects of the reef at regular intervals over a period of time.

Two sorts of information that are collected by the volunteers are:

- the percentage of the reef that is bleached and where the bleaching is located
- the number of different species living on the reef and the size of the populations of these species.

(1)	improving.
	[3]
(ii)	Suggest why there may be conflicts of interest between the local managers of the LMMAs and tourists to Madagascar.
	[2]

[Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2020 9693/03/O/N/20

