



Cambridge International AS & A Level

MARINE SCIENCE

9693/12

Paper 1 AS Structured Questions

May/June 2021

MARK SCHEME

Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **11** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance
For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

PUBLISHED

- This mark scheme will use the following abbreviations:

| | |
|-------------------------|---|
| ; | separates marking points |
| / | separates alternatives within a marking point |
| () | contents of brackets are not required but should be implied / the contents set the context of the answer |
| R | reject |
| A | accept (answers that are correctly cued by the question or guidance you have received) |
| I | ignore (mark as if this material was not present) |
| AW | alternative wording (where responses vary more than usual, accept other ways of expressing the same idea) |
| AVP | alternative valid point (where a greater than usual variety of responses is expected) |
| ORA | or reverse argument |
| <u>underline</u> | actual word underlined must be used by the candidate (grammatical variants excepted) |
| MAX | indicates the maximum number of marks that can be awarded |
| + | statements on both sides of the + are needed for that mark |
| OR | separates two different routes to a mark point and only one should be awarded |
| ECF | error carried forward (credit an operation from a previous incorrect response) |

PUBLISHED

| Question | Answer | Marks |
|-----------------|--|--------------|
| 1(a) | ecosystem ; | 1 |
| 1(b)(i) | all 6 organisms in food web and correctly linked ; arrows correct direction ; | 2 |
| 1(b)(ii) | four closed bars ; widest at base ; correctly labelled with organism names ; | 3 |
| 1(b)(iii) | <i>any 2 of:</i> respiration / heat (of tube worms) ; movement (of tube worms) ; excretion (by tube worms) ; not all tube worms are eaten by fish ; not all of a tube worm is digested / absorbed ; | 2 |
| 1(c) | tube worms gain organic matter / food / nutrition / nutrients / energy ; (chemosynthetic) bacteria gain safe location to live in ; | 2 |
| 1(d) | Tevnia followed by Riftia ; | 1 |
| 1(e) | <i>any 3 of:</i> temperature is too high ; no light ; high pressure ; (algae / plants) cannot photosynthesise ; acidity ; inappropriate nutrients / minerals ; | 3 |
| 1(f) | tectonic / plate movements ; | 1 |

PUBLISHED

| Question | Answer | Marks |
|----------|--|----------|
| 2(a)(i) | greater (area of) mangrove loss than mangrove expansion ; so overall / total mangrove area decreased ; | 2 |
| 2(a)(ii) | 0.055 – 0.02 ; 0.035 ; km ² ; | 3 |
| 2(b) | <i>any 2 of:</i> low wave action or low erosion ; sedimentation ; higher salt concentration (in water) than freshwater / river water OR lower salt concentration (in water) than seawater OR mixing / presence of freshwater / river water and saltwater ; low oxygen concentration <u>in substrate</u> ; (relatively) shallow ; | 2 |
| 2(c)(i) | <i>any 2 linked pairs of:</i> increased rainfall in (end of) summer / autumn / winter ; decreases salinity ; increased temperature (in spring) causes increased evaporation ; increases salinity ; upwelling at (end of) winter / spring ; increases salinity ; | 4 |
| 2(c)(ii) | <i>any 2 of:</i> increased rain / wind / wave action / turbulence ; increases surface mixing or dissolution ; water may be less turbid ; (allows) more light or more photosynthesis ; decreased temperature ; may decrease number of organisms (using dissolved oxygen) or higher solubility of oxygen / greater oxygen holding capacity of water (in cooler water) ; | 2 |

PUBLISHED

| Question | Answer | Marks |
|-----------------|--|--------------|
| 3(a) | DNA / RNA / bone / skeleton / nucleic acids / phospholipid bilayer / ATP / ADP / teeth ; | 1 |
| 3(b)(i) | (X) (dissolving and) runoff ; (Y) uptake / assimilation / absorption ; (Z) (death and) decay / decomposition (and dissolving) ; | 3 |
| 3(b)(ii) | <i>any 2 of:</i> algae are nearer shore (than sediment) ; easier / cheaper (to access) ; less likely to destroy (seafloor) habitat ; may be more phosphorus near shore due to runoff / farming ; | 2 |
| 3(c)(i) | quantity of organic matter (produced) ; in a given time (per unit area) or rate of ; | 2 |
| 3(c)(ii) | less food / energy available ; for (primary) consumers / herbivores / rest of food web ; | 2 |

| Question | Answer | Marks |
|-----------------|---|--------------|
| 4(a) | (at location A) <i>any 3 of:</i> less / no, rain / precipitation ; lower / no, wind speed / calmer ; blue / clear(er) skies or less / no cloud ; warmer ; | 3 |

PUBLISHED

| Question | Answer | Marks |
|-----------------|---|--------------|
| 4(b)(i) | <p><i>any 3 of:</i> (sea)water temperature ; location in relation to the equator ; location over sea or land ; (air) pressure ; ocean currents ; shape of sea bed or depth of sea (bed) ; wind shear ; humidity ; size of cyclone / hurricane / typhoon ;</p> | 3 |
| 4(b)(ii) | <p><i>any 2 of:</i> size of hurricane / typhoon / tropical cyclone ; direction of travel or site of landfall ; speed of movement of cyclone ; (timing of) tides / storm surge ; precipitation ; wind direction ;</p> | 2 |
| 4(c) | <p><i>any 2 of:</i> early warning systems ; allow more time to evacuate ;</p> <p>sea walls / coastal defences ; reduces wave energy or reduces flooding ;</p> <p>evacuation or (evacuation) shelters ; less loss of life ; AVP ;;</p> | 2 |

PUBLISHED

| Question | Answer | Marks |
|-----------------|---|--------------|
| 5(a)(i) | <i>any 3 of:</i> finding feeding grounds ; reproduction ; (inside of shoal) protected from predator ; more efficient swimming ; many eyes to detect predators ; | 3 |
| 5(a)(ii) | easier to find prey / food ; | 1 |
| 5(b) | decrease blue shark population ; <i>plus any 3 of:</i> weaker current (East to West) ; decreased upwelling ; (of) nutrient rich, (cold) water ; decreasing algal / (phyto)plankton growth ; decreasing anchovy population ; | 4 |
| 5(c)(i) | one organism / parasite living in / on another organism / host ; parasite benefits ; host harmed ; | 3 |
| 5(c)(ii) | fish closer together ; therefore parasites move to new hosts more easily ; | 2 |

| Question | Answer | Marks | | | | | | | | | | |
|--------------------------|--|----------|--------------------|-----------------|---|------------------|---|-------------------|---|--------------------------|---|----------|
| 6(a)(i) | <p><i>any 3 of:</i> Earth's <u>crust / lithosphere</u> made up of plates ; (plates float) on mantle / asthenosphere ; (plates) moving / colliding / sliding AW ;</p> <p>convection currents in magma / mantle below plate is moving ; driven by heat / density ;</p> | 3 | | | | | | | | | | |
| 6(a)(ii) | <p><i>any 3 of:</i> fit (like jigsaw puzzles) between coastlines of continents ; ref. to distribution of fossils / palaeontology ; distribution of similar terrestrial living creatures, e.g. marsupials in Australia and S. America ref. similarities in rock, types / ages ;</p> <p>magnetic stripes (in rocks) on the ocean floor / sea bed ; stated activity near plate boundaries ;</p> | 3 | | | | | | | | | | |
| 6(b)(i) | <table border="1" data-bbox="336 786 1032 1115"> <thead> <tr> <th data-bbox="336 786 685 852">feature</th> <th data-bbox="685 786 1032 852">letter in Fig. 6.1</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 852 685 917">an ocean trench</td> <td data-bbox="685 852 1032 917">E</td> </tr> <tr> <td data-bbox="336 917 685 983">an abyssal plain</td> <td data-bbox="685 917 1032 983">A</td> </tr> <tr> <td data-bbox="336 983 685 1048">a volcanic island</td> <td data-bbox="685 983 1032 1048">C</td> </tr> <tr> <td data-bbox="336 1048 685 1115">an area of littoral zone</td> <td data-bbox="685 1048 1032 1115">B</td> </tr> </tbody> </table> | feature | letter in Fig. 6.1 | an ocean trench | E | an abyssal plain | A | a volcanic island | C | an area of littoral zone | B | 4 |
| feature | letter in Fig. 6.1 | | | | | | | | | | | |
| an ocean trench | E | | | | | | | | | | | |
| an abyssal plain | A | | | | | | | | | | | |
| a volcanic island | C | | | | | | | | | | | |
| an area of littoral zone | B | | | | | | | | | | | |
| 6(b)(ii) | divergent ; | 1 | | | | | | | | | | |
| 6(c) | <p><i>any 3 of:</i> (that because) continental crust / plate is less dense than oceanic crust / plate ; (continental) thicker, crust / plate, is higher ; (continental) less dense, crust / plate, is higher ; (edge of continental plates also) covered in more sediment (from run-off) ;</p> | 3 | | | | | | | | | | |