

Cambridge IGCSE[™]

COMBINED SCIENCE 0653/13

Paper 1 Multiple Choice (Core)

October/November 2020

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are **forty** questions on this paper. Answer **all** questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 The diagram shows two red blood cells inside a capillary and two tissue cells near this capillary.




How does the oxygen in the red blood cells reach the tissue cells?

- A by absorption
- B by diffusion
- **C** by respiration
- **D** by transpiration

2 Which row is correct?

	substance	elements contained in substance			
	substance	carbon	hydrogen	nitrogen	oxygen
Α	carbohydrates	✓	✓	✓	X
В	carbohydrates	✓	✓	X	X
С	proteins	✓	✓	✓	✓
D	proteins	X	✓	✓	✓

3 The diagram shows how the activity of an enzyme changes with temperature.




This enzyme works in the human body.

What is the most likely value of temperature X?

- **A** 10 °C
- **B** 40 °C
- **C** 70 °C
- **D** 100 °C

4 Which label gives the correct function of that region of the alimentary canal and its associated organs?



5 Which breakdown processes occur inside cells, and which occur outside cells?

	large molecules to small molecules for absorption	breakdown of glucose to release energy	
Α	inside	inside	
В	inside outside		
С	outside	inside	
D	outside	outside	


6 The table shows two plant tissues with their possible functions.

	tissue	functions	
	แรรนะ	support	transport
1	phloem	√	√
2	phloem	X	✓
3	xylem	✓	✓
4	xylem	✓	X

Which rows show the correct functions for phloem and xylem?

A 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4


7 A student uses the apparatus shown to investigate the composition of inspired and expired air.



What is the appearance of the limewater after one minute of breathing in and out?

	tube X	tube Y	
Α	clear	clear	
В	clear	cloudy	
С	cloudy	clear	
D	cloudy	cloudy	

8 The diagram shows a germinating seed.



What does the germinating seed show?


	shoot	root		
Α	negative phototropism negative gravitropis			
В	negative phototropism positive gravitropism			
С	positive phototropism	sitive phototropism negative gravitropism		
D	positive phototropism	positive gravitropism		

9 Which row describes asexual reproduction?


	number of parents	a zygote is produced	offspring identical to the parent	
Α	1	no	yes	
В	1	yes	no	
С	2	no	yes	
D	2	yes	no	

10 The diagram shows a section through a buttercup flower.

Which structure produces pollen grains?




11 Where does fertilisation take place?



- 12 Which organism makes its own organic nutrients?
 - A carnivore
 - **B** decomposer
 - **C** herbivore
 - **D** producer

13 The diagram shows part of the carbon cycle.

Which arrow represents respiration by decomposers?



14 The temperature and pressure of oxygen in two different containers are shown.


	temperature /°C	$\frac{\text{pressure}}{\text{kN/m}^2}$
container 1	20	200
container 2	50	150


Which statement about the oxygen molecules in container 1 compared to container 2 is correct?

- A In container 1 they are closer together and moving faster.
- **B** In container 1 they are closer together and moving slower.
- **C** In container 1 they are further apart and moving faster.
- **D** In container 1 they are further apart and moving slower.


15 Chromatography separates ink into different colours.

Which diagram shows how the apparatus is set up?






beaker paper ink water



- **16** Which statement about non-metals is correct?
 - **A** They are in Group I of the Periodic Table.
 - **B** They are malleable and have high melting points.
 - **C** They react with acids to form hydrogen gas.
 - **D** They react with other non-metals to form covalent compounds.
- 17 Which row correctly identifies formulae for acids and for alkalis?

	acids	alkalis	
Α	HNO ₃ and H ₂ SO ₄	NaOH and KOH	
В	HNO ₃ and H ₂ SO ₄ HC <i>l</i> and KOH		
С	HC <i>l</i> and KOH	and KOH H ₂ SO ₄ and HNO ₃	
D	NaOH and KOH	HNO ₃ and H ₂ SO ₄	

18 The apparatus for the electrolysis of concentrated aqueous sodium chloride using inert electrodes is shown.




Which statement about this electrolysis is correct?

- **A** A gas, which turns red litmus blue, is produced at the anode.
- **B** Hydrogen is produced at the cathode.
- **C** Oxygen is produced at the anode.
- **D** Sodium can be used for the inert electrodes.
- **19** Which temperature changes occur during exothermic and endothermic reactions?

	exothermic	endothermic	
Α	decreases	increases	
В	B decreases no change		
С	increases	ncreases decreases	
D	increases no change		

20 Dilute hydrochloric acid reacts with magnesium to form magnesium chloride and hydrogen.

Which apparatus is **not** suitable for use in investigating the rate of this reaction?



- 21 Which two substances both react with dilute sulfuric acid to make the salt magnesium sulfate?
 - A magnesium carbonate and magnesium chloride
 - **B** magnesium chloride and magnesium nitrate
 - C magnesium oxide and magnesium carbonate
 - **D** magnesium oxide and magnesium nitrate

22 Acid X reacts with metal Y.

A colourless gas is given off and a pale green solution is produced.

Two tests are carried out on the solution.

test	reagent(s) added	result
1	aqueous silver nitrate and nitric acid	white precipitate
2	aqueous sodium hydroxide	green precipitate

What are acid X and metal Y?

	acid	metal	
Α	hydrochloric	iron	
В	hydrochloric	zinc	
С	sulfuric	iron	
D	sulfuric	zinc	

23 The diagram shows Period 3 of the Periodic Table.

I	II	Ш	IV	V	VI	VII	VIII
V		W	Х			Y	

Which two elements are metals?

 $\textbf{A} \quad \text{V and W} \qquad \quad \textbf{B} \quad \text{V and X} \qquad \quad \textbf{C} \quad \text{W and X} \qquad \quad \textbf{D} \quad \text{X and Y}$

24 Some physical properties of four elements are shown.


Which element can act as a catalyst?

	melting point /°C						
Α	98	good	0.97				
В	113	poor	2.07				
С	1455	good	8.9				
D	1683	poor	2.32				

- 25 Which method is used to extract copper from copper(II) oxide?
 - A dissolving copper(II) oxide in hydrochloric acid and then filtering
 - **B** dissolving copper(II) oxide in water and then filtering
 - **C** heating the copper(II) oxide
 - **D** heating the copper(II) oxide mixed with carbon
- **26** Decane is a hydrocarbon.

Which greenhouse gas is made during the complete combustion of decane?

- A carbon dioxide
- B carbon monoxide
- C hydrogen
- **D** methane
- 27 Which statement describes a hydrocarbon?
 - A a compound that burns to form carbon dioxide and hydrogen
 - **B** a compound that contains carbon and hydrogen only
 - **C** a compound that only contains ionic bonds
 - **D** a compound that reacts easily with metals
- 28 The diagram shows a speed–time graph for an object.



What is the average speed of the object?

- **A** 2.0 m/s
- **B** 4.0 m/s
- **C** 7.0 m/s
- **D** 10 m/s

29 The gravitational field strength is 10 N/kg.

What is the mass of an object that has a weight of 5.0 N?

- **A** 0.50 kg
- **B** 2.0 kg
- **C** 5.0 kg
- **D** 50 kg

30 A solid metal cube of side 5.0 cm has a mass of 250 g.

What is the density of the metal?

- **A** $0.50 \,\mathrm{g/cm^3}$
- **B** $2.0 \,\mathrm{g/cm^3}$
- \mathbf{C} 10 g/cm³
- **5**0 g/cm³

31 A student carrying a bag walks up some stairs at a constant speed.

Which change does **not** affect the power developed by the student?

- A carrying a heavier bag
- B walking at a higher constant speed
- C walking at a lower constant speed
- D walking half-way up the stairs
- 32 Which energy source is non-renewable?
 - A geothermal
 - **B** hydroelectric
 - C nuclear fission
 - **D** wind
- 33 Which row shows how molecules in a solid and a liquid are arranged?

	solid	liquid
Α	regularly	regularly
В	regularly	not regularly
С	not regularly	regularly
D	not regularly	not regularly


34 In which states of matter can convection occur?

	in a solid	in a liquid	in a gas				
Α	no	no	yes				
В	no	yes	yes				
С	yes	no	no				
D	yes	yes	no				

35 The diagram shows a section of a rope.

Four wave crests pass a point on the rope every second.

Each wave crest travels 80 cm in one second.



What is the speed of the wave?

A 4.0 cm/s


B 5.0 cm/s


C 20 cm/s


D 80 cm/s


36 Light travelling in air strikes a glass block.

Which diagram shows what happens to the light?









37 Two sounds with the same frequency are produced by a loudspeaker.

The first sound has a large amplitude.

The second sound has a smaller amplitude.

How do the two sounds compare?

- **A** The second sound is higher pitched.
- **B** The second sound is lower pitched.
- C The second sound is louder.
- **D** The second sound is quieter.
- **38** A plastic rod can be charged by friction. This happens when some particles are added to or removed from the rod.

Which particles are added or removed?

- A electrons
- **B** ions
- **C** neutrons
- **D** protons

39 A power supply causes a current in a circuit.

The electromotive force (e.m.f.) of the power supply and the resistance of the circuit are both changed.

Which pair of changes must result in a smaller current in the circuit?

	e.m.f.	resistance						
Α	decreased	decreased						
В	decreased	increased						
С	increased	decreased						
D	increased	increased						

- **40** What is the purpose of a fuse in an electrical appliance?
 - A to maintain the correct current in the appliance
 - **B** to maintain the correct voltage across the appliance
 - **C** to prevent the insulation around the cables from becoming too thin
 - **D** to protect the wires from overheating when the current is too large

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 :	Не	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -			
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116	^	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	>				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	lΉ	flerovium -
	≡				2	М	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	ပ	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gro											27	ဝိ	cobalt 59	45	牊	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		F :	I	hydrogen 1							26	Ьe	iron 56	44		-		SO	osmium 190	108	Hs	hassium –
											25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186			bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Вb	dubnium –
						ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium —
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				ဇ	=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	ъ́	francium -

71	LU lutetium 175	103	۲	lawrencium	ı
	YD ytterbium 173				
69 F	thulium 169	101	Md	mendelevium	I
88 [erbium 167	100	FB	ferminm	ı
29	no holmium 165	66	Es	einsteinium	ı
99	dysprosium 163	86	℧	californium	ı
65 H	Lerbium 159	97	ž	berkelium	I
49 (gadolinium 157	96	S	curium	ı
63	europium 152	95	Am	americium	ı
62	Samarium 150	94	Pn	plutonium	ı
19	promethium	93	d	neptunium	I
09	neodymium 144	95	\supset	uranium	238
29	praseodymium 141	91	Ра	protactinium	231
88 (Cerium 140	06 j	۲ H	thorium	232
22	lanthanum 139	68	Ac	actinium	I
17.0	lanmanoids	:	actinoids		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).